



Republic of the Philippines
Department of Education
 REGION VIII - EASTERN VISAYAS

5111

March 16, 2022

OFFICE MEMORANDUM

No. **158**, s. 2022

REITERATING THE ADOPTION OF AUSTERITY MEASURES IN THE GOVERNMENT AS CONTAINED IN THE REGIONAL MEMORANDUM NO. 019, s. 2019 CUM CARPOOLING ON THE USE OF SERVICE VEHICLES

To: Regional Office Division Chiefs
 All Others Concerned

1. In support to Republic Act No. 11285, otherwise known as the Energy Efficiency and Conservation Act of 2019, this Office, reiterates the adoption of Austerity Measures in the Government as contained in the Regional Memorandum No. 019, s. 2019.
2. All provisions in the said Memorandum shall be adopted for purposes of energy conservation observance. Attached is Regional Memorandum No. 019, s. 2019 for reference.
3. The use of service vehicles shall also be aligned to the energy conservation measures. In view thereof, all Division Chiefs shall coordinate with the General Services Unit-Administrative Division regarding service vehicle requests. Personnel coming from two (2) or more Divisions heading to one or similar and/or nearby destinations shall be assigned to one vehicle.
4. Immediate dissemination of and compliance with this Memorandum are desired.


EVELYN R. FETALVERO, CESO IV
 Regional Director

Enclosure: Regional Memorandum No. 019, s. 2019
 References: Republic Act No. 11285, Energy Efficiency and Conservation Act of 2019
 Administrative Order Numbers 103, 110, 110-A, 126 and 183
 To be indicated in the Perpetual Index under the following subjects

AUSTERITY MEASURES ENERGY MANAGEMENT ENERGY SAVING



AD-GSU-ATR





Republic of the Philippines
Department of Education
REGIONAL OFFICE NO. VIII (EASTERN VISAYAS)
 Government Center, Candahug, Palo, Leyte
ISO 9001:2015 CERTIFIED



January 8, 2019

REGIONAL MEMORANDUMNo. **019**, s. 2019**CONTINUED ADOPTION OF AUSTERITY MEASURES IN THE GOVERNMENT**

To: Schools Division Superintendents
 Regional Office Division Chiefs
 All Others Concerned

1. Pursuant to Government Energy Management Program (GEMP) the following governing policies re: Implementation of **A.O. Nos. 103, 110, 110-A, 126 and 183** which aimed to **ADDRESS** the increasing/volatile world oil prices through the adherence to the government's energy management/conservation program care are hereby reiterated:

- **Administrative Order No. 110**
 Sect. 1.1 "The government shall aim to REDUCE its monthly consumption of electricity (in kilowatt-hours) and petroleum products (in liters) by at least ten percent (10%)....."
- **Administrative Order No. 103**
 Directing the Continued Adoption of Austerity Measures in the Government
- **Administrative Order No. 126**
 Strengthening measures to address the extraordinary increase in World Oil Prices, Directing the Enhanced Implementation of the Government's Energy Conservation Program, and for other purposes.
- **Administrative Order No. 110-A**
 Amending Administrative Order No. 110, s. 2004 Directing the Institutionalization of a Government Energy Management Program (GEMP)
- **Administrative Order No. 183**
 Directing the use of Energy Efficient Lighting/Lighting Systems (EELs) in Government Facilities (Palit-Ilaw Program).

2. Per Rule III Section 1 of the Energy Conservation Program – Efficiency and Conservation in Electricity and Fuel Use the following ENERCON Measures are hereby enjoined:

- Aircon operating time from **9:00am to 4:00pm**



LEAD, EMPOWER, AND ACHIEVE THROUGH DATA-DRIVEN DECISIONS
...where LEADers create great schools

Page 1 of 2

(053) 323-3156 | DepEd RO8/ region8@deped.gov.ph | gsu..region8@deped.gov.ph /ADMIN.DIVISION/GSU/RTH

- Setting A/C to fan mode during **12:00nn to 1:00pm**
- Setting room temperature not lower than **25 degree centigrade**
- Electric fans and other cooling devices may be used during the **12:00 noon to 1:00pm** break period in lieu of airconditioning units.
- Mandatory replacement of 40-W and 20W fluorescent lamps and incandescent bulbs with slim type fluorescent lamp tubes and CFLs.
- Lights shall be turned off during lunch breaks and after office hours
- Elevators shall be programmed to bypass the 2nd floor.
- Use of 1% CME to all diesel fed vehicles (prior the Biofuel Act implementation)
- Preventive maintenance schedule of service vehicles

3. Strict implementation of this Memorandum is enjoined.


RAMIR B. UYTICO, Ed.D., CESO IV
OIC-Regional Director

Enclosures: None

References: Administrative Order Numbers 103, 110, 110-A, 126 and 183

To be indicated in the Perpetual Index under the following subjects:

AUSTERITY MEASURES

ENERGY MANAGEMENT

ENERGY SAVING