

FY 2024 LIST OF ELIGIBLE LTE-TVL TO BE PROCURED

Item Name	Program/Specialization	Qty per Specialization
Air Compressor with Airbrush Cake Decorating Set	Bread And Pastry Production NC II	1
BEATER	Bread And Pastry Production NC II	6
BOARD, CHOPPING, 6 COLOR	Bread And Pastry Production NC II	6
Boiler, Double	Bread And Pastry Production NC II	1
BOWL, MIXING (6 PCS/SET)	Bread And Pastry Production NC II	12
CAKE PANS, ROUND #4,#6, #8, #10, #12, #14, #16	Bread And Pastry Production NC II	6
CAKE STAND, WITH TIER	Bread And Pastry Production NC II	6
CAKE TURN TABLE	Bread And Pastry Production NC II	3
COUPLER	Bread And Pastry Production NC II	13
CUP, MEASURING (FOR SOLID)	Bread And Pastry Production NC II	12
CUP, MEASURING, 250 ML FOR LIQUID	Bread And Pastry Production NC II	12
CUP, MEASURING, 500ML FOR LIQUID	Bread And Pastry Production NC II	12
CUTTER, DOUGH	Bread And Pastry Production NC II	1
CUTTER, PIE	Bread And Pastry Production NC II	6
FLOUR SIFTER, HAND CRANKED	Bread And Pastry Production NC II	6
GRATER	Bread And Pastry Production NC II	6
KNIFE, KITCHEN	Bread And Pastry Production NC II	6
Knife, Pallet	Bread And Pastry Production NC II	6
LADLE , 3 OZ	Bread And Pastry Production NC II	6
LOAF PAN BIG	Bread And Pastry Production NC II	6
LOAF PAN, MEDIUM	Bread And Pastry Production NC II	6
LOAF PAN, SMALL	Bread And Pastry Production NC II	6
MUFFIN PAN, BIG	Bread And Pastry Production NC II	6
MUFFIN PAN, MEDIUM	Bread And Pastry Production NC II	6
MUFFIN PAN, SMALL	Bread And Pastry Production NC II	6
PIE PAN , 10 INCHES DIAMETER	Bread And Pastry Production NC II	6
PIE PAN, # 6, #8, #10	Bread And Pastry Production NC II	6
PILLARS, CAKE	Bread And Pastry Production NC II	6
PIPING BAG	Bread And Pastry Production NC II	25
RECTANGULAR PAN, 1 X 8	Bread And Pastry Production NC II	4
ROLLING PINS	Bread And Pastry Production NC II	6
RUBBER SCRAPER	Bread And Pastry Production NC II	6
SAUCE PAN	Bread And Pastry Production NC II	6
SHEET PAN	Bread And Pastry Production NC II	6
SPOON, MEASURING	Bread And Pastry Production NC II	25
SPOON, WOODEN	Bread And Pastry Production NC II	6
STRAINER	Bread And Pastry Production NC II	6
TIP, DECORATING	Bread And Pastry Production NC II	20
WEIGHING SCALE, 10 KGS	Bread And Pastry Production NC II	6
WEIGHING SCALE,5 KGS, DIGITAL	Bread And Pastry Production NC II	6
WIRE WHISK, MEDIUM	Bread And Pastry Production NC II	6
Airpot	Caregiving NC II	2
Apron	Caregiving NC II	2
Basin, plastic, round	Caregiving NC II	12
Bath tub, Baby	Caregiving NC II	1
Bedpan	Caregiving NC II	2
Blanket	Caregiving NC II	4
Blanket, Baby	Caregiving NC II	5
Board, Chopping/Cutting, plastic	Caregiving NC II	5
Bottle Sterilizer, electric	Caregiving NC II	1
Bowl, Mixing, stainless steel, 6-piece set	Caregiving NC II	1
Brush, Clothes	Caregiving NC II	1
Brush, Feeding Bottle	Caregiving NC II	2

Item Name	Program/Specialization	Qty per Specialization
Cane	Caregiving NC II	1
Carpet 4ft.x 8 ft.	Caregiving NC II	1
China Ware	Caregiving NC II	1
Cloth, Burping	Caregiving NC II	2
Comforter	Caregiving NC II	4
Commode	Caregiving NC II	1
Crutches, adjustable	Caregiving NC II	1
Cup, Measuring, 1/4, 1/3, 1/2, 1 cup set	Caregiving NC II	1
Cutlery	Caregiving NC II	1
First Aid Kit	Caregiving NC II	1
Garbage Bin (biodegradable and non –biodegradable)	Caregiving NC II	1
Gloves, Rubber (15 mils)	Caregiving NC II	12
Gloves, Surgical (disposable)	Caregiving NC II	1
Gown (hospital)	Caregiving NC II	10
Grooming kit (hairbrush comb, nail cutter, nail brush)	Caregiving NC II	1
Hamper, Clothes	Caregiving NC II	1
Hand Towel	Caregiving NC II	5
High chair/ booster seat/ portable seat	Caregiving NC II	1
Hot Water Bag	Caregiving NC II	1
Kettle, Electric	Caregiving NC II	1
Knife, Electric	Caregiving NC II	1
Mixer, Portable	Caregiving NC II	1
Pail, Plastic, 10 Liters	Caregiving NC II	4
Pans	Caregiving NC II	1
Peeler	Caregiving NC II	5
Pick up Forcep	Caregiving NC II	1
Pillow	Caregiving NC II	8
Pillow Case	Caregiving NC II	12
Potato Masher	Caregiving NC II	1
Pots	Caregiving NC II	1
Rack, Clothes	Caregiving NC II	1
Sheet, Flat	Caregiving NC II	12
Skillet	Caregiving NC II	1
Sphygmomanometer	Caregiving NC II	1
Stethoscope	Caregiving NC II	1
Thermometer, Digital, 32 C - 42.9 C (90.0F-109.9F)	Caregiving NC II	1
Toaster, Bread	Caregiving NC II	1
Towel/Towellete, Bath	Caregiving NC II	12
Towel/Towellete, Face	Caregiving NC II	1
Tray, Medical	Caregiving NC II	1
Trolley, Dressing	Caregiving NC II	1
Urinal	Caregiving NC II	2
Utensils, Cooking	Caregiving NC II	1
Utensils, Feeding (child)	Caregiving NC II	1
Vacuum Cleaner	Caregiving NC II	1
Wheel Chair	Caregiving NC II	2
Allen Wrench	Computer System Servicing (NC II)	10
Anti-Static Device (Anti-static Wrist Strap)	Computer System Servicing (NC II)	10
Combination Pliers, 8"	Computer System Servicing (NC II)	10
Crimping Tool (RJ 11/45)	Computer System Servicing (NC II)	10
Desoldering pump	Computer System Servicing (NC II)	10
Electric Drill, Portable	Computer System Servicing (NC II)	1
External optical drive	Computer System Servicing (NC II)	2
Flash drive	Computer System Servicing (NC II)	11
Flashlight, head-mounted	Computer System Servicing (NC II)	5
Hub / Switch	Computer System Servicing (NC II)	10

Item Name	Program/Specialization	Qty per Specialization
LAN Cable tester	Computer System Servicing (NC II)	5
Long Nose Pliers, 8"	Computer System Servicing (NC II)	10
Multimeter, digital	Computer System Servicing (NC II)	10
Patch panel (48 ports)	Computer System Servicing (NC II)	20
PC Video camera	Computer System Servicing (NC II)	1
Phillip's screwdriver, 8" insulated	Computer System Servicing (NC II)	10
Precision Screwdriver Set	Computer System Servicing (NC II)	5
Soldering Iron, 60W	Computer System Servicing (NC II)	10
Standard screwdriver (Flat), 8" insulated	Computer System Servicing (NC II)	10
Uninterruptible Power Supply (UPS)	Computer System Servicing (NC II)	10
USB External HD	Computer System Servicing (NC II)	1
Wire stripper	Computer System Servicing (NC II)	5
Wireless Access Point	Computer System Servicing (NC II)	10
Apple corer	Cookery NC II	4
BAIN MARIE, TABLE	Cookery NC II	1
BLENDER, ELECTRIC	Cookery NC II	1
Board, Chopping/Cutting, plastic	Cookery NC II	16
Boiler, Double	Cookery NC II	1
BRAISING PAN, MEDIUM	Cookery NC II	8
Can Opener	Cookery NC II	1
CASSEROLE, MEDIUM	Cookery NC II	4
CASSEROLE, SMALL	Cookery NC II	12
COLANDER, MEDIUM	Cookery NC II	2
COLANDER, SMALL	Cookery NC II	4
CUP, MEASURING (FOR SOLID)	Cookery NC II	8
DISPENSER, PAPER TOWEL	Cookery NC II	4
Fan, Electric	Cookery NC II	1
Fire Extinguisher (with contents)	Cookery NC II	1
FISH POACHER, MEDIUM	Cookery NC II	1
FORK, CARVING	Cookery NC II	3
FORK, KITCHEN	Cookery NC II	8
FRYING PAN, LARGE	Cookery NC II	2
FRYING PAN, MEDIUM	Cookery NC II	8
FRYING PAN, SMALL	Cookery NC II	12
FUNNEL, S/S, MEDIUM	Cookery NC II	4
FUNNEL, S/S, SMALL	Cookery NC II	4
Garbage Bin	Cookery NC II	4
GLASS RACK	Cookery NC II	12
ICE CREAM SCOOPER	Cookery NC II	2
KNIFE, BONING	Cookery NC II	8
KNIFE, CHEF	Cookery NC II	10
KNIFE, CLEAVER	Cookery NC II	2
KNIFE, OYSTER	Cookery NC II	4
Light, Emergency	Cookery NC II	1
MEAT SLICER	Cookery NC II	1
PASTRY TUBE	Cookery NC II	8
PEELER, Y-TYPE	Cookery NC II	8
PEPPER AND SALT MILL	Cookery NC II	8
PIPING BAG	Cookery NC II	8
PLATE RACK	Cookery NC II	12
PREPARATION TABLE WITH SINK	Cookery NC II	5
PRESSURE COOKER	Cookery NC II	1
ROASTING PAN	Cookery NC II	4
SCISSOR, KITCHEN	Cookery NC II	8
SIEVER, SMALL	Cookery NC II	8
SKIMMER, FINE	Cookery NC II	8

Item Name	Program/Specialization	Qty per Specialization
SKIMMER, SPIDER	Cookery NC II	8
SOUP CUP RACK	Cookery NC II	12
SOUP LADLE, 12 OZ	Cookery NC II	2
SOUP LADLE, 3 OZ	Cookery NC II	8
SOUP LADLE, 6 OZ	Cookery NC II	8
SOUP LADLE, 8 OZ	Cookery NC II	3
Spatula	Cookery NC II	8
SPOON, KITCHEN	Cookery NC II	8
SPOON, KITCHEN (SLOTTED)	Cookery NC II	8
SPOON, MEASURING	Cookery NC II	8
SPOON, PARISIENNE	Cookery NC II	8
SPOON, SERVING	Cookery NC II	24
SPOON, WOODEN	Cookery NC II	8
STOCK POT, LARGE	Cookery NC II	2
STRAINER CHINOIS, SMALL	Cookery NC II	3
STRAINER CHINOIS, MEDIUM	Cookery NC II	2
STRAINER MEDIUM, FINE	Cookery NC II	8
STRAINER SMALL, FINE	Cookery NC II	8
TENDERIZER, MEDIUM	Cookery NC II	8
THERMOMETER, POCKET /PIN	Cookery NC II	3
TONG, 12 INCHES	Cookery NC II	8
TONG, 8 INCHES	Cookery NC II	10
TRAY, BAKING, SMALL	Cookery NC II	8
TRAY, UTILITY	Cookery NC II	12
TURNER 3" X 6"	Cookery NC II	8
UTILITY CART	Cookery NC II	1
WEIGHING SCALE, 1 KG, DIGITAL	Cookery NC II	4
WEIGHING SCALE, 5 KG	Cookery NC II	2
WIRE SKIMMER, SMALL	Cookery NC II	8
WIRE WHISK, HEAVY DUTY	Cookery NC II	2
WIRE WHISK, MEDIUM	Cookery NC II	8
WIRE WHISK, SMALL	Cookery NC II	8
WOK, MEDIUM	Cookery NC II	1
WOK, SMALL	Cookery NC II	4
Working Table	Cookery NC II	2
ZESTER	Cookery NC II	8
Chair, Dining	Food And Beverage Services NC II	36
Coffee Pot, 2 Pints	Food And Beverage Services NC II	2
Container, Creamer	Food And Beverage Services NC II	5
Cups and Saucers 5-6 oz.	Food And Beverage Services NC II	24
Fork, Cocktail	Food And Beverage Services NC II	24
Fork, Dessert	Food And Beverage Services NC II	24
Fork, Dinner	Food And Beverage Services NC II	24
Fork, Fish	Food And Beverage Services NC II	24
Fork, Oyster	Food And Beverage Services NC II	24
Glass, Champagne Flute	Food And Beverage Services NC II	24
Glass, Collins	Food And Beverage Services NC II	24
Glass, Juice / Hi- Ball	Food And Beverage Services NC II	24
Glass, Pilsner (Ice Tea Glass)	Food And Beverage Services NC II	24
Glass, Red Wine	Food And Beverage Services NC II	24
Glass, White Wine	Food And Beverage Services NC II	24
Gravy Boats	Food And Beverage Services NC II	4
Ice Bucket, 2 liters with Tongs	Food And Beverage Services NC II	2
Knife, Butter	Food And Beverage Services NC II	24
Knife, Dinner	Food And Beverage Services NC II	24
Knife, Fish	Food And Beverage Services NC II	24

Item Name	Program/Specialization	Qty per Specialization
Menu Folder	Food And Beverage Services NC II	2
Napkin Holder	Food And Beverage Services NC II	6
Order pads	Food And Beverage Services NC II	2
PEPPER AND SALT MILL	Food And Beverage Services NC II	2
Plate Covers	Food And Beverage Services NC II	8
Plate, Dessert, 7" to 8"	Food And Beverage Services NC II	24
Plate, Dinner, 10"	Food And Beverage Services NC II	24
Plate, Fish, 8" to 9"	Food And Beverage Services NC II	24
Round Table (8's)	Food And Beverage Services NC II	2
Salad Forks	Food And Beverage Services NC II	24
Salad Knife	Food And Beverage Services NC II	24
Salad Plates 7" to 8"	Food And Beverage Services NC II	24
Salt and Pepper Shakers	Food And Beverage Services NC II	4
Sauce Ladles	Food And Beverage Services NC II	2
Server, Cake	Food And Beverage Services NC II	2
Service Forks	Food And Beverage Services NC II	6
Service Tray	Food And Beverage Services NC II	6
Show/Service/ Base Plates 11" to 14"	Food And Beverage Services NC II	6
Side Plates or Bread Plates 6"	Food And Beverage Services NC II	24
Side Towels	Food And Beverage Services NC II	4
Silver Platter	Food And Beverage Services NC II	8
Soup Bowl	Food And Beverage Services NC II	24
Soup Ladle	Food And Beverage Services NC II	2
Soup Tureen	Food And Beverage Services NC II	4
Spoon, Dessert	Food And Beverage Services NC II	24
Spoons, Service	Food And Beverage Services NC II	6
Spoons, Soup (Cream and Consume)	Food And Beverage Services NC II	24
Steak Knife	Food And Beverage Services NC II	24
Sugar Container	Food And Beverage Services NC II	5
Table Cloth, 54 x 54 inches	Food And Beverage Services NC II	4
Table cloth, Rectangular	Food And Beverage Services NC II	2
Table Napkins, Cloth, 16" x 16"	Food And Beverage Services NC II	30
Table Skirting Cloth 90"x90"	Food And Beverage Services NC II	2
Table, Square/Rectangular (4's or 6's)	Food And Beverage Services NC II	4
Tea Pot, 2 Pints	Food And Beverage Services NC II	2
Teaspoon	Food And Beverage Services NC II	24
TONG, 8 INCHES	Food And Beverage Services NC II	2
Tooth Pick Holder	Food And Beverage Services NC II	4
Tray Stand	Food And Beverage Services NC II	2
Tray, Bill Folders/ Change	Food And Beverage Services NC II	2
Tray, Round (Bar)	Food And Beverage Services NC II	8
Water Goblet	Food And Beverage Services NC II	24
Water Pitcher	Food And Beverage Services NC II	6
Calculator	Front Office Services NC II	5
Cart, Bell Boy	Front Office Services NC II	2
Cash Register with Drawer	Front Office Services NC II	1
Credit Card Imprinter	Front Office Services NC II	1
Credit Card Voucher holder	Front Office Services NC II	1
Detector, Fake Bills	Front Office Services NC II	1
Guest folio rack	Front Office Services NC II	1
Hypercom	Front Office Services NC II	1
Key card marker with Verifier	Front Office Services NC II	1
Key rack	Front Office Services NC II	1
Safety deposit box/ drop vault	Front Office Services NC II	1
Speaker, Lapel	Front Office Services NC II	4
Body Brush, Prosthetic	Hairdressing NC II	1

Item Name	Program/Specialization	Qty per Specialization
Bowl, Mixing, plastic	Hairdressing NC II	1
Bowl, Shampoo	Hairdressing NC II	2
Box, Hairpin	Hairdressing NC II	1
Brush, Applicator	Hairdressing NC II	1
Brush, Hair	Hairdressing NC II	1
Cap, Frosting, with hook	Hairdressing NC II	1
Cap, Heating	Hairdressing NC II	1
Cape	Hairdressing NC II	1
Chair, High	Hairdressing NC II	3
Chair, Hydraulic	Hairdressing NC II	6
Clamp	Hairdressing NC II	1
Clamp, Duck bill	Hairdressing NC II	1
Clipper, Hair	Hairdressing NC II	1
Comb, Afro	Hairdressing NC II	1
Comb, All Purpose	Hairdressing NC II	1
Comb, Haircutting	Hairdressing NC II	1
Comb, Large Toothed	Hairdressing NC II	1
Comb, Tail	Hairdressing NC II	1
Comb, Teasing	Hairdressing NC II	1
Comb, Wide tooth	Hairdressing NC II	1
Crimpers	Hairdressing NC II	6
Curling Iron	Hairdressing NC II	6
Drip Pan	Hairdressing NC II	1
Dryer, Hair	Hairdressing NC II	6
Gloves, Disposable	Hairdressing NC II	1
Gloves, Rubber	Hairdressing NC II	1
Gown, Smock	Hairdressing NC II	1
Hairclips	Hairdressing NC II	1
Hairnet, Invisible	Hairdressing NC II	1
Headband	Hairdressing NC II	1
Headband, Flannel	Hairdressing NC II	1
Infrared Iron	Hairdressing NC II	1
Mirror, Hand	Hairdressing NC II	10
Mirror, Modular	Hairdressing NC II	1
Prong Clip, double	Hairdressing NC II	1
Prong clip, Single	Hairdressing NC II	1
Razor, straight	Hairdressing NC II	1
Roller pins	Hairdressing NC II	1
Rollers, Jumbo	Hairdressing NC II	1
Rollers, Large Sized	Hairdressing NC II	1
Rollers, Medium sized	Hairdressing NC II	1
Scissor, Cutting	Hairdressing NC II	1
Scissor, Thinning	Hairdressing NC II	1
Scoop	Hairdressing NC II	1
Shower Cap	Hairdressing NC II	2
Spatula	Hairdressing NC II	1
Spray bottle	Hairdressing NC II	1
Steamer, Hair	Hairdressing NC II	1
Stool	Hairdressing NC II	6
Alarm Clock	Housekeeping NC II	1
Apron, polyester-cotton	Housekeeping NC II	25
Baskets, Laundry	Housekeeping NC II	5
Bed, Queen	Housekeeping NC II	1
Bed, Single	Housekeeping NC II	1
Board, Ironing	Housekeeping NC II	1
Boots, Safety, Plastic	Housekeeping NC II	10

Item Name	Program/Specialization	Qty per Specialization
Brushes, for Housekeeping	Housekeeping NC II	5
Buckets, Water	Housekeeping NC II	5
Caddy, Toilet	Housekeeping NC II	1
Carpet Sweeper	Housekeeping NC II	1
Cart, for Housekeeping NC II	Housekeeping NC II	1
Cleaning Cloths, Lint-Free	Housekeeping NC II	10
Coffee maker	Housekeeping NC II	1
Dust Pan	Housekeeping NC II	5
Duster, Anti-static	Housekeeping NC II	5
Fan, Electric	Housekeeping NC II	2
Fire Extinguisher (with contents)	Housekeeping NC II	3
Flashlight	Housekeeping NC II	5
Flat Iron	Housekeeping NC II	1
Foam, Scrubbing	Housekeeping NC II	10
Garbage Receptacles	Housekeeping NC II	2
Gloves, rubber	Housekeeping NC II	25
Goggles, Safety	Housekeeping NC II	15
Hairdryer	Housekeeping NC II	1
Hose, Water	Housekeeping NC II	2
Kettle, Electric	Housekeeping NC II	1
Laundry Sorter	Housekeeping NC II	5
Light, Emergency	Housekeeping NC II	2
Mirror	Housekeeping NC II	1
Mop	Housekeeping NC II	5
Polisher, Floor, Electric, With Accessories	Housekeeping NC II	1
Shelving	Housekeeping NC II	1
Sign, Caution	Housekeeping NC II	5
Sponges, Dish	Housekeeping NC II	10
Spray Gun, Water	Housekeeping NC II	5
Squeegee	Housekeeping NC II	2
Squeezer, Mop	Housekeeping NC II	2
Step ladder	Housekeeping NC II	1
Vacuum Cleaner, Dry and Wet	Housekeeping NC II	1
Washer, Laundry	Housekeeping NC II	1
White board	Housekeeping NC II	2
First Aid kit	Local Guiding Services NC II	1
Megaphone	Local Guiding Services NC II	1
Whistle	Local Guiding Services NC II	1
White board	Local Guiding Services NC II	1
Dummy, Anatomical	Wellness Massage NC II	1
Massage Bed / Table	Wellness Massage NC II	5
Massage Chair	Wellness Massage NC II	1
Sphygmomanometer	Wellness Massage NC II	5
Stethoscope	Wellness Massage NC II	5
Talking Sphygmomanometer	Wellness Massage NC II	1
Talking Thermometer	Wellness Massage NC II	1
Thermometer, Digital	Wellness Massage NC II	5
White board	Wellness Massage NC II	1

FY 2024 LTE-TVL ALLOCATION LIST (Detailed List)

Annex G

Region	Division	BEIS School ID	School Name	Program Offering/Specialization	2024 DL Cost	
Region VIII	Baybay City	303351	Bunga National High School	Bread and Pastry Production (NC II)	259,851.00	
Region VIII	Baybay City	303360	Caridad National High School	Bread and Pastry Production (NC II)	259,851.00	
Region VIII	Baybay City	313323	Ciabu National High School	Bread and Pastry Production (NC II)	259,851.00	
Region VIII	Baybay City	303419	Plaridel National High School	Bread and Pastry Production (NC II)	259,851.00	
Region VIII	Borongan City	313515	Eastern Samar National Comprehensive High School (Supt. Fidel E. Anacta, Sr. MHS)	Bread and Pastry Production (NC II)	259,851.00	
Region VIII	Calbayog City	500807	Bagacay Integrated School	Bread and Pastry Production (NC II)	259,851.00	
Region VIII	Eastern Samar	303493	Alugan National School of Craftsmanship and Home Industries	Bread and Pastry Production (NC II)	259,851.00	
Region VIII	Eastern Samar	303509	Homonhon National High School - Sulangan Annex	Bread and Pastry Production (NC II)	259,851.00	
Region VIII	Eastern Samar	303510	Jipapad National High School	Bread and Pastry Production (NC II)	259,851.00	
Region VIII	Eastern Samar	303515	Maslog National High School	Bread and Pastry Production (NC II)	259,851.00	
Region VIII	Eastern Samar	303516	Matarinao School of Fisheries	Bread and Pastry Production (NC II)	259,851.00	
Region VIII	Eastern Samar	303518	Mercedes National High School	Bread and Pastry Production (NC II)	259,851.00	
Region VIII	Leyte	313324	Barugo National High School	Bread and Pastry Production (NC II)	259,851.00	
Region VIII	Leyte	303367	Don Mariano Salvacion Memorial National High School	Bread and Pastry Production (NC II)	259,851.00	
Region VIII	Leyte	313314	Polahongon National High School	Bread and Pastry Production (NC II)	259,851.00	
Region VIII	Maasin City	303467	Maasin Vocational High School	Bread and Pastry Production (NC II)	259,851.00	
Region VIII	Maasin City	344781	Stand Alone SHS within San Rafael ES	Bread and Pastry Production (NC II)	259,851.00	
Region VIII	Northern Samar	313604	Bantayan NHS	Bread and Pastry Production (NC II)	259,851.00	
Region VIII	Northern Samar	303578	San Isidro NHS (San Isidro)	Bread and Pastry Production (NC II)	259,851.00	
Region VIII	Ormoc City	303657	Margen National High School	Bread and Pastry Production (NC II)	259,851.00	
Region VIII	Samar (Western)	313712	Piñaplata Integrated School	Bread and Pastry Production (NC II)	259,851.00	
Region VIII	Samar (Western)	303633	Tagapul-an National High School	Bread and Pastry Production (NC II)	259,851.00	
Region VIII	Southern Leyte	303444	Anahawan National Vocational High School	Bread and Pastry Production (NC II)	259,851.00	
Region VIII	Southern Leyte	313409	Liloan National Technical Vocational High School	Bread and Pastry Production (NC II)	259,851.00	
Region VIII	Southern Leyte	303486	Silago NVHS	Bread and Pastry Production (NC II)	259,851.00	
Region VIII	Tacloban City	303669	Tacloban National Agricultural School	Bread and Pastry Production (NC II)	259,851.00	6,756,126.00
Region VIII	Leyte	303357	Calingcaguing National High School	Caregiving (NC II)	400,403.00	
Region VIII	Leyte	305523	Sta. Fe Stand Alone Senior High School	Caregiving (NC II)	400,403.00	
Region VIII	Samar (Western)	303597	Calbiga National High School	Caregiving (NC II)	400,403.00	1,201,209.00
Region VIII	Borongan City	303511	Lalawigan National High School	Computer Systems Servicing (NC II)	401,101.00	
Region VIII	Leyte	303352	Bung-aw National High School	Computer Systems Servicing (NC II)	401,101.00	
Region VIII	Northern Samar	303541	Catarman National High School	Computer Systems Servicing (NC II)	401,101.00	
Region VIII	Northern Samar	303546	Don Juan F. Avalon National High School	Computer Systems Servicing (NC II)	401,101.00	
Region VIII	Northern Samar	303569	Pambujan NHS	Computer Systems Servicing (NC II)	401,101.00	2,005,505.00
Region VIII	Baybay City	313316	Baybay City National Night High School	Cookery (NC II)	702,982.00	
Region VIII	Baybay City	303351	Bunga National High School	Cookery (NC II)	702,982.00	
Region VIII	Baybay City	303419	Plaridel National High School	Cookery (NC II)	702,982.00	
Region VIII	Borongan City	313515	Eastern Samar National Comprehensive High School (Supt. Fidel E. Anacta, Sr. MHS)	Cookery (NC II)	702,982.00	
Region VIII	Eastern Samar	303493	Alugan National School of Craftsmanship and Home Industries	Cookery (NC II)	702,982.00	
Region VIII	Eastern Samar	303506	Hilabaan National High School	Cookery (NC II)	702,982.00	
Region VIII	Eastern Samar	303509	Homonhon National High School - Sulangan Annex	Cookery (NC II)	702,982.00	
Region VIII	Eastern Samar	303510	Jipapad National High School	Cookery (NC II)	702,982.00	
Region VIII	Eastern Samar	303515	Maslog National High School	Cookery (NC II)	702,982.00	
Region VIII	Eastern Samar	303516	Matarinao School of Fisheries	Cookery (NC II)	702,982.00	
Region VIII	Eastern Samar	303518	Mercedes National High School	Cookery (NC II)	702,982.00	
Region VIII	Leyte	303341	Asuncion S. Melgar National High School	Cookery (NC II)	702,982.00	
Region VIII	Leyte	313324	Barugo National High School	Cookery (NC II)	702,982.00	
Region VIII	Leyte	303347	Bato School of Fisheries	Cookery (NC II)	702,982.00	
Region VIII	Leyte	303367	Don Mariano Salvacion Memorial National High School	Cookery (NC II)	702,982.00	
Region VIII	Leyte	313314	Polahongon National High School	Cookery (NC II)	702,982.00	

Region VIII	Leyte	313333	Rizal National High School	Cookery (NC II)	702,982.00	
Region VIII	Maasin City	344781	Stand Alone SHS within San Rafael ES	Cookery (NC II)	702,982.00	
Region VIII	Northern Samar	313604	Bantayan NHS	Cookery (NC II)	702,982.00	
Region VIII	Northern Samar	303578	San Isidro NHS (San Isidro)	Cookery (NC II)	702,982.00	
Region VIII	Ormoc City	303657	Margen National High School	Cookery (NC II)	702,982.00	
Region VIII	Samar (Western)	313712	Piñaplata Integrated School	Cookery (NC II)	702,982.00	
Region VIII	Samar (Western)	303633	Tagapul-an National High School	Cookery (NC II)	702,982.00	
Region VIII	Southern Leyte	303448	Concepcion National High School	Cookery (NC II)	702,982.00	
Region VIII	Southern Leyte	303459	Himay-angan NHS	Cookery (NC II)	702,982.00	
Region VIII	Southern Leyte	303460	Himbangan National High School	Cookery (NC II)	702,982.00	
Region VIII	Southern Leyte	303486	Silago NVHS	Cookery (NC II)	702,982.00	
Region VIII	Tacloban City	303669	Tacloban National Agricultural School	Cookery (NC II)	702,982.00	19,683,496.00
Region VIII	Baybay City	313316	Baybay City National Night High School	Food and Beverage Services (NC II)	571,245.00	
Region VIII	Baybay City	303351	Bunga National High School	Food and Beverage Services (NC II)	571,245.00	
Region VIII	Baybay City	303360	Caridad National High School	Food and Beverage Services (NC II)	571,245.00	
Region VIII	Baybay City	313323	Clabu National High School	Food and Beverage Services (NC II)	571,245.00	
Region VIII	Baybay City	303419	Plaridel National High School	Food and Beverage Services (NC II)	571,245.00	
Region VIII	Biliran	303332	Tabunan National High School	Food and Beverage Services (NC II)	571,245.00	
Region VIII	Borongan City	313515	Eastern Samar National Comprehensive High School (Supt. Fidel E. Anacta, Sr. MHS)	Food and Beverage Services (NC II)	571,245.00	
Region VIII	Eastern Samar	303493	Alugan National School of Craftsmanship and Home Industries	Food and Beverage Services (NC II)	571,245.00	
Region VIII	Eastern Samar	303506	Hilabaan National High School	Food and Beverage Services (NC II)	571,245.00	
Region VIII	Eastern Samar	303520	Jipapad National High School	Food and Beverage Services (NC II)	571,245.00	
Region VIII	Eastern Samar	303515	Maslog National High School	Food and Beverage Services (NC II)	571,245.00	
Region VIII	Eastern Samar	303516	Matarinao School of Fisheries	Food and Beverage Services (NC II)	571,245.00	
Region VIII	Eastern Samar	303518	Mercedes National High School	Food and Beverage Services (NC II)	571,245.00	
Region VIII	Leyte	303341	Asuncion S. Melgar National High School	Food and Beverage Services (NC II)	571,245.00	
Region VIII	Leyte	313324	Barugo National High School	Food and Beverage Services (NC II)	571,245.00	
Region VIII	Leyte	303347	Bato School of Fisheries	Food and Beverage Services (NC II)	571,245.00	
Region VIII	Leyte	303367	Don Mariano Salvacion Memorial National High School	Food and Beverage Services (NC II)	571,245.00	
Region VIII	Leyte	303421	Emeterio-Federica Gerez National High School	Food and Beverage Services (NC II)	571,245.00	
Region VIII	Leyte	303396	Lomonon National High School	Food and Beverage Services (NC II)	571,245.00	
Region VIII	Leyte	313314	Polahongon National High School	Food and Beverage Services (NC II)	571,245.00	
Region VIII	Leyte	313333	Rizal National High School	Food and Beverage Services (NC II)	571,245.00	
Region VIII	Maasin City	303467	Maasin Vocational High School	Food and Beverage Services (NC II)	571,245.00	
Region VIII	Maasin City	344781	Stand Alone SHS within San Rafael ES	Food and Beverage Services (NC II)	571,245.00	
Region VIII	Northern Samar	313604	Bantayan NHS	Food and Beverage Services (NC II)	571,245.00	
Region VIII	Northern Samar	303578	San Isidro NHS (San Isidro)	Food and Beverage Services (NC II)	571,245.00	
Region VIII	Ormoc City	303657	Margen National High School	Food and Beverage Services (NC II)	571,245.00	
Region VIII	Samar (Western)	313712	Piñaplata Integrated School	Food and Beverage Services (NC II)	571,245.00	
Region VIII	Samar (Western)	303633	Tagapul-an National High School	Food and Beverage Services (NC II)	571,245.00	
Region VIII	Southern Leyte	303444	Anahawan National Vocational High School	Food and Beverage Services (NC II)	571,245.00	
Region VIII	Southern Leyte	313403	Bontoc National High School	Food and Beverage Services (NC II)	571,245.00	
Region VIII	Southern Leyte	303448	Concepcion National High School	Food and Beverage Services (NC II)	571,245.00	
Region VIII	Southern Leyte	303459	Himay-angan NHS	Food and Beverage Services (NC II)	571,245.00	
Region VIII	Southern Leyte	303460	Himbangan National High School	Food and Beverage Services (NC II)	571,245.00	
Region VIII	Southern Leyte	313409	Liloan National Technical Vocational High School	Food and Beverage Services (NC II)	571,245.00	
Region VIII	Southern Leyte	303486	Silago NVHS	Food and Beverage Services (NC II)	571,245.00	
Region VIII	Tacloban City	303669	Tacloban National Agricultural School	Food and Beverage Services (NC II)	571,245.00	20,564,820.00
Region VIII	Eastern Samar	303522	Salcedo National High School	Front Office Services (NC II)	209,742.00	
Region VIII	Samar (Western)	303595	Birawan National High School	Front Office Services (NC II)	209,742.00	419,484.00
Region VIII	Baybay City	313323	Clabu National High School	Hairdressing (NC II)	323,170.00	
Region VIII	Eastern Samar	303520	Oras National High School	Hairdressing (NC II)	323,170.00	
Region VIII	Leyte	303403	Marcelino R. Veloso National High School (Marcelino R. Veloso NHS)	Hairdressing (NC II)	323,170.00	
Region VIII	Northern Samar	303548	Eladio T. Balite Memorial School of Fisheries	Hairdressing (NC II)	323,170.00	

**Technical Specifications of Learning Tools and Equipment for
Technical-Vocational-Livelihood (FY 2024 LTE-TVL)**

Item Name	TVL Specialization	Design Specification:
Air Compressor with Airbrush Cake Decorating Set	Bread And Pastry Production NC II	<p>Type: Single Cylinder Piston Compressor; Body Shape : Cylindrical in shape; Material: Copper, Aluminum; Dimension: (L X W X H) 24 cm X 13 cm X 17 cm (minimum); Power Source: 220 Volts AC, 60 Hz with power cord 1.5 meters long minimum with attachment standard male plug type A or provide an adapter plug; Power Rating : 1/6 Hp motor; Capacity: Air pressure adjustment range 0 to 57 Psi; Automatic On/Off Shutoff; Compressor must have oil filter, water trap filter, pressure regulator with gauge, and with mounted airbrush holder and with built in cooling fans; Airbrush Specifications: a) airbrush material: Stainless steel body; b) Needle Dia.: 0.3 mm. c) Cup capacity: 2 cc; d) Airbrush with a 1/3 oz. gravity fluid cup; e) Nozzle that allow to spray from hairline up to 1 1/2 inches wide; f) Operating Pressure: 15-57 Psi. g) rubber hose length: 2 meter (minimum) h.) Air flow: 20 liters/min. Package contents: 1 pc Air compressor, 1 set Air brush kit with case, 5 ft- Rubber/Vinyl Hose, 5 pcs Cleaning Brushes in different width, tools and User's Manual that contains Operation guide, maintenance/ troubleshooting procedure and list of parts.</p>
BEATER	Bread And Pastry Production NC II	<p>Type: Manual Hand Beater Body Shape: Circular Handheld mixer Materials: Stainless Steel with plastic grip Dimension: L-28 cm x Width-7 cm (minimum) Twin beater designed for mixing Preferably with packing case Dishwasher safe</p>
BOARD, CHOPPING, 6 COLOR	Bread And Pastry Production NC II	<p>Type: Food Grade; Body Shape: Rectangular; Material: Plastic (Polypropylene), food grade; Board Size: Length: 38 cm (minimum); Width: 30 cm (minimum); Thickness: 1.27 cm (minimum); Color-coded for use with different types of food, Blue, Red, Yellow, Green, Brown and White; Preferably packed in set; No sharp edges; With hole for storage purposes.</p>

Item Name	TVL Specialization	Design Specification:
Boiler, Double	Bread And Pastry Production NC II	Material: Stainless steel; Thickness: 1/16 inch (1.5 mm) (minimum); Lid material: Glass; Riveted handle on both side; Diameter: 9 1/2 inches (minimum); Total Height: 9.4 inches (minimum); Inset Bottom Diameter: 9 inches (minimum); Inset Top Diameter: 9 inches (minimum); Capacity: 2 liters (minimum); Must be a set which includes one (1) saucepan, one (1) boiler, and one (1) lid; With Stainless steel handle; With smooth surfaces (no sharp edges);
BOWL, MIXING (6 PCS/SET)	Bread And Pastry Production NC II	Type: Mixing Bowl Set; Body Shape: Round; Material: Stainless Steel, 0.8 mm - 1.0 mm thick; Each set must consist of the following capacities: 1 pc - 0.70 liter 1 pc - 1.5 liters 1 pc - 3 liters 1pc - 4 liters 1pc - 5 liters 1pc - 8 liters Light weight and easy to use, flat base, curved lip Preferably with packing case Dishwasher Safe
CAKE PANS, ROUND #6, #8, #10, #12, #14, #16	Bread And Pastry Production NC II	Type: Round Pan Body Shape: Round Material: Anodized Aluminum Thickness: 1.29 mm thick (minimum) Depth: 2 inches (50.8 mm) (minimum) Set must each contain the following diameter: 1 pc - 6 inches (152.4 mm) diameter (minimum) 1 pc - 8 inches (203.2 mm) diameter (minimum) 1 pc - 10 inches (254 mm) diameter (minimum) 1 pc - 12 inches (304.8 mm) diameter (minimum) 1 pc - 14 inches (355.6 mm) diameter (minimum) 1 pc - 16 inches (406.4 mm) diameter (minimum) Preferably packed (6 pcs per set) With rolled edge; With smooth surface and no sharp edges

Item Name	TVL Specialization	Design Specification:
CAKE STAND, WITH TIER	Bread And Pastry Production NC II	<p>Type: Cake Stand with Tier, food grade</p> <p>Body shape: Circular with 3 tier</p> <p>Material: Hard Plastic, Polypropylene, 4 mm thick</p> <p>The tier consists of the following sizes:</p> <p>Tier 1: 18 cm diameter (minimum)</p> <p>Tier 2: 25 cm diameter (minimum)</p> <p>Tier 3 : 30 cm diameter (minimum)</p> <p>Column diameter: 20 to 30 mm (solid)</p> <p>Distance between tiers: 15 cm</p> <p>Over-all Length: 30 cm (minimum)</p> <p>Assembled column is used for maximum strength and stability of the stand</p> <p>Must be Packed in set</p> <p>Smooth and no sharp edges</p>
CAKE TURN TABLE	Bread And Pastry Production NC II	<p>Type: Turn table</p> <p>Body Shape : Circular</p> <p>Material: Cast Aluminum Plate and Cast Iron Base</p> <p>Upper Plate: 30 cm diameter (minimum) and 1.4 cm thickness (minimum)</p> <p>Base dimensions: 18 cm (minimum); 1.4 cm thickness (minimum)</p> <p>Total height: 10 cm to 15 cm</p> <p>Turntable with ball bearing to turn easier</p> <p>Preferably packed in any kind of packaging</p> <p>Comes with no sharp edges to rotate smoothly in 360 degrees clockwise or counter clockwise</p>
COUPLER	Bread And Pastry Production NC II	<p>Type: Food Grade</p> <p>Body Shape: Tubular</p> <p>Material: Hard plastic, Polypropylene, any bright color</p> <p>Height: 3cm (minimum)</p> <p>Top Diameter: 1.27 cm (minimum)</p> <p>Bottom Diameter: 2.54 cm (minimum)</p> <p>Preferably with storage case</p> <p>The materials used must be non-toxic and dishwasher safe</p>
CUP, MEASURING (FOR SOLID)	Bread And Pastry Production NC II	<p>Type: Measuring Cup Set</p> <p>Body Shape: Round</p> <p>Material: Stainless steel, 0.7 mm thick (minimum)</p> <p>Each set contains the following:</p> <p>1 pc - 1 cup (237 mL)</p> <p>1 pc - 1/2 cup (118 mL)</p> <p>1 pc - 1/3 cup (79 mL)</p> <p>1 pc - 1/4 cup (59 mL)</p> <p>Handle dimension: Length-12 cm x Width-1 cm (minimum)</p> <p>Measuring capacity engraved on the handle</p> <p>Strip Handles have provision for hanging</p> <p>Preferably with packing case</p> <p>Smooth and no sharp edges</p> <p>Dishwasher safe</p>
CUP, MEASURING, 250 ML FOR LIQUID	Bread And Pastry Production NC II	<p>Type: Clear Glass Cup</p> <p>Body Shape: Round</p> <p>Material: Clear, non-porous tempered glass</p> <p>Capacity: 250 ml (with 10 ml or 50 ml increments)</p>

Item Name	TVL Specialization	Design Specification:
		With permanent graduation markings Specified metric and English system of measurement With handle & spout for easy pouring Preferably with packing case Food grade and safe use for microwave, freezer and dishwasher
CUP, MEASURING, 500ML FOR LIQUID	Bread And Pastry Production NC II	Type: Clear Glass Cup Body Shape: Round Material: Clear, non-porous tempered glass Capacity: 500 ml (with 10 ml or 50 ml increments) With permanent graduation markings Specified metric and English system of measurement With handle & spout for easy pouring Preferably with packing case Food grade and safe use for microwave, freeze and dishwasher
CUTTER, DOUGH	Bread And Pastry Production NC II	Type: Scraper Body Shape: Straight Blade Material: Stainless Steel straight blade with stainless steel handle Blade dimension: Length : 15 cm x Width: 11 cm x Thickness: 1.2 mm(minimum) Handle Dimension: Length: 15 cm x diameter: 3 cm (minimum) Preferably with packing case Food grade and dishwasher safe Design allows item to be hung for storage
CUTTER, PIE	Bread And Pastry Production NC II	Type: Pie Cutter Wheel knife Body Shape: Round wheel roller Material: Stainless Steel Overall Length: 19.5 cm (minimum) Wheel Diameter: 6.5 cm (minimum) With hanging hook at the tip of the handle for hanging storage Preferably with packing case Comes with finger protection Dishwasher safe
FLOUR SIFTER, HAND CRANKED	Bread And Pastry Production NC II	Type: Hand Cranked Body Shape: Round Shape Material: Stainless steel Dimension: Diameter: 133.3 mm (minimum) x Height: 165 mm (minimum) Thickness: 0.79 mm (minimum) (body) and constructed with stainless steel wire mesh # 30 bottom Volume markings should be seen inside and outside of the sifter Capacity: 5 cups (1.18 liter) Spring action squeeze handle stainless steel Preferably with a packing case Dishwasher safe

Item Name	TVL Specialization	Design Specification:
GRATER	Bread And Pastry Production NC II	Type: Four sided Box Grater Body Shape: Box in shape Material: Stainless steel blade and Plastic (Polypropylene handle) Grater Dimensions: Height- 25 cm x Width-13 cm x Depth-10 cm (minimum) Side 1: Large-hole shredder with 6 mm hole Side 2: Slicer Side 3: Small-hole shredder with 3 mm hole Side 4: Grater with strips about 1.27 cm to 2.54 cm length Preferably with packing case Food grade & dishwashing safe
KNIFE, KITCHEN	Bread And Pastry Production NC II	Type: Cook's knife or kitchen knife Body Shape: Flat and Straight Edge Material: Stainless steel blade Handle material: Hard Plastic (Polypropylene) with rivets Overall Length: 33 cm (minimum) Blade Length: 20 cm x Width: 3.2 cm (minimum) Handle Length: 12 cm (minimum) Thickness of Blade: 3 mm (minimum) Pointed Tip and slight curve Preferably with packing case Dishwasher safe Must be branded.
Knife, Pallet	Bread And Pastry Production NC II	Type: Pallet knife Body Shape: Offset Blade Blade material: Stainless steel Handle material: Hardwood (Smooth finish) with rivets Overall length: 30.5 cm - 35.6 cm Blade Dimension: Length- 17 cm x Width-3.8 cm (minimum) Thickness of Blade: 1.7 mm thick (minimum) Preferably with packing case Dishwasher safe Must be branded.
LADLE , 3 OZ	Bread And Pastry Production NC II	Type: Soup ladle Body Shape: bowl shape Material: Stainless steel Overall Length: 12 inches (minimum) Bowl Depth: 1.5 inches Bowl Diameter: 3.5 inches (minimum) Capacity: 3 oz. (85 ml) minimum Handle with provision for hanging Preferably with packing case Food grade and dishwasher safe Must be branded
LOAF PAN BIG	Bread And Pastry Production NC II	Type: Loaf pan Body Shape: Rectangular Material: Anodized Aluminum Thickness: 1.5 mm - 2 mm Length: 25.4 cm (minimum) Width: 12.7 cm (minimum) Depth: 7.62 cm (minimum) Preferably with packing case

Item Name	TVL Specialization	Design Specification:
		Extended sides for an easy grip With smooth surfaces and no sharp edges Food grade and oven safe Must be branded.
LOAF PAN, MEDIUM	Bread And Pastry Production NC II	Type: Loaf pan Body Shape: Rectangular Material: Anodized Aluminum Thickness: 1.5 mm - 2 mm Length: 22.86 cm (minimum) Width: 11.43 cm (minimum) Depth: 6.9 cm (minimum) Preferably with packing case Extended sides for an easy grip With smooth surfaces and no sharp edges Food grade and oven safe Must be branded.
LOAF PAN, SMALL	Bread And Pastry Production NC II	Type: Loaf pan Body Shape: Rectangular Material: Anodized Aluminum Thickness: 1.5 mm - 2 mm Length: 17.78 cm (minimum) Width: 7.62 cm (minimum) Depth: 5.48 cm (minimum) Preferably with packing case Extended sides for an easy grip With smooth surfaces and no sharp edges Food grade and oven safe Must be branded.
MUFFIN PAN, BIG	Bread And Pastry Production NC II	Type: Muffin pan Body Shape: Rectangular Material: Anodized Aluminum Thickness: 1.5 mm (minimum) Dimension: Length-36.6 cm x Width-22.9 cm x Height-7.6 cm (minimum) Cup Size: Height- 8.2 cm x Diameter 8.9 cm (minimum) Number of cups in a tray: 6 cups Preferably with packing case With extended sides for an easy grip With smooth surfaces and no sharp edges Food grade and oven safe Must be branded.
MUFFIN PAN, MEDIUM	Bread And Pastry Production NC II	Type: Muffin pan Body Shape: Rectangular Material: Anodized Aluminum Thickness: 1.5 mm (minimum) Dimension: Length-40 cm x Width-27.9 cm x Height-2.8 cm (minimum) Cup Size: Height-5.2 cm x Diameter 6.9 cm (minimum) Number of cups in a tray: 12 cups Preferably with packing case With extended sides for an easy grip With smooth surfaces and no sharp edges

Item Name	TVL Specialization	Design Specification:
		Food grade and oven safe Must be branded.
MUFFIN PAN, SMALL	Bread And Pastry Production NC II	Type: Muffin pan Body Shape: Rectangular Material: Anodized Aluminum Thickness: 1.5 mm (minimum) Dimension: Length 40.6 cm x Width-25.4 cm x Height 2.8 cm (minimum) Cup Size: Height-2.5 cm x Diameter 3.8 cm (minimum) Number of cups in a tray: 24 cups Preferably with packing case With extended sides for an easy grip With smooth surfaces and no sharp edges
PIE PAN , 10 INCHES DIAMETER	Bread And Pastry Production NC II	Type: Pie Pan Body Shape: Round Material: Aluminum, 0.81 mm thick (minimum) Diameter -10 inches (254 mm) minimum Depth: 1.25 inches (31.75 mm) minimum Coated with non-stick coating materials Preferably with packing case Oven safe to 500°F / 260°C Food Grade With extended sides for an easy grip With smooth surfaces and no sharp edges Must be branded.
PIE PAN, # 6, #8, #10	Bread And Pastry Production NC II	Type Pie Pan Body Shape: Round Material: Aluminum, 0.81 mm thick (minimum) 1) # 10 diameter: 10 inches (254 mm) minimum 2) # 8 diameter: 8 inches(203 mm) minimum 3) #6 dianeter: 6 inches (152 mm) minimum Depth: 1.5 inches (38.1 mm) minimum Oven safe to 500°F / 260°C Coated with non-stick coating materials Preferably with packing case Food Grade With extended sides for an easy grip With smooth surfaces and no sharp edges Must be branded.
PILLARS, CAKE	Bread And Pastry Production NC II	Type: Cake Pillars, food grade Body Shape: Tubular Material: Crystal clear fiber plastic Tube diameter: 2.5 cm (minimum) Base and Top diameter: 3.5 cm (minimum) Height: 13 cm (minimum) Packed in Four (4)pcs per set The materials used must be non-toxic. Must be branded
PIPING BAG	Bread And Pastry Production NC II	Type: Piping Bag Body Shape: Triangular Material: Transparent Disposable Plastic for dispensing ingredients to pastries

Item Name	TVL Specialization	Design Specification:
		Length: 9 inches minimum Width: 3 inches (minimum) Volume: 500 ml (approximate) Preferably with packing case Food grade Must be branded.
RECTANGULAR PAN, 1 X 8	Bread And Pastry Production NC II	Type: Rectangular Pan Material: Anodized Aluminum Thickness: 1.63 mm thick, minimum Dimensions: Length- 8 inches x Width- 8 inches x Height- 1 inch (minimum) Oven safe to 500°F / 260°C Preferably with packing case Food grade and dishwasher safe Must be branded.
ROLLING PINS	Bread And Pastry Production NC II	Type: Rolling Pins Body Shape: Tubular in shape Material: Hardwood (Solid Wood in natural color) Roller Dimensions: 2.5 inches diameter x 9.5 inches length (minimum) Handle dimension: 1 inch diameter x 4 inches length (minimum) Overall length: 17.5 inches (minimum) With rust proof nylon bearings for smooth rolling action Preferably with packing case Smooth surface finish with no sharp edges Materials used must be food grade Must be branded
RUBBER SCRAPER	Bread And Pastry Production NC II	Type: Rubber scraper Body Shape: Flat Material: Silicone blade (head) & Plastic Handle (Polypropylene) Head length: 11.5 cm (minimum) Head width: 7.0 cm (minimum) Handle length: 24 cm to 30 cm Preferably with packing case Safe working temperature: -40°F to 446°F The materials used must be non-toxic Must be branded
SAUCE PAN	Bread And Pastry Production NC II	Type: Sauce Pan Body Shape: Round in shape Material: Stainless Steel with aluminum core Dimension: Diameter- 16 cm x Height-8 cm (minimum) Thickness: 1.8 mm thick (minimum) Riveted Stainless steel Handle Length: 15 cm (minimum) Capacity: 1 quart (minimum) Preferably with packing case With stainless steel cover, Safe for use with stove, oven, broiler and dishwasher The materials used must be non-toxic Must be branded
SHEET PAN	Bread And Pastry Production NC II	Type: Sheet Pan Body Type: Rectangular

Item Name	TVL Specialization	Design Specification:
		Material: Aluminum Thickness: 0.91 mm Thick (minimum) Dimension: Length-22 inches x Width-16 inches x Height-1 inch (minimum) Preferably with packing case Smooth finish surfaces without sharp edges Corrosion resistant Superior heat conduction Oven safe to 500°F / 260°C (maximum) Food grade Must be branded.
SPOON, MEASURING	Bread And Pastry Production NC II	Type: Measuring Spoon Body Shape: Bowl in shape Material: Stainless Steel, 0.7 mm thick (minimum) The set consists of the following sizes: 1 pc - 1 tbsp. (15 ml) 1 pc - 1/2 tbsp. (7.5 ml) 1 pc - 1 tsp. (5 ml) 1 pc - 1/2 tsp. (2.5 ml) 1 pc - 1/4 tsp. (1.25 ml) Handle dimension: Length-12 cm x 1 cm (minimum) Measuring capacity engraved on the handle Strip Handles have provision for hanging Preferably with packing case Smooth finish surfaces without sharp edges Dishwasher safe Must be branded.
SPOON, WOODEN	Bread And Pastry Production NC II	Type: Wooden Spoon Body Shape: Oval Material: Hardwood Dimensions: Length- 10 inches x Width- 2 inches (minimum) Bowl dimension: Length -3 inches X Width 2 inches X Depth -3/4 inches (minimum) Total Length: 10 inches (minimum) Preferably with a packing case Smooth surface finish and no sharp edges Handle with provision for hanging storage purposes Must be branded
STRAINER	Bread And Pastry Production NC II	Type: Basket Body Shape: Round Material: Stainless steel frame & stainless steel wire mesh Strainer diameter: 8 inches (minimum) Thickness of frame: 1.59 mm thick (minimum) Durable tough Wooden Handle with stainless steel rod rim Basket material: stainless steel wire mesh, very fine mesh Half-rounded mesh Preferably with packing case Smooth surfaces and no sharp edges The materials used must be non-toxic Must be branded.

Item Name	TVL Specialization	Design Specification:
TIP, DECORATING	Bread And Pastry Production NC II	Type: Tube Tips Body Shape: Nozzles with different shape Material: Stainless Steel Tube Height: 3.5 cm to 5 cm Tube Diameter: 2 cm to 3.5 cm Thickness: 0.5 mm (minimum) Tube Tip: Assorted Designs (create swirls, rosettes, flowers, roping, stars, leaves and other designs) Comes with 24 different shapes of nozzles packed in plastic storage box Smooth and deformities free Must be branded
WEIGHING SCALE, 10 KGS	Bread And Pastry Production NC II	Type: Top loading Dial Weighing Scale Body Shape: Flat Pan Material: Aluminum pan and metal body (enamel painted) Dimension: (L X W X H) 26 cm x 21 cm x 26 cm (minimum) Platform L-22 cm x W-22 cm (minimum) Capacity: 10 kg / 22 lb. Sensitivity/Graduated by 10 grams Measurement units: Gram/Kilogram Manual Setting on Zero, must be accurate and durable Mechanism type: Spring Lever Preferably with packing case No sharp edges and rough surfaces Comes with English User's manual that contains Operation guide, maintenance and troubleshooting procedure Must be branded
WEIGHING SCALE, 5 KGS, DIGITAL	Bread And Pastry Production NC II	Type: Digital Weighing Scale Material: Hard Plastic body, Stainless Steel Weighing Pan Overall Dimension: (L x W x H) 24 cm x 16 cm x 7 cm (minimum) Stainless Steel Weighing Pan size: (L x W) 13 cm x 13 cm (minimum) Power Source: Battery Operated (Batteries are included) or Optional with AC/DC Adaptor Power Rating: 3 Volts DC - 9 Volts DC (Battery) Capacity: 2 kg -5 kg Weighs in 0.1 (1/10th) grams increments LCD display: 16 mm height with backlights Preferably with packing case Safety Features: Auto Power off function and Tare features Accessories: Weighing pan and batteries Comes with English User's manual that contains: Operation guide, maintenance and troubleshooting procedure Must be branded.
WIRE WHISK, MEDIUM	Bread And Pastry Production NC II	Type Wire Whisk, medium Material: Stainless steel wire Dimensions (L x W): 25.4 cm x 7 cm (minimum) Handle length: 10 cm (minimum) with hanging loop No. of wires: 6 wires Wire Diameter: 1.8 mm (minimum) Preferably with a packing case Dishwasher safe

Item Name	TVL Specialization	Design Specification:
		Must be branded.
Airpot	Caregiving NC II	1.Type : Water Heater 2.Outer Material : Hard Plastic,(PP) Polypropylene , Heat Resistant 3.Cavity Material : Stainless Steel 4.Capacity : 2.5 liters 5.Voltage : 220/240 volts AC 50/60 Hz. 6. Power in watts: 500 to 800 watts 7.Comes with English manual that contains: users guide, list of parts, maintenance guide, safety guide 8. The item must be branded and good quality.
Apron	Caregiving NC II	1.Type : Bib Apron 2.Material : Polyester - Cotton Fabric 3.Length : 20 to 24 inches (minimum) 4.With 2 to 3 bottom pockets; 5.Color: Any 6.The item must be of good quality
Baby bath tub	Caregiving NC II	1.Material : Hard / Sturdy Plastic, (PP) Polypropylene 2.Color : Any 3.Dimension : (L x W x H) 670 to 700 mm x 400 to 420 mm x 160 to 190mm (minimum) 4.Thickness: 3 mm to 6 mm (minimum) 5.The item must be of good quality
Baby blanket	Caregiving NC II	1.Type: Blanket 2.Material: 100% Cotton 3.Color: White 4.Dimension : (L x W) 38 to 42 inches x 28 to 32 inches (minimum) 5.Washable 6.The item must be of good quality.
Basin (small)	Caregiving NC II	1.Material : Hard Plastic, (PP) Polypropylene 2.Color : Any 3.Dimension : 280 - 320 mm diameter x 80 - 120 mm high (minimum) 4.Wall Thickness : 2 mm to 4 mm (minimum) 5. The item must be of good quality.
Bath Towel/Towellete	Caregiving NC II	1.Type: Bath Towel 2.Material: 100% cotton 3.Color: White 4.Dimension : (L x W) 120 - 125 cm x 60 - 65 cm (minimum) 5.Washable 6.The item must be of good quality

Item Name	TVL Specialization	Design Specification:
Bedpan	Caregiving NC II	1.Material : Hard Plastic, (PS) Polystyrene 2.Color : Any Color 3.Dimension : (L x W x H) 22 - 26 cm x 27 - 32 cm x 7 - 12 cm (minimum) approximate 4.Capacity : 1 liter (minimum) 5.Thickness : 2 to 5 mm 6.Saddle-shaped and lightweight 7. The item must be of good quality
Blanket	Caregiving NC II	1.Type: Blanket 2.Material: Cotton 3.Color : White 3.Dimension : (L x W) 80 - 90 inches x 54 - 64 inches approximate 4.Washable 5. The item must be of good quality
Bottle Sterilizer, electric	Caregiving NC II	1.Type: Electric Steam Sterilizer 2.Material: Hard Plastic (P E) Polyethylene or its equivalent 3.Color: Any Color 4.Capacity: 6 bottles (minimum) 5.Sterilizes bottle and accessories by steam 6.with Automatic Power Shut-off function 7.Dimensions: 8.Power Supply: 220 V-240V AC, 50/60 Hz. 9.The item must be of good quality
Bread toaster	Caregiving NC II	1.Type: Electric Bread Toaster 2.Dimensions (W x D x H): 25 -30 cm x 15 -20 cm x 18 -22 cm (minimum) approximate 3.Capacity: 2 slices 4.Power Supply: 220V-240V AC, 50/60 Hz. 5. 400 to 600 W (minimum) 6.The item must be of good quality.
Burping cloth	Caregiving NC II	1.Type: Burping Cloth 2.Material: 100% cotton 3.Color: Any Color 4.Dimension: Length : 17 - 19 cm Width : 14 -16 cm (minimum) 5.Washable 6. The item must be of good quality.
Cane	Caregiving NC II	1.Type: Adjustable offset walking cane 2.Material : Aluminum 3.Tip Size : 18 4.Height Adjustment: 31 inches to 39 inches (with 1 inch. increment) 5.Weight Capacity: 200 - 250 lbs. (minimum) 6.With rubber handle; with push-button height adjustment 7.The item must be of good quality

Item Name	TVL Specialization	Design Specification:
Carpet 4 ft. x 8 ft.	Caregiving NC II	1.Material : Polyester 2.Color: Any Patterned Color 3.Dimension: 48 inches x 96 inches (minimum) 4.The item must be of good quality.
China ware	Caregiving NC II	1.Material: Porcelain 2.fit to be used in ovens and microwaves 3.Specific Dimensions: Dinner plate diameter: 10 inches (minimum) 4.Salad plate diameter: 7 inches (minimum) 5.Bowl diameter: 5 inches (minimum) 6. Mug: 12 oz. (minimum) 7. The item must be of good quality 8. Set includes: 1 piece Dinner plate, 1 piece Salad plate, 1 piece bowl, 1 piece mug
Clothes brush	Caregiving NC II	1.Type: Rectangular clothes brush 2.Handle Material: Wood 3.Bristle Material: Plastic Bristle 4.Color: Any Color 5.Overall Dimension : (L x W x H) 140 -160 mm x 45 -60 mm x 20 -30 mm (minimum) 6.The item must be of good quality.
Clothes hamper	Caregiving NC II	1.Type: Square Hamper 2.Material: Polyester 3.Color: Any Color 4.Dimension : (L x W x H cm) 32 to 34 cm x 36 to 38 cm x 56 to 58 cm (minimum) 5.The item must be of good quality
Clothes rack	Caregiving NC II	1.Type: Single-Pole Clothes Rack 2.Material: Stainless Steel 3.Dimension : (L x W x H) 30 to 32 inches x 14 to 18 inches x 62 to 64 inches (minimum) 4.Comes with 4 caster wheels. 5.The item must be of good quality
Comforter	Caregiving NC II	1.Type: Comforter 2.Material: Polyester 3.Color: Any Color 4.Dimension : (L x W) 84 to 88 inches x 62 to 65 inches (minimum) 5.Thickness : 20 -30 mm (minimum) 6.Washable 7. The item must be of good quality

Item Name	TVL Specialization	Design Specification:
Commode	Caregiving NC II	1.Type: Foldable Commode 2.Durable Plastic Snap - on seat and lid without pushing buttons 3.Blue powder -coated steel -welded construction 4.Plastic arms for added comfort 5.Comes complete with 12 qt. commode bucket with carry handle, cover and splash shield. 6.Specifications: Width 18 inches between arms / 22.5 inches Outside approximate 7.Seat Dimensions : W 32 -36 cm x D 35 -40 cm , Height 38 -54 cm approximate 8. Weight 13 lbs. , Weight Limit 350 lbs. 9.The item must be branded and have good quality
Cooking utensils	Caregiving NC II	1.Material : Stainless Steel 2.The set is comprised of ff;;1 pc. - 16 x 9.5 cm sauce pan with glass lid (minimum) 3.1 pc. - 16 x 9.5 cm casserole with one glass lid, (minimum) 4.1 pc. - 18 x 10.5 cm casserole with glass lid, (minimum) 5.1 pc. - 20 x 11.5 cm casserole with glass lid, (minimum) 6.The item must be of good quality.
Crutches (adjustable)	Caregiving NC II	1.Type: Adjustable Crutches 2.Set includes: 3 pcs./set 3.Material: Aluminum Powder-Coated 4.Color : Any Color 5.Weight Capacity : 300 lbs. (minimum) 6.Dimensions: Youth Size 7.User Heights: 4 ft.6 inches to 5 ft. 2 inches 8.Underarm Height: 37 inches to 46 inches 9.Adult size: User Heights: 5 ft. 2 inches to 5 ft.10 inches 10.Underarm Heights : 45 inches to 53 inches 11.Tall Adult Size : User Heights : 5 ft. 10 inches 12.Underarm Height : 53 inches to 61 inches 13.The item must be of good quality
Cutlery	Caregiving NC II	1.Material: Stainless Steel 2. 20 pieces set for 4 3. 4 dinner knives 4. 4 dinner forks 5. 4 dinner spoons 6. 4 salad forks 7. 4 tea spoons 8.The item must be of good quality.
Cutting Board, plastic	Caregiving NC II	1.Material: Polyethylene plastic 2.Color: Any Color 3.Dimension : (L x W x H) 240 - 260 mm x 140 - 160 mm x 10 - 15 mm (minimum) 4.Reversible Cutting Surface 5. The item must be of good quality

Item Name	TVL Specialization	Design Specification:
Digital Thermometer	Caregiving NC II	1. Case Material: Hard plastic (P E) Polyethylene 2. Color : Any Color 3. Range: 32 C - 42.9 C (90.0F-109.9F) 4. Accuracy: $\pm 0.1^{\circ}\text{C}$ 35.5C-42.0C ($\pm 0.2^{\circ}\text{F}$ 95.9F-107.6F) 5. Battery Operated 6. Memory: Last measuring reading 7. Alarm: Approx. 10 seconds sound signal when peak temperature reached. 8. The item must be of good quality.
Dressing trolley	Caregiving NC II	1. Material: Shelves: Powder-coated steel sheet 2. Dimensions : (W x D x H) 48 - 50 cm x 48 - 50 cm x 83 - 85 cm (minimum) 3. Number of Shelves: 2 4. With four revolving castors, two Lockable 5. The item must be of good quality
Electric knife	Caregiving NC II	1. Type: Electric Knife 2. Material: Stainless Steel and Hard Plastic ,(PE) Polyethylene 3. Power Supply : 220/240 volts, AC 50/60 Hz. 4. Dimensions: 4.25 X 2.75 X 11.88 inches (minimum) 5. Comes with touch button control, safety lock and English user's manual. 6. Comes with English manual that contains: users guide, list of parts, maintenance guide, safety guide 7. The item must be branded and good quality.
Face Towel/Towellete	Caregiving NC II	1. Type: Face Towel 2. Material: 100% Cotton 3. Color: White 4. Dimension : (L x W) 28 -32 cm x 28 -32 cm (minimum) 5. Washable 6. The item must be of good quality
Feeding Bottle brush (cleaning feeding bottles)	Caregiving NC II	1. Bristle Material: Nylon 2. Color: Any Color 3. Handle Material: Hard Plastic, (PS) Polystyrene 4. Total Length: 280 -320 mm (minimum) 5. Fit with the standard feeding bottle for the baby 6. Comes with nipple brush 7. Washable. 8. The item must be of good quality

Item Name	TVL Specialization	Design Specification:
Feeding Utensils (Child)	Caregiving NC II	1.Material: hard plastic , (PS) Polystyrene 2.Sets Includes: 6 pcs./set 3. 1 pc. Knife 4.1 pc. - plate 5.1 pc. - bowl 6.1 pc. - cup 7.1 pc. - fork 8.1 pc. - spoon 9.Color : Any 10.The item must be of good quality.
First Aid Kit	Caregiving NC II	Type: Emergency case; Contents: First Aid Quick Reference Guide, 1pc; Sterize Gauge Swab(4 x4 x12 ply) 100 pcs/pack, 1 pack; Adhesive strips/Band -Aid, 50 pcs/pack, 2 packs; Gloves, disposable, medium size, 2 pairs; Hypo Allergenic adhesive tape, 5cm x 5cm, 2 rolls; Triangular bandage/arm sling, min 90cm x 90cmx 120cm, 2pcs; Safety pins, 1 1/4 inches, (12 pcs), 1 3/4 inches (12 pcs); Stainless steel bandage scissors, 2pcs; Betadine, 60ml, 2 -3 years expiration, 2 bottles; Dust mask, 2pcs; Hand towels or face towels, white color, 6 pcs; Gauze bandage, minimum 5cm x 4cm, 2 rolls; Antiseptic handwash/germicidal soap, 60 gms , 2pcs; Tourniquet, 2 pcs; Spirit of ammonia, 30ml, 2-3 years expiration, 1 bottle; Burn cream ointment, 20g to 30g, 2- 3years expiration, 1 tube; Medical tweezers min. 8cm, plastic, 2pcs; Plastic bags, resealable, minimum of 24pcs, 100mm x 180mm, 24pcs, 150mm x 230mm Cotton balls , 50 balls in a sealed package, 2 packs Hot and Cold pack, reuseable, 1 pack Water resistant and sturdy case w/ handle that can accommodate all the listed items.
Flat sheet	Caregiving NC II	1.Type: Bed Sheet 2.Material: 100% Cotton 3.Color: White 4.Dimension: Width - 137 -145 cm Length - 180 -200 cm (minimum) 5.Washable 6. The item must be of good quality.

Item Name	TVL Specialization	Design Specification:
Garbage Bin	Caregiving NC II	Type: Swivel Lid Garbage Bin Body Shape: Round Material: Hard Plastic, Polypropylene Dimension: Diameter-26 cm x Height-47 cm (minimum) Capacity: 4 gallons (minimum) Removable dome shape Lid with spring return swivel Preferably with a packing case Color: Any color Smooth and no rough surfaces
Gloves, Rubber (15 mils)	Caregiving NC II	Medium size(# 8) Super Nitrile, flocklined interior (acid/solvent resistant) Individually packed For hand protection
Gloves, Surgical (disposable)	Caregiving NC II	1.Material: Latex 2.Color: White 3.Thickness: .09 mm (minimum) 4.Disposable and Sterile 5.The item must be of good quality
Gown (hospital)	Caregiving NC II	1.Type: Unisex Hospital Gown 2.Material: Polyester-Cotton 3.Color: Any Color 4.Size: One size fits all 5.Comes with overlap back closure 6.The item must be of good quality.
Grooming kit (hairbrush comb, nail cutter, nail brush)	Caregiving NC II	1.Set includes: 6 pcs./set (minimum) 2.Materials: stainless steel and hard plastic 3.2 nail clippers / trimmers of different sizes 4. 1 multipurpose scissors 5. 1 ear pick 6. 1 tweezer 7. 1 comb 8.The item must be of good quality
Hand towel	Caregiving NC II	1.Type: Hand Towel 2.Material: 100% Cotton 3.Color: Any color 4.Dimension : (L x W) 65 - 75 cm x 32 - 42 cm (minimum) 5.Washable. 6.The item must be of good quality.
High chair/ booster seat/ portable seat	Caregiving NC II	1.Material: Foldable powder coated steel frame or its equivalent 2.Phone type: Corded 3.Polyester Harness, seat/back cushion 4.Overall Dimensions (L x W x H): 65 - 75 cm x 50 - 60 cm x 90 - 102 cm (minimum) 5.Capacity: 40 lbs. (minimum) 6.With 3-position seat recline 7.The item must be of good quality

Item Name	TVL Specialization	Design Specification:
Hot water bag	Caregiving NC II	1.Material: Rubber or its equivalent 2.Color: Any Color 3.Overall Dimension : (LxW) 200 - 300 mm x 150 - 200 mm (minimum) 4.Leak-Proof and Washable. 5.The item must be of good quality.
Kettle	Caregiving NC II	1.Material: Heat-resistant hard plastic 2.Capacity: 1 -1.5 liters (minimum) 3.Height: 25 -35 cm (minimum) approx. 4.Voltage: 220/240 volts, AC 50/60 Hz. 5.Power in watts: 1000 to 1500 watts 6.Comes with automatic shut-off feature and permanent water level indicator. 7.Pitcher-type with pouring. 9.Comes with english manual that contains: users guide,list of parts,maintenance guide, safety guide 8.The item must be branded and good quality
Measuring Cups, 1/4, 1/3, 1/2, 1 cup set	Caregiving NC II	1.Material: Stainless Steel 2.Set includes: 4 pcs./set; 3. 1 pc. - 1/4 cup (60 ml) 4.1 pc. - 1/3 cup (80 ml) 5. 1 pc. - 1/2 cup (125 ml) 6. 1 pc. - 1 cup (250ml) 7.Thickness: .5 mm to 1 mm (minimum) 8.The item must be of good quality.
Medical Tray	Caregiving NC II	1.Type: Tray 2.Material: Stainless Steel 3.Dimension : (L x W x D) 300 - 350 mm x 200 - 250 mm x 12 - 19 mm. (minimum) 4.Thickness: .7 to 1 mm (minimum) 5.The item must be of good quality.
Mixing Bowl, stainless steel, 6-piece set	Caregiving NC II	1.Material: Stainless Steel 2.Quantity of set: 6 pcs./set 3.Dimension : 3/4 qt., 1.5 qt., 3 qt., 4 qt., 5 qt., 8 qt. 4.The item must be of good quality.
Pail, plastic 10 liters	Caregiving NC II	1) Material: Polyethylene Plastic 2) Dimension: 25 -30 cm diameter x 23 -27 cm depth (minimum) 3) Color: Any color 4) Chromed finished handle 5) Capacity: 10 liters (minimum) 6) Material must be non-toxic 7) The item must be of good quality

Item Name	TVL Specialization	Design Specification:
Pans	Caregiving NC II	1.Type: Frying Pan 2.Material: Stainless Steel 3.Handle: With hard plastic heat insulation 4.Tempered glass lid with steam hole 5.Size : 23 -26 cm with lid 6. The item must have good quality
Peeler	Caregiving NC II	1) Type : Peeler 2) Blade Material: Stainless steel 3) Handle Material: Stainless steel 4) Overall dimensions : 18 x 8 cm (minimum) 5) The item must be branded
Pick up forcep	Caregiving NC II	1.Type: Curved forceps 2.Material: Stainless steel 3.Overall length: 100 -130 mm (minimum) 4.Comes with self-locking 5.The item must be of good quality.
Pillow	Caregiving NC II	1.Material: Cotton 2.Color: Any Color 3.Dimensions : (L x W) 50 -56 cm x 75 -80 cm (minimum) 4.with 4 inches hems;washable 5.The item must be of good quality
Pillow case	Caregiving NC II	1.Material: Cotton 2.Color: Any Color 3.Dimensions : (L x W) 50 -56 cm x 75 -80 cm (minimum) 4.with 4 inches hems 5. Washable 6.The item must be of good quality
Portable mixer	Caregiving NC II	1.Type : Portable Mixer 2.Material : Stainless Steel ,Clear Acrylic 3.Capacity : 16 -18 oz. (minimum) 4.Size : 170 - 220 mm x 75 - 100 mm 5.Requires 2 AAA batteries 6.Power in watts: 250 to 300 watts 7.The item must be of good quality.
Potato masher	Caregiving NC II	1.Type : Potato Masher 2.Material : Stainless Steel and Hard Plastic 3.Mesh head diameter : 70 - 90 mm (minimum) 4.Overall length : 250 -270 mm (minimum) 5.Handle length : 120 -140 mm (minimum) 6.Washable 7.The item must be of good quality

Item Name	TVL Specialization	Design Specification:
Pots	Caregiving NC II	1.Type: Cooking pot 2.Material: Stainless Steel 3.Set includes: 4 pcs./set 4. 1 x Pot with lid 5. 1 x Pan with lid 6.1 x Strainer 7.1 x Egg steamer 8.Size : (L x W x H) 40 to 42 cm x 12 to 14 cm x 26 to 28 cm 9.The item must have good quality
Skillet	Caregiving NC II	1.The item shall have the following specifications. Material including handle: Cast iron 2. Color: Any Color 3.Dimension (Dia. x Depth): 250 -320 mm x 50 - 70 mm (minimum) 4.Handle casted with the body and having plastic or rubber heat insulator 5.Body Thickness: 1.5 -3 mm (minimum) 6. Washable 7. The item must be branded and have good quality.
Sphygmomanometer	Caregiving NC II	1.Type: Aneroid 2.Material : Nylon cuff and inflation bag, Die -cast zinc manometer 3..Package Included : 1 x Aneroid sphygmomanometer , 4.Size : (L x W x H cm) = 18 to 20 cm x 11 to 13 cm x 11 to 13 cm 5.Nylon zippered carrying case 6.Capacity: 0 to 300 mm Hg 7.The item must have good quality
Stethoscope	Caregiving NC II	1.Type: Dual Head Stethoscope 2.Material: Stainless Steel chestpiece and eartubes 3.Reinforced PVC tubing 4.Soft PVC eartips 5.Color: Any Color 6.Bell diameter: 18-25 mm approx. 7.Diaphragm diameter: 25-50 mm approx. 8.Overall Length: 66-75 cm (minimum) 9.The item must be of good quality
Urinal	Caregiving NC II	1.Type: Unisex portable urinal 2.Material: Hard Plastic, (PP) Polypropylene 3.Color: Any Color 4.Total Capacity: 28 oz. minimum 5.Dimension : (L x W x H) 270 to 290 mm x 145 to 160 mm x 70 to 80 mm (minimum) 6. Thickness : 1 mm to 3 mm (minimum) 7. The item must be of good quality.

Item Name	TVL Specialization	Design Specification:
Vacuum cleaner – Heavy Duty	Caregiving NC II	1.Material:Plastic (PP) Polypropylene or its equivalent 2. COLOR: Any Color 3.Suction power: 18 to 22 kpa (minimum) 4.Tank Capacity: 24 Liters (minimum) 5.Vacuum Hose Length: 6 to 8 ft. (minimum) 6.Power Supply: 220 V - 240 V AC, 50/60 Hz. 7.With accesories: Extension Wand, Utility Nozzle, Standard Paper Filter 8.Comes with english manual that contains: users guide,list of parts,maintenance guide, safety guide 9.The item must be branded and good quality
Wheel chair	Caregiving NC II	1.Type: Foldable Wheel Chair 2.Overall Dimensions : (L x W x H) 40 - 44 inches x 26 - 30 inches x 34 - 38 inches (minimum) 3.Folded Dimensions : (L x W x H) 40 to 44 inches x 10 to 14 inches x 34 to 38 inches (minimum) 4.Capacity: 350 lbs. (minimum) 5.With padded arm rests; with Push-To-Lock Wheel Brakes 6.The item must be of good quality.
Allen Wrench	Computer System Servicing (NC II)	1. Material: chrome vanadium steel, HRc 38 to 60; 2. Set of 10 pieces: 1.5 mm, 2 mm, 2.5 mm, 3 mm, 4 mm, 5 mm, 5.5 mm, 6 mm, 8 mm, 10 mm; 3. With holder/ring to keep the set intact; 4. Label of sizes engraved in each Allen wrench; 5. Smooth surfaces and no sharp edges 6. Plastic pack by set
Anti-Static Device (Anti-static Wrist Strap)	Computer System Servicing (NC II)	Consists of: a) Adjustable and elastic wristband with integrated 1 Mega Ohm Resistor, b) banana plug with alligator clip for connecting to ground (or equivalent), c) at least 59" long coiled cord; d) non toxic material e) Carton box or plastic pouch packaging
Combination Pliers, 8"	Computer System Servicing (NC II)	Type: Combination pliers; Body shape: Square nose Material: Chrome vanadium/forged steel Length: 9 inches (minimum) Insulation range: 1000 volts (etched on the handle) Design: Square nose with serrated jaw Comes with nickel plated finish, side cutter and insulated handle Must be branded (Brand must etched either in the head or on the handle)

Item Name	TVL Specialization	Design Specification:
Crimping Tool (RJ 11/45)	Computer System Servicing (NC II)	<ol style="list-style-type: none"> 1. Ratchet Crimp Tool 2. ALL-IN-ONE tool that can strip, cut, and crimp 3. lightweight steel frame 4. RJ-11/45 Compatible 5. Positions for 8P/8C, 6P/6C and 4C Connectors 6. Lightweight, compact, and durable 7. Smooth surface and no sharp edges except cutting edges 8. Carton box packaging
Desoldering pump	Computer System Servicing (NC II)	<ol style="list-style-type: none"> 1. Material : Plastic or aluminum housing; 2. Replaceable heat-resistant plastic tip; 3. Length : Minimum of 6 inches; 4. Effective in removing solder; 5. Smooth surface and no sharp edges 6. Carton or plastic packaging
Electric Drill, Portable	Computer System Servicing (NC II)	<p>Type: Electric power Material: Hard plastic Rated voltage: 220 / 240 volts, AC 60 Hz Power in watts: 550 to 650 watts Speed: Variable speed Chuck capacity: 2 to 13 mm Power cord must have flat blade attachment plug (Type A plug) Comes with HSS Drill bits: 2mm 4pcs. 4 mm 4pcs. 6 mm 4pcs. 8 mm 4pcs. 10 mm 4pcs. 12 mm 4pcs. 12.5 mm 4pcs. Total- (28 pcs) Masonry drill bits; 4 mm 2pcs. 6 mm 2pcs. 8 mm 2pcs. 10 mm 2pcs. 12 mm 2pcs. Total- (10 pcs.) With hammer function for concrete drilling Comes with English user's manual that includes the following: a. a diagram of the parts with label; b. assembly instructions; c. operating procedures; d. safety precautions when using the equipment; e. basic troubleshooting and maintenance procedures. Warranty period of parts and service: 1 year</p>
External optical drive	Computer System Servicing (NC II)	<ol style="list-style-type: none"> 1. Interface: USB 3.0 or better; 2. Compatibility: Windows 2000, XP, Vista, 7, 8, 10, Apple Mac, Linux or better; 3. Read Speed: at least 8x DVD, at least 24x CD; 4. Write Speed: at least 4x DVD, at least 16x CD; 5. Package includes: <ol style="list-style-type: none"> a) 1 x External optical drive, b) 1 x USB Power Cable, c) 1 x USB Data Cable, 6. Item size: 5.4"x 5.51"x0.63"(L x W x H) approximate 7. Metal or hard plastic casing 8. Smooth surface and no sharp edges 9. Carton box packaging 10. With User's Manual in English which includes: <ol style="list-style-type: none"> a. a diagram of the parts with their names, b. operating procedures 11. With Service centers located in major cities in the Philippines.

Item Name	TVL Specialization	Design Specification:
Flash drive	Computer System Servicing (NC II)	<ol style="list-style-type: none"> 1. Capacity: 32 GB ; 2. Connectivity: USB 3.0, Backward-Compatible with USB 2.0, Plug and Play ; 3. Device/OS compatibility: Windows Vista, Windows 7, 8, 10, Mac OS 10.6+ or later versions; 4. Form: Swivel type or with cover; 5. Dimension: 0.40 x 0.80 x 2.31 in. (10.16 x 20.32 x 58.67 mm) approximate 6. Metal or hard plastic casing 7. Smooth surface and no sharp edges 8. Carton and/or plastic packaging 9. User's Guide on name of parts, connection guide, maintenance and safety precautions.
Flashlight, head-mounted	Computer System Servicing (NC II)	<ol style="list-style-type: none"> 1. Type: Rechargeable, Head mounted LED flashlight; 2. Minimum of 160 lumens; 3. Beam Distance: minimum of 150 meters; 4. Includes 220 V AC Charger/Power Adaptor (or equivalent); 5. Charging time: 3-6 hours; 6. Provides up to 30 hours (minimum) of constant light on a single full charge; 7. Approximate Size: 60X 30mm 8. Smooth surface and no sharp edges 9. Carton box or plastic pouch packaging. 10. With User's Manual in English which includes: <ol style="list-style-type: none"> a. a diagram of the parts with their names, b. operating procedures c. safety precautions when using the equipment, d. basic troubleshooting and maintenance procedures.
Hub / Switch	Computer System Servicing (NC II)	<ol style="list-style-type: none"> 1. Standards and Protocols: IEEE 802.3, IEEE802.3u, IEEE802.3X CSMA/CD 2. Interface: 8 10/100Mbps Ports, Auto-Negotiation, Auto-MDI/MDIX 3. External Power Supply Adapter: 100-240VAC,50/60Hz 4. Fanless 5. Data Rates: 10/100Mbps at Half Duplex ; 20/200Mbps at Full Duplex 6.LED indicator: Power, 1, 2, 3, 4, 5, 6, 7, 8 7.Dimensions: 5.3 x 3.1 x 0.9 in. (134.5 x 79 x 22.5mm) (Approx.) 8. Transfer Method: Store and Forward 9. Advance Functions: Green Technolgy, saving power up to 73%; 802.3X Flow Control, Back Pressure; Auto-Uplink Every Port 10. Certification: FCC, CE, RohS 11. Package Contents: 8-Port 10/100Mbps Desktop Switch, Power Adapter, User Guide 12. System Requirements: Microsoft Windows 98SE, NT, 2000, XP, Vista or Windows 7, Windows 8, Mac OS, Netware, Unix or Linux. 13. Operating Temperature: 0°C-40°C (32°F-104°F) 14. Storage Temperature: -40°C-70°C (-40°F-158°F) 15. Operating Humidity: 10%-90% non-condensing 16. Storage Humidity: 5%-90% non-condensing

Item Name	TVL Specialization	Design Specification:
		17. Dimension: 141.5 x 78.5 x 23.8 mm (5.57 x 3.09 x 0.94 inches) approximate 18. Metal or hard plastic casing 19 Smooth surface and no sharp edges
LAN Cable tester	Computer System Servicing (NC II)	1 Cable Tester with LED indication for RJ12, RJ11, RJ45, Cat5e, Cat5, 10/100 Base-T; 2 Main tester: 1-2-3-4-5-6-7-8-G; 3 Remote tester: 1-4-3-2-5-6-7-8-G; 4 Power supply: 9 V battery (included); 5 Capable of testing crossover, straight-through, and rollover cables; 6 Includes plastic case or pouch; 7 With User's Manual in English which includes: a. a diagram of the parts with their names, b. operating procedures c. safety precautions when using the equipment, d. basic troubleshooting and maintenance procedures. 8 With Service centers located in major cities in the Philippines. 9. Material: ABS 10. Size: 103×100×30mm/4.06×0.39×1.18in approximate 11. Smooth surface and no sharp edges
Long Nose Pliers, 8"	Computer System Servicing (NC II)	1 Material: chrome vanadium steel, HRc 38 to 60; 2 Length: 7 inches (minimum); 3 Handle type: curved handle with rubber cushion for easy grip; 4 Jaws type: knurled and long tempered; 5 Comes with hardened cutting edges and chrome-nickel finish. 6. Smooth surface and no sharp edges 7. Carton or plastic packaging

Item Name	TVL Specialization	Design Specification:
Multimeter, digital	Computer System Servicing (NC II)	<p>Material: Plastic casing</p> <p>Main functions: AutoRange/Data hold/Back light/ LED lamp/Diode test/Triode test/Continuity/ Over load protection/Low Battery Indication/Auto Power Off/Short-circuit protection.</p> <p>Display: True RMS, 6000 counts, 3 5/6 digits</p> <p>Overload Display: Display OL</p> <p>DC Voltage:600mV/6V/60V/600V(0.5%+3), 1000V (0.5%+3)</p> <p>AC Voltage:600mV/6V/60V/600V/750V (0.8%+5)</p> <p>DC Current:600A/6000A/60mA/600mA/10A (1.2%+3)</p> <p>AC Current:600A/6000A/60mA/600mA/10A (1.5%+3)</p> <p>Resistance:600/6K/60K/600K/(1.0%+3) ,6M/60M (1.5%+3)</p> <p>Capacitance: 10nf/100nf/1000nf/10uf/100uf/1000uf (4.0%+5), 10MF/100MF(5.0%+5)</p> <p>Frequency/Duty:10Hz/100Hz/1000Hz/10kHz/ 100kHz/ 1000kHz (1.0%+3),10MHz/(3.0%+3)</p> <p>Package Content: (a.) 1 x Digital Multimeter, (b.) 1 x Test Leads, (c.) 2 x 1.5V (AA or AAA) Battery, (d.) 1 x User manual in english, operating procedures, safety precautions when using the equipment, basic troubleshooting and maintenance procedures, (e.) 1 x Temperature Probe (Thermocouple)</p> <p>With Safety Level/Certification: IEC, CE or equivalent</p> <p>With carton box</p>
Patch panel (48 ports)	Computer System Servicing (NC II)	<ol style="list-style-type: none"> 1. Network Patch Panel 2. 48 port Patch Panel 3. CAT6 Cable 4. Material: ABS Plastic 5. Application: UTP(Unshielded) 6. Certification: RoHS, ISO, CE 7. RJ45 Connector : two rows (1-24 ports & 25-48 ports) 8. Transport package: 1PCS/Box 9. Smooth surface and no sharp edges
PC Video camera	Computer System Servicing (NC II)	<ol style="list-style-type: none"> 1) 5.0 Mega Pixel Web Camera, USB-type; 2) With Microphone for Laptop and Desktop PC use; 3) Resolution: at least 640 x 480; 4) Support Windows XP/7/8/equivalent Mac OS or later versions; 5) With User's Manual in English which includes: <ol style="list-style-type: none"> a) a diagram of the parts with their names, b) operating procedures c) basic troubleshooting and maintenance procedures. 6) Hard plastic or metal casing 7) Smooth surface and no sharp edges 8) Carton or plastic packaging

Item Name	TVL Specialization	Design Specification:
Phillip's screwdriver, 8" insulated	Computer System Servicing (NC II)	<ol style="list-style-type: none"> 1. Shank Material: chrome vanadium steel, HRc 38 to 60; 2. Handle Material: Molded Plastic 3. Overall length: 8 inches (minimum) 4. Insulation protection (including shank): 1000VAC/ 1500VDC, VDE Certified (or its equivalent) 5. Non slip handle design 6. Carton or plastic packaging
Precision Screwdriver Set	Computer System Servicing (NC II)	<ol style="list-style-type: none"> 1. Material: Hardened and tempered steel; 2. 1 set comes with the following: <ol style="list-style-type: none"> a) 3 x Phillips tip No. 00, 0, and 1 ; b) 6 x Standard tip No. 1, 1.2, 1.4, 1.8, 2.4, and 3.0; c) 1 x Awl; d) 1 x Magnet; e) plastic storage case; 3. Non slip design handle
Soldering Iron, 60W	Computer System Servicing (NC II)	<ol style="list-style-type: none"> 1. Type: Iron rod 2. Voltage: 220/240VAC, 60Hz, Single phase; 3. Power: 60W (minimum); 4. Body Length: 8.3 inches (21 cm) approximate 5. Cord Length: 1.5 meters (minimum) 6. Handle: Plastic; (non slip handle) 7. With user's manual written in English that contains user's guide, operating procedure, parts with description, safety procedure, and maintenance; 8. Interchangeable copper tip; 9. Should have available spare parts nationwide for a minimum period of 5 years; 10. Carton and/or plastic packaging
Standard screwdriver (Flat), 8" insulated	Computer System Servicing (NC II)	<ol style="list-style-type: none"> 1. Shank Material: chrome vanadium steel, HRc 38 to 60; 2. Handle Material: Molded Plastic 3. Overall length: 8 inches (minimum) 4. Insulation protection (including shank): 1000v, VDE Certified (or its equivalent) 5. Non slip handle design 6. Carton or plastic packaging

Item Name	TVL Specialization	Design Specification:
Uninterruptible Power Supply (UPS)	Computer System Servicing (NC II)	<p>The item shall have the following specifications:</p> <ol style="list-style-type: none"> 1. Type: Battery (included): Lithium ion battery or Maintenance-free sealed Lead-Acid battery with suspended electrolyte: leakproof 2. Voltage: Nominal Input Voltage: 230V, 50/60 Hz 3. Output Power Capacity: 600VA (minimum) 4. Output Connections :2 Universal Receptacle (minimum) 5. Cord Length: 1 meter (minimum) 6. Maximum Input Current: 5A 7. Protection: Overload, Short Circuit, Over Discharge & Over Charge 8. Transfer Time: 10ms maximum 9. Size (Approx.): (H) 223mm x (W) 143mm x (D) 347mm 10. Metal and/or hard plastic casing 11. Smooth surface and no sharp edges 12. Carton box packaging 13. With User's Manual in English which includes: <ol style="list-style-type: none"> a. a diagram of the parts with their names, b. operating procedures / wire connections c. safety precautions when using the equipment, d. basic troubleshooting and maintenance procedures.
USB External HD	Computer System Servicing (NC II)	<ol style="list-style-type: none"> 1) 1TB Portable/External Hard Drive 2) Application: Laptop / Desktop PC 3) Interface Type: SATAII 4) Installation: Mobile 5) Formatted Capacity: 1000GB(Windows Display about 298GB) 6) Size(mm): 14.29 x 80.01 x 17.60 (Approx.) 7) Metal Casing 8) Comes with USB 3.0 cable (18 inch minimum) 9) User's manual (English) on name of parts, user's guide, wiring connection, safety precautions and maintenance 10) Smooth surface and no sharp edges 11) Optimal Colors: Black 12) Carton box or plastic pouch packaging
Wire stripper	Computer System Servicing (NC II)	<p>Type: Spring-loaded self opening; Body shape: Long jaw with slot Blade material: Hardened alloy steel (sharp edges to strip and cut the wires) Wires to be stripped: 10 AWG to 24 AWG Length: 7 inches (minimum) Comes with automatic self- adjusting spring, crimping slot, and hard plastic handle Must be branded</p>

Item Name	TVL Specialization	Design Specification:
Wireless Access Point	Computer System Servicing (NC II)	<p>Type: Wireless access point Dual band</p> <p>WiFi Band / DataTransfer Rate: 867 Mbps at 5 GHz and 300 Mbps at 2.4 GHz band</p> <p>Operating Modes: Access Point (AP), Bridge, Wireless Client, Repeater</p> <p>Interface: One 10/100M Ethernet Port(RJ45), Support Passive PoE</p> <p>Power On/Off Button and Reset Button</p> <p>Comes with External Power Supply: 5VDC-12VDC / 0.5A-1.0A</p> <p>Dimensions (L x W x D): (76-191 ×47-125 ×30-68mm)</p> <p>Comes with at least 2 Antenna (External detachable)</p> <p>Operating Temperature: 0°C~40°C</p> <p>Storage Temperature: -40°C~60°C</p> <p>Operating Humidity: 10%~90% non-condensing</p> <p>Storage Humidity: 10%~85% non-condensing</p> <p>System Requirements: Microsoft Windows 98SE, NT, 2000, XP, Vista™ or Windows 7, 10, MAC OS, NetWare, UNIX or Linux.</p> <p>Wireless Security (any): 64/128/152-bit WEP / WPA / WPA2,WPA-PSK / WPA2-PSK</p> <p>Protocols: Supports IPv4 and/or IPv6</p> <p>Plastic or metal casing</p> <p>The item must be branded.</p> <p>With User's Manual in English which includes:</p> <ol style="list-style-type: none"> operating procedures, safety precautions when using the equipment, basic troubleshooting and maintenance procedures. <p>Carton box packaging</p>
Apple corer	Cookery NC II	<p>Type: Apple Corer</p> <p>Body Shape: Tubular</p> <p>Material: Stainless Steel</p> <p>Total Length: 18 cm (minimum)</p> <p>Handle material: hard plastic, Polypropylene</p> <p>Handle Dimension: Length-10 cm x diameter-2 cm (minimum)</p> <p>Blade size: Length-8cm x Diameter-2 cm (minimum)</p> <p>Preferably with packing case</p> <p>Dishwasher Safe</p>

Item Name	TVL Specialization	Design Specification:
BAIN MARIE, TABLE	Cookery NC II	<p>Type: Bain Marie Table (food warmer)</p> <p>Body Shape: Rectangular</p> <p>Material: 304 Stainless steel, 0.8 mm thick (minimum)</p> <p>Dimensions: Length-1500 mm x Width-700mm x Height-800 mm (minimum)</p> <p>Power Source: Voltage: 220 Volts - 230 Volts, 50 Hz/ 60 Hz with royal cord 1.5 meter long with attachment Standard Type A male plug or provide plug Adapter 10A/220V</p> <p>Power: 1500 Watts (minimum)</p> <p>Heater: U shaped heat pipes, high efficient</p> <p>Capacity 4 Pans: L x W x D: (530 mm x 325 mm x 150 mm (minimum) and lids</p> <p>Temperature Range: 20-110 degrees Centigrade</p> <p>Precise temperature control switch and pilot bulb</p> <p>Drain valve with attached gate valve 1/2 inch</p> <p>No rough surfaces and rough edges</p> <p>Accessories: 4 pcs Pans with lid</p> <p>Preferably with packing case</p> <p>Comes with an English manual that contain: Operation guide, Safety guide, maintenance / troubleshooting procedure.</p> <p>The offered brand of the item must be an international brand with at least 5 years presence at the local market and global presence in the USA, Europe or Japan market.</p> <p>Warranty period of 1 year (parts) and 3 years (service)</p> <p>With Service centers located in major cities in the Philippines</p>
BLENDER, ELECTRIC	Cookery NC II	<p>Type: Blender Machine</p> <p>Body Shape: Round Jar</p> <p>Material Housing: Plastic (Polypropylene)</p> <p>Jar Height : 25 cm to 28 cm</p> <p>Jar Thickness: 4 mm to 8 mm</p> <p>Heat resistant Glass Jar with cover</p> <p>Source Voltage: 220 Volts / 240 Volts, 50 Hz / 60 Hz with power cord 1.5 meter long with attachment of standard Type A male plug or provide plug Adapter 10A/220V.</p> <p>Power Wattage: 300 to 700 watts</p> <p>Blade: Stainless steel, 3 to 4 metal blades</p> <p>Capacity: 1.5 liters to 2 liters</p> <p>With 5 to 10 push button speed setting with pulse control switch</p> <p>Preferably with packing case</p> <p>With English Manual that contain: Operation guide, maintenance and troubleshooting procedure</p> <p>With Service centers located in major cities in the Philippines.</p> <p>The offered brand of the item must be an international brand with at least 5 years presence at the local market and global presence in the USA, Europe or Japan market.</p> <p>Warranty period of 1 year (parts and service)</p>

Item Name	TVL Specialization	Design Specification:
Board, Chopping/Cutting, plastic	Cookery NC II	Type: Cutting Board Body Shape: Rectangular Material: Plastic (Polypropylene), food grade Board Size: Length: 15 inches (minimum) Width: 12 inches (minimum) Thickness: 0.5 inch (minimum) With hole for storage purposes Preferably with packing case Food Grade and Dishwasher Safe
Boiler, Double	Cookery NC II	Material: Stainless steel Thickness: 1/16 inch (1.5 mm) (minimum) Lid material: Glass Riveted handle on both side Diameter: 9 1/2 inches (minimum) Total Height: 9.4 inches (minimum) Inset Bottom Diameter: 9 inches (minimum) Inset Top Diameter: 9 inches (minimum) Capacity: 2 liters (minimum) Must be a set which includes one (1) saucepan, one (1) boiler, and one (1) lid With Stainless steel handle and smooth surfaces with no sharp edges
BRAISING PAN, MEDIUM	Cookery NC II	Type: Braising Pan Body Shape: Round Material: Enameled cast iron and stainless steel Size: Diameter: 28 cm x Height: 10 cm (minimum) Capacity: 4 Liters (Approximate) With stainless steel cover, solid cast Stainless Steel side handles and riveted Handle on both side: Length: 10 cm (minimum) Handle diameter: 8 mm to 10 mm Preferably with packing case Oven-safe up to 500 ° F; broiler, freezer, and Dishwasher-safe Warranty period of 1 year (parts and service)
Can Opener	Cookery NC II	Type: Can Opener Body Shape: Materials: Stainless Steel Dimension: Length-21 cm x Width 10 cm x Depth:2.5cm (minimum) Multi-use: 3 in 1 Can Opener also opens bottle tops- Can lids and tabs Includes hanging loops on the end of each handle Double Round handles that are comfortable and easy to grip With rotating wheel and counter rotating serrated wheel Preferably with packing case Cutting Mechanism leaves a smooth edge on the can for your safety

Item Name	TVL Specialization	Design Specification:
CART, UTILITY	Cookery NC II	Type: Utility Cart Body Shape: Rectangular Material: Plastic, Polypropylene(PP) Dimension: (L x W x H) 84 cm x 43 cm x 95 cm (minimum) Capacity: 330 lbs (150 kg) loads (minimum) Three (3) Shelving with at least 25 cm distance between shelves Tub shelf measure (L x W x D) 84 cm x 43 cm x 7 cm (minimum) With four (4) Swivel Caster, 10 cm diameter, two which have locking brakes Preferably with a packing case Easy grip handles on each end of cart No sharp edges and rough surfaces
CASSEROLE, MEDIUM	Cookery NC II	Type: Casserole Pot Body Shape: Round Material: Stainless steel, 0.7 mm thick Dimension: Diameter- 24 cm x Height -14 cm (minimum) Tempered glass lid Welded handle on both sides, size: 7.5 cm (minimum) Handle diameter: 8 mm to 10 mm Preferably with packing case Dishwasher safe
CASSEROLE, SMALL	Cookery NC II	Type: Casserole Pot Body Shape: Round Material: Stainless steel, 0.7 mm thick Dimension: Diameter- 20 cm x Height -12 cm (minimum) Tempered glass lid Welded handle on both sides, size: 7.5 cm (minimum) Handle diameter: 8 mm to 10 mm Preferably with packing case Dishwasher safe
COLANDER, MEDIUM	Cookery NC II	Type: Colander, Medium Body Type: Round Material: 304 Stainless steel Diameter: 30 cm (minimum) Capacity: 8 quarts (9 liters) Welded handle on both sides, size: 7.5 cm (minimum) Handle diameter: 8 to 10 mm Body Thickness: 0.8 mm (minimum) Full-ring support base, 15 cm diameter Preferably with a packing case Food grade and Dishwasher safe
COLANDER, SMALL	Cookery NC II	Type: Colander (Small) Body Shape: Round Material: 304 Stainless steel Diameter: 26 cm (minimum) Capacity: 5 quarts (5.6 liters) Welded handle on both sides, size: 7.5 cm (minimum) Handle diameter: 8 mm to 10 mm Body Thickness: 0.8 mm (minimum) Full-ring support base, 15 cm diameter Preferably with packing case Food grade and Dishwasher safe

Item Name	TVL Specialization	Design Specification:
CUP, MEASURING (FOR SOLID)	Cookery NC II	Type: Measuring Cup Set Body Shape: Round Material: Stainless steel, 0.7 mm thick (minimum) Each set contains the following: 1 pc - 1 cup (237 mL) 1 pc - 1/2 cup (118 mL) 1 pc - 1/3 cup (79 mL) 1 pc - 1/4 cup (59 mL) Handle dimension: Length-12 cm x Width-1 cm (minimum) Measuring capacity engraved on the handle Strip Handles have provision for hanging Preferably with packing case Smooth surfaces and dishwasher safe
DISPENSER, PAPER TOWEL	Cookery NC II	Type Paper Towel Dispenser Body Shape: Rectangular Material: ABS plastic Dimensions: Length =260 mm x Width =100 mm x Height = 211 mm (minimum) Capacity: 200 paper Paper size: Length-20 cm x Width- 8 cm (Approximate) Mounting style: wall mounted tissue box Comes with 4 pcs screw, 4 pcs Tox for mounting and 1 pc Key to prevent random opening Preferably with a packing case The plastic material used must be non-toxic
Fan, Electric	Cookery NC II	Stand fan, electric Material: Metal, plastic Size/Diameter: 18 inches Power rating: 70 watts (minimum), 220 / 240 VAC, 50 / 60 Hz, Single Phase Rotation Angle: 90 degrees Base: Stable, 16 inches diameter (approx.) Removable metal guard on front and rear 3-speed settings Comes with 1.5 meters power cord and with molded male plug to adapt Type A outlet (or providing 3A minimum plug adapter is an option) Smooth surface, no sharp edges Includes User's Manual in English which contains: a. A Diagram of the Parts with their Names, b. Operating Procedures on how to use the Equipment, c. Safety Precautions when using the Equipment, d. Basic Troubleshooting and Maintenance Procedures With DTI-BPS certification, Brand and electrical ratings clearly and permanently mark on the item 1 year warranty parts and service

Item Name	TVL Specialization	Design Specification:
Fire Extinguisher (with contents)	Cookery NC II	1.For Type A, B, C Fire: Dry Chemicals (Monoammonium Phosphate) 2.Portable type 3.Capacity : 5 - 6 kgs 4.Rechargeable Cylinder Metal 5.Working pressure of Cylinder : 400 psi 6.Brass Valve with Pressure Gage 7.With Rubberized Hose and Aluminum Nozzle Attached 8.With Squeeze lever to discharge and safety pin 10.Painted with Metal Primer and Red Enamel Paint 11.Includes with User's Guide in English that contains: a. Operating procedure on how to use the equipment b. Safety precaution when using the equipment 12.1 year warranty parts and service 13.The item must be branded and have good quality
FISH POACHER, MEDIUM	Cookery NC II	Type: Fish Poacher Body Shape: Oval Pot for Poaching Material: Stainless Steel, 0.64 mm thick Dimensions (L x W x D): 45 cm x 15 cm x 12 cm (minimum) Handle Material: Stainless Steel Riveted looped handles on both side, 7 cm (minimum) Handle diameter: 8 mm to 10 mm Includes stainless steel lid with handle and removable insert Dimensions of the insert (L X w x D): 42 cm x 13 cm x 1.5 cm (minimum) with handle Preferably with a packing case Easy care, dishwasher safe
FORK, CARVING	Cookery NC II	Type: Carving Fork Body Shape: Square shape prong Prong Material:High Carbon Stainless steel Overall Length: 30 cm (minimum) Blade dimension: Length- 15 cm x Width- 0.5 cm x thickness- 0.3 cm (minimum) Number of Prongs: 2 prong Comes with square- shaped prongs and pointed tips ABS PlasticTriple-riveted handle Preferably with packing case Dishwasher safe
FORK, KITCHEN	Cookery NC II	Type: Kitchen Fork Body Shape: Standard Material: Stainless steel Dimension: Length - 32 cm x Width- 3.5 cm (minimum) Fork Size: Length: 8 cm x Width -3.5 cm (minimum) Handle :ABS Plastic Number of Tines: 2 Tines with tapered end Preferably witha packing case Heat resistant up to 220 ° C Dishwasher safe

Item Name	TVL Specialization	Design Specification:
FRYING PAN, LARGE	Cookery NC II	Type: Frying Pan (large) Body Shape: Round Pan Material: Aluminum with non-stick coating Thickness: 3 mm thick (minimum) Dimension: Diameter-30 cm (minimum) x Height- 5.5 cm (minimum) Handle Material: Stainless steel with Silicone Riveted Handle: 20 cm long (minimum) Preferably with a packing case Oven safe up to 250°F
FRYING PAN, MEDIUM	Cookery NC II	Type: Frying Pan (medium) Body Shape: Round Pan Material: Aluminum with non-stick coating Thickness: 3 mm thick (minimum) Dimension: Diameter-24 cm (minimum) x Height- 4.5 cm (minimum) Handle Material: Stainless steel with Silicone Riveted Handle: 19 cm long (minimum) Preferably with a packing case Oven safe up to 250°F
FRYING PAN, SMALL	Cookery NC II	Type: Frying Pan (small) Body Shape: Round Pan Material: Aluminum with non-stick coating Thickness: 3 mm thick (minimum) Dimension: Diameter-20 cm (minimum) x Height- 3.8 cm (minimum) Handle Material: Stainless steel with Silicone Riveted Handle: 12 cm long (minimum) Preferably with a packing case Oven safe up to 250°F
FUNNEL, S/S, MEDIUM	Cookery NC II	Type: Stainless Steel Funnel Body Shape: Round Material: 304 Stainless Steel Dimension: Diameter-15 cm (minimum) x Height- 15.8 cm (minimum) Tube diameter: 2 cm x Length: 7.3 cm (minimum) Comes with handle for easy hanging Preferably with packing case Dishwasher safe

Item Name	TVL Specialization	Design Specification:
FUNNEL, S/S, SMALL	Cookery NC II	Type: Stainless Steel Funnel Body Shape: Round Material: 304 Stainless Steel Dimension: Diameter-11 cm (minimum) x Height- 10 cm (minimum) Tube diameter: 1.5 cm x Length: 5 cm (minimum) Comes with handle for easy hanging Preferably with a packing case Dishwasher safe
Garbage Bin	Cookery NC II	Type: Swivel Lid Garbage Bin Body Shape: Round Material: Hard Plastic, Polypropylene Dimension: Diameter-26 cm x Height-47 cm (minimum) Capacity: 4 gallons (minimum) Removable dome shape Lid with spring return swivel Preferably with a packing case Color: Any color Smooth and no rough surfaces
GLASS RACK	Cookery NC II	Type: Glass Rack Body Shape: Square Material: Polypropylene Plastic Overall Dimensions: Length - 19 1/2 inches x Width - 19 1/2 inches x Height - 4 inches (minimum) Compartments: Full-size 25 individual compartment glass rack Compartment Dimensions: Length - 3 1/2 inches x Width - 3 1/2 inches x Height - 4 inches (minimum) Easy grip handles molded into all four sides Preferably with a packing Case The plastic material used must be non-toxic

Item Name	TVL Specialization	Design Specification:
KNIFE, BONING	Cookery NC II	Type: Flexible Boning Knife Body Shape: Ergonomic Material: High Carbon Steel Overall Length: 28 cm (minimum) Blade: Length-15 cm x Width- 3 cm (minimum), Pointed tip Cutting edge angle from tip to the heel is 13 to 14 degrees Handle Length: 12 cm (minimum) Handle Material: Hard plastic handle with rivets Preferably wiht packing case Dishwasher safe
KNIFE, CHEF	Cookery NC II	Type: Chef's Knife Body Shape: Flat Materials: Stainless steel Overall length: 30 cm (minimum) Blade Size: Length - 20 cm x Width-4 cm (minimum) Blade thickness: 2.5 mm (minimum) Cutting Edge: Straight, pointed end Handle: Triple Riveted Plastic (Polypropylene) Preferably with packing case The plastic material used must be non-toxic Dishwasher safe Must be branded.
KNIFE, CLEAVER	Cookery NC II	Type: Cleaver Knife Body Shape: Flat Blade Material: Forged Stainless steel Heavy duty Blade length: 17 cm (minimum) Overall length: 30 cm (minimum) Cutting Edge: Straight Handle Material: Ergonomic Wood Handle with triple rivets Blade thickness: 3 mm (minimum) Blade width: 12 cm (minimum) Preferably with packing case The plastic material used must be non-toxic Dishwasher safe Must be branded
KNIFE, OYSTER	Cookery NC II	Type: Oyster Knife Body Shape: Ergonomic Blade material: Stainless steel Blade dimension: length - 7 cm (minimum) x Width - 2 cm (minimum) Blade thickness: 2 mm (minimum) Handle Material: Smooth wooded handle Rounded Handle size: Length-10 cm x Diameter- 3.5 cm (minimum) Total length (from the tip of the handle up to tip of the blade) :17 cm (minimum) Preferably with a packing case Dishwasher Safe Must be branded

Item Name	TVL Specialization	Design Specification:
Light, Emergency	Cookery NC II	<p>Emergency light, 2 heads LED</p> <p>Materials: metal, anti-rust coated</p> <p>Duration Time (2 heads): 5 hours (minimum)</p> <p>Automatically Light Up during Power Outage</p> <p>Overcharge and Over- discharge Protection</p> <p>Built - In AC Charger, power cord plug to adapt Type A outlet (or providing 5A minimum plug adapter is an option)</p> <p>Battery Test Switch - External Safety Fuse</p> <p>Head: White LED 1W (minimum) 3.5 " Dome Reflector</p> <p>Power rating: 220 -240 VAC , 50/60 Hz</p> <p>20-24 Hours Charge Time</p> <p>Dimensions: Rectangular 27 x 7 x 27 cm (approx.)</p> <p>Sooth surface, no sharp edges</p> <p>Includes User's Manual in English which contains:</p> <ol style="list-style-type: none"> A Diagram of the Parts with their Names, Operating Procedures on how to use the Equipment, Safety Precautions when using the Equipment, Basic Troubleshooting and Maintenance Procedures <p>The item must be branded, Brand name and electrical ratings permanently mark on the item.</p>
MEAT SLICER, SMALL	Cookery NC II	<p>Type: Meat Slicer</p> <p>Body Shape: Circular</p> <p>Housing Material: Die Cast Aluminum Alloy and body painted</p> <p>Dimensions: Width-40.5 cm x Depth- 45.7 cm x Height- 38 cm (minimum)</p> <p>Stainless Steel Rotary Blade Diameter: 190 mm (minimum)</p> <p>Power Source: 220 Volts-230 Volts, 60 Hz with power cord 1.5 meter long with attachment of standard Type A male plug or provide plug Adapter 10A/220V</p> <p>Power Rated: 150 Watts (minimum)</p> <p>Adjustment slicing /Cutting Thickness: 0 - 20 mm thick</p> <p>Complete with push button switch, pilot light and adjustable control knob for slice thickness</p> <p>Equipped with food carrier, slide bracket, locking plate, blade, knife sharpener, handle bar and fixed ring guard for safety</p> <p>Preferably with a packing case</p> <p>Comes with an English manual that contain: Operation guide, Safety guide,maintenance / troubleshooting procedure and list of parts.</p> <p>With Service centers located in major cities in the Philippines.</p> <p>Warranty period of 1 year (parts and service)</p> <p>Must be branded</p>

Item Name	TVL Specialization	Design Specification:
PAN, ROASTING	Cookery NC II	Type: Roasting Pan Body Shape: Rectangular Material: Stainless steel Dimension: Length: 40 cm x Width-35 cm x Height -7 1/2cm (minimum) Thickness: 1.5 mm thick (minimum) Welded handles on both sides Removable Stainless steel wire rack Rack dimension: Length: 38 cm x Width 23 cm (minimum) Rack wire diameter: 0.5 cm (minimum) Preferably with a packing case Dishwasher Safe Must be branded
PEELER, Y-TYPE	Cookery NC II	Type: Y-Type Peelers Body Shape: Ergonomic Material: Stainless Steel Overall dimensions (L x W x H): 7 inches x 2 1/4 inches x 1 inch (minimum) Blade Material: 304 Stainless steel, 0.7 mm Head dimension: (L x W x H) 2 1/4 inches x 2 1/4 inches x 1 inch (minimum) Handle Material: Stainless steel Handle length: 4 3/4 inches x 1 inch diameter (minimum) 2 in 1 design with 2 blade reel, built in potato eye remover and hole for hanger Preferably with a packing case Food grade and non-toxic material. Must be branded
PEPPER AND SALT MILL	Cookery NC II	Type: Pepper & Salt Mill Body Shape: Round BODY Material: Wood SIZE: Diameter: 5 cm x Height: 20 cm (minimum) Carved of wood with stainless steel grinding mechanism Color: Natural Screw Cap at the top of the mill to adjust the thickness of peeper or spices Preferably with a packing case Food grade and nontoxic Must be branded
PIPING BAG	Cookery NC II	Type : Piping Bag Body Shape: Triangular Material: Transparent Disposable Plastic for dispensing ingredients to pastries Length: 9 inches minimum Width: 3 inches (minimum) Volume: 500 ml (approximate) Preferablywith packing case Food grade Must be branded.

Item Name	TVL Specialization	Design Specification:
PLATE RACK	Cookery NC II	Type: Plate Rack Body Shape: Rectangular Material: 304 Stainless Steel Dimension: Length-475 mm x Width- 290 mm x Height- 380 mm (minimum) Heavy duty wire shelving, 2.6 mm diameter (minimum) Tubular Post Diameter: 20 mm thick (minimum) Drawer type drainer tray: (L x W x H) 430 mm x 250 mm x 20 mm (minimum) Preferably with a packing case With 2 tier dish drying rack with non-slip rubber footing Must be branded
PREPARATION TABLE WITH SINK	Cookery NC II	Type: Preparation Table with sink & Sheelves Body Shape: Rectangular Material: Stainless steel, 1 mm thick (minimum) Dimensions: L-1200 mm x W - 700 mm x H - 850 mm (minimum) Stainless Steel table top and stainless steel under shelf fully welded construction Sink: Left Side Single bowl sink with drainer 4 inches & faucet provision Sink dimension (L x W x D) 400 mm x 500 mm x 25 mm (minimum) With Backsplash 100 mm (minimum) Measured 600 mm between table top to under shelf Welded Tubular Stainless Steel legs: Diameter 35 mm x 1mm thick (minimum) Preferably with a packing Case Comes with screw-type adjustable bullet feet Smooth surfaces and no sharp edges Warranty period of 1 year (parts and service) Must be branded.
PRESSURE COOKER	Cookery NC II	Type: Pressure Cooker Body Shape: Round Material: Polished aluminum Dimension: Diameter: 32 cm x Height: 25 cm (minimum) Capacity: 10 quarts (11.3 liters) Side handles for secure carrying Equipped with safety opening mechanism, spring safety valve, rubber seal ring Dishwasher safe Comes with an English manual that contain: Operation guide, safety guide, maintenance / troubleshooting procedure. With Service centers located in major cities in the Philippines. Warranty period of 1 year (parts and service) Must be branded.
SCISSOR, KITCHEN	Cookery NC II	Type: Kitchen Scissor Body Shape: Ergonomic Blade Material: Stainless Steel, 2 mm thick Handle Material heavy duty Acrylonitrile Butadiene Styrene (ABS) plastic Overall Length: 20 cm (minimum)

Item Name	TVL Specialization	Design Specification:
		Width: 7.5 cm (minimum) Blade size: Length- 9 cm x Width-1.5 cm (minimum) Preferably with a packing case The plastic material used must be non-toxic Must be branded.
SCOOPER, ICE CREAM	Cookery NC II	Type: Ice Cream Scooper Body Shape: Round Material: Stainless Steel Scoop: Diameter- 5 cm x Deep-2.5 cm (minimum) Handle length: 10 to 12 cm With trigger spring handle and scoop scraper mechanism Easy grip and durable Preferably with a packing case The materials used must be food grade and non-toxic. Dishwasher Safe and Rust Free Must be branded.
SIEVER, SMALL	Cookery NC II	Type: Fine Mesh Siever Body Shape: Round Material: Stainless steel Diameter: 20 cm (minimum) Depth: 7 cm (minimum) Twin wire handle: Length 20 cm x 5 mm diameter (minimum) Fine Mesh: 0.7 mm (1/32 inch) (minimum) Preferably with a packing case Dishwashing safe Must be branded
SKIMMER, FINE	Cookery NC II	Type: Medium fine Mesh Skimmer Body Shape: Round Material: Stainless steel, polished Overall Length: 34 cm (minimum) Skimmer Head: Diameter -10 cm x Depth- 4 cm (minimum) Diameter of holes: 2 mm (approx.) Handle: Length- 12 cm x Diameter- 2 cm (minimum) Handle has hole for hanging Preferably with a packing case Dishwashing safe Must be branded.
SKIMMER, SPIDER	Cookery NC II	Type: Skimmer, spider Body Shape: Round Material: Stainless steel, polished Overall Length: 35 cm (minimum) Skimmer Head Diameter: 15 cm x Depth 4 cm (minimum) Handle length: 12 cm x 2 cm diameter (minimum) Preferably with a packing case Dishwasher safe Heat resistant Handle, non-slip Handle has hole for hanging Must be branded

Item Name	TVL Specialization	Design Specification:
SOUP CUP RACK	Cookery NC II	Type: Soup Cup Rack Body Shape: Square Material: Polypropylene Plastic Dimension: Length: 50 cm x Width: 50 cm x Height: 10 cm (minimum) Compartment Length: 11 cm Compartment Width: 11 cm Compartment /Inside Height: 6.7 cm No. of Compartment: 16 Compartments Rounded handles on all four sides, 1.5 cm overlap and smooth sides Preferably with a packing case The material used must be non-toxic Must be branded
SOUP LADLE, 3 OZ	Cookery NC II	Type: Soup Ladle Body Shape: Round Material: Stainless steel Thickness: 1 mm thick (minimum) Handle Length: 28 cm (minimum) Capacity: 3 oz. (85 ml) Ladle type: Round bottom Hooked handle design allows it to easily sit on the edge of pots. Preferably with a packing case Dishwasher safe Must be branded
SOUP LADLE, 6 OZ	Cookery NC II	Type: Soup Ladle Body Shape: Round Material: Stainless steel Thickness: 1 mm thick (minimum) Handle Length: 30 cm (minimum) Capacity: 6 oz. (170 ml) Ladle type: Round bottom Hooked handle design allows it to easily sit on the edge of pots. Preferably with a packing case Dishwasher safe Must be branded
SOUP LADLE, 8 OZ	Cookery NC II	Type: Soup Ladle Body Shape: Round Material: Stainless steel Thickness: 1 mm thick (minimum) Handle Length: 30 cm (minimum) Capacity: 8 oz. (236 ml) Ladle type: Round bottom Hooked handle design allows it to easily sit on the edge of pots. Preferably with a packing case Dishwasher safe Must be branded

Item Name	TVL Specialization	Design Specification:
SOUP LADLE,12 OZ	Cookery NC II	Type: Soup Ladle Body Shape: Round Material: Stainless steel Thickness: 1 mm thick (minimum) Handle Length: 34 cm (minimum) Capacity: 12 oz. (341 ml) Ladle type: Round bottom Hooked handle design allows it to easily sit on the edge of pots. Preferably with a packing case Dishwasher safe Must be branded
Spatula	Cookery NC II	type: Offset Spatula Body Shape: Flat Blade material: Stainless steel 316 Handle material: Hardwood (Smooth finish) with rivets Blade Dimension: Length= 7 .5 inches x Width-1.5 inches (minimum) Thickness of Blade: 1.7 mm thick (minimum) Total length = 12 to 14 inches Preferably with a packing case Dishwasher Safe Must be branded.
SPOON, KITCHEN	Cookery NC II	Type: Kitchen Spoon Body Shape: Oval Material: Stainless Steel, 1.5 mm thick Overall length: 30.5 cm x Width-7.5 cm (minimum) Spoon Head Dimension (L x W) 9 cm x 7.5 cm (minimum) Handle: ABS Plastic Spoon Head: Oval Type Preferably with a packing case Heat resistant up to 220 ° C Dishwasher safe Must be branded.
SPOON, KITCHEN (SLOTTED)	Cookery NC II	Type: Kitchen Spoon Slotted Body Shape: Oval with slot Material: Stainless Steel, 1.5 mm thick Overall length: 30.5 cm x Width-7.5 cm (minimum) Spoon Head Dimension (L x W) 9 cm x 7.5 cm (minimum) Handle: ABS Plastic Spoon Head: Oval Type with slot at least 6 rectangular slots Preferably with a packing case Heat resistant up to 220 ° C Dishwasher safe Must be branded.

Item Name	TVL Specialization	Design Specification:
SPOON, MEASURING	Cookery NC II	<p>Type: Measuring Spoon</p> <p>Body Shape: Bowl in shape</p> <p>Material: Stainless Steel, 0.7 mm thick (minimum)</p> <p>The set consists of the following sizes:</p> <p>1 pc - 1 tbsp. (15 ml)</p> <p>1 pc - 1/2 tbsp. (7.5 ml)</p> <p>1 pc - 1 tsp. (5 ml)</p> <p>1 pc - 1/2 tsp. (2.5 ml)</p> <p>1 pc - 1/4 tsp. (1.25 ml)</p> <p>Handle dimension: Length-12 cm x 1 cm (minimum)</p> <p>Measuring capacity engraved on the handle</p> <p>Strip Handles have provision for hanging</p> <p>Preferably with packing case</p> <p>Smooth surfaces and dishwasher safe</p> <p>Must be branded.</p>
SPOON, PARISIENNE	Cookery NC II	<p>Type: Parisiennes Spoon</p> <p>Body Shape: Round</p> <p>Double headed Parisiennes scoop bar tool</p> <p>Material: Stainless steel, polished</p> <p>Overall length: 240 mm (minimum)</p> <p>Scoop Diameter: 30 mm and 24mm (minimum)</p> <p>With plastic handle (Polypropylene), Size: 130 mm x Width-20 mm (minimum)</p> <p>Draining small hole in the scoop</p> <p>Preferably with a packing case</p> <p>Food grade and dishwasher safe</p> <p>Must be branded.</p>
SPOON, SERVING	Cookery NC II	<p>Type: Serving Spoon</p> <p>Body Shape: Oval</p> <p>Materials: Stainless Steel</p> <p>Dimension: length: 23 cm x Width: 5 cm (minimum)</p> <p>Scoop dimension (L x W x D): 7 cm x 5 cm x 0.9 cm (minimum)</p> <p>Spoon thickness: 1.6 mm (minimum)</p> <p>Preferably with a packing case</p> <p>Dishwasher Safe</p> <p>Must be branded.</p>
SPOON, WOODEN	Cookery NC II	<p>Type: Wooden Spoon</p> <p>Body Shape: Oval</p> <p>Material: Hardwood</p> <p>Dimensions: Length- 10 inches x Width- 2 inches (minimum)</p> <p>Bowl dimension: Length -3 inches X Width 2 inches X Depth -3/4 inches (minimum)</p> <p>Total Length: 10 inches (minimum)</p> <p>Preferably with a packing case</p> <p>Smooth surface finished and no sharp edges</p> <p>Handle with provision for hanging storage purposes</p> <p>Must be branded</p>

Item Name	TVL Specialization	Design Specification:
STOCK POT, LARGE	Cookery NC II	Type: Stock Pot, large Body Shape: Round Material: Stainless Steel, 0.8 mm thick (minimum) Top Diameter: 30 cm (minimum) Height: 31 cm (minimum) Capacity: 20 quarts (22.7 liters) Oven safe to 350°F and Dishwasher safe. With aluminum disc layer in bottom for even heat (5 mm aluminum core) Comes with a cover and two reinforced stainless steel handle on both sides Preferably with a packing case Dishwasher safe Must be branded.
STRAINER CHINOIS, MEDIUM	Cookery NC II	Type: Strainer Chinois, medium Body Shape: Conical Material: Stainless steel Strainer diameter: 20 cm (minimum) Strainer depth: 21.5 cm (minimum) Handle length: 20 cm (minimum) With 2 mm. (approx.) fine mesh Handle has provision for hanging Preferably with a packing case Dishwasher Safe Must be branded

Item Name	TVL Specialization	Design Specification:
STRAINER CHINOIS, SMALL	Cookery NC II	Strainer Chinois, small Body Shape: Conical Material: Stainless steel Strainer diameter: 14 cm (minimum) Strainer depth: 13 cm (minimum) Handle length: 15 cm (minimum) With 1 mm (approx.) fine mesh Handle has provision for hanging Preferably with a packing case Dishwasher Safe Must be branded
STRAINER MEDIUM, FINE	Cookery NC II	Type: Strainer, medium fine Body Shape: Round Material: Stainless steel Strainer diameter: 20 cm (minimum) Strainer depth: 7 cm (minimum) Handle length: 18 cm (minimum) With 2 mm. (approx.) fine mesh Strainer's two layers of tightly woven mesh catches Handle has provision for hanging Preferably with a packing case Dishwasher safe Must be branded.

Item Name	TVL Specialization	Design Specification:
STRAINER SMALL, FINE	Cookery NC II	Type: Strainer, small fine Body Shape: Round Material: Stainless steel Strainer diameter: 13 cm (minimum) Strainer depth: 5 cm (minimum) Handle length: 13 cm (minimum) With 1 mm. (approx.) fine mesh Handle has provision for hanging Preferably with a packing case Dishwasher safe Must be branded.
Table, Working	Cookery NC II	Type: Working Table, stainless Steel Body Shape: Rectangular Material: 304 Stainless Steel, 1.29 mm thick (Gauge 16) minimum Length: 1220 mm (minimum) Width: 700 mm (minimum) Height: 850 mm (minimum) Tubular Stainless Steel legs, 38mm (minimum) with 4 adjustable bullet feet Fully welded construction Thickness: Gauge 16 (1.29 mm thick) minimum Stainless steel table top with stainless steel undershelf Distance between table top and undershelf is 650 mm (minimum) Preferably with a packing case or crate No sharp edges and rough surfaces Must be branded.

Item Name	TVL Specialization	Design Specification:
TENDERIZER, MEDIUM	Cookery NC II	Type: Tenderizer Body Shape: Ergonomic Material: Cast aluminum Overall Length: 26 cm (minimum) Dual-sided hammer, square head: 6 cm x 6 cm (minimum) Ridged surface with rows of dull, pyramid-shaped spikes Weight: 250 grams to 500 grams Preferably with a packing case Dishwasher safe Must be branded
THERMOMETER, POCKET /PIN	Cookery NC II	Type: Pocket/Pen Thermometer Body Shape: Tubular Pen Style Digital thermometer Product size: 100 mm x 40 mm x 14 mm (minimum) Display size: 40 mm x 20 mm (minimum) Probe length: 200 mm (minimum) Measuring range: -50 °C to 300 °C (-58 °F to 372 °F) Resolution: 0.1 °C / 0.2 °F Accuracy: (+/-) 1°C With °C/°F selectable readout Auto power off Power Supply :1.5Volts, LR44 button battery (included) Comes with tubular plastic casing Preferably with cartoon packing Warranty period of 1 year (parts and service) Must be branded.

Item Name	TVL Specialization	Design Specification:
TONG, 12 INCHES	Cookery NC II	Type: Tong , 12 inches Body Shape: Standard Material: Stainless Steel Size: 12 inches Stainless-steel arms with soft, comfortable grips Nylon heads safe for nonstick cookware Heat-resistant up to 400 degrees Fahrenheit Tongs lock closed for storage Preferably with a packing case Food Grade and Dishwasher-safe Must be branded
TONG, 8 INCHES	Cookery NC II	Type: Tong, 8 inches Body Shape: Standard Material: Stainless Steel Size: 8 inches Stainless-steel arms with soft, comfortable grips Nylon heads safe for nonstick cookware Heat-resistant up to 400 degrees Fahrenheit Tongs lock closed for storage Preferably with a packing case Food Grade and Dishwasher-safe Must be branded
TRAY, BAKING, SMALL	Cookery NC II	Type: Baking Tray Body Shape: Rectangular Material: Stainless Steel Dimension: 20 cm x 30 cm x 3.7 cm (minimum) Body thickness: 0.7- 1.0 mm Preferably with packing case Dishwasher safe Must be branded.

Item Name	TVL Specialization	Design Specification:
TRAY, UTILITY	Cookery NC II	Type: Utility Tray Body Shape: Rectangular Material: Stainless Steel Dimension: Length- 48 cm x Width-32 cm x Height-2.5 cm (minimum) Reinforced edges Finish: Polished Preferably with a packing case Washable and oven safe Must be branded.
TUBE, PASTRY	Cookery NC II	Type: Pastry Tubes Body Shape: Tube in different shape of nozzles Material: Stainless Steel Set contain: 24 different shapes of nozzles (minimum) Tube Height: 3.5 cm to 5 cm Tube Diameter: 2 cm to 3.5 cm Thickness: 0.5 mm (minimum) Tube Tip: Assorted Designs (create swirls, rosettes, flowers, stars, leaves and other designs) Include storage box Food grade and non-toxic Must be branded
TURNER 3" X 6"	Cookery NC II	Type: Slotted Turner, 3" x 6" Body Shape: Straight Material: Stainless steel Blade Size (Lx W): 6 inches x 3 inches (minimum) Handle length: 5 inches (minimum) Overall length: 13 inches (minimum) Solid Turner with straight slotted blade Wooden Handle with triple rivets Preferably with a packing case Dishwasher safe Must be branded
WEIGHING SCALE, 1 KG, DIGITAL	Cookery NC II	Type: Digital weighing scale Body Shape: Rectangular Materials: Engineering Plastic and Stainless Steel weighing plate Capacity: 1 kg Accuracy: 1 gram Back light LCD display with 15 mm minimum high digits Weighing Units: gram, ounce, pound Size: (L x W x H mm) 163 mm x 245 mm x 79 mmm (minimum) Battery Operated, (batteries included) Auto power "OFF" after 3 minutes without a change of load Preferably with a packing case With Service centers located in major cities in the Philippines. Warranty period of 1 year (parts and service) Must be branded.

Item Name	TVL Specialization	Design Specification:
WEIGHING SCALE, 5 Kilograms, Mechanical	Cookery NC II	Type: Mechanical Weighing Scale Body Type: Circular Bowl Material: Stainless Steel bowl and metal body (coated) Mechanism Type: Spring Lever Capacity: 5 kg /11 lb. Sensitivity/Graduated by 10 gm Measurement units: Gram/Kilogram Manual Setting on Zero, must be accurate and durable Calibrate the scale using the adjustment knob Preferably with a packing case Delivery must include instruction manual written in good English With Service centers located in the major cities in the Philippines Warranty period of 1 year (parts and service) Must be branded
WIRE SKIMMER, SMALL	Cookery NC II	Type: Skimmer, wire mesh Body Shape: Round Material: Stainless steel, polished Overall Length: 40 cm (minimum) Skimmer Head Diameter: 12 cm (minimum) Diameter of holes: 2 mm (approx.) Handle has hole for hanging Preferably with a packing case Dishwashing safe Must be branded.
WIRE WHISK, HEAVY DUTY	Cookery NC II	Type: Wire Whisk, heavy duty Body Shape: Ballon Material: Heavy Duty Stainless steel Dimensions (L x W): 31.8 cm x 7.6 cm (minimum) Handle length: 12 cm (minimum) with hanging loop No. of wires: 8 wires Wire Diameter: 2 mm (minimum) Preferably with a packing case Dishwasher safe Must be branded.

Item Name	TVL Specialization	Design Specification:
WIRE WHISK, MEDIUM	Cookery NC II	Type Wire Whisk, medium Body Shape: Ballon Material: Stainless steel wire whisk medium Dimensions (L x W): 25.4 cm x 7 cm (minimum) Handle length: 10 cm (minimum) with hanging loop No. of wires: 6 wires Wire Diameter: 1.8 mm (minimum) Preferably with a packing case Dishwasher safe Must be branded.
WIRE WHISK, SMALL	Cookery NC II	Type: Wire Whisk, small Body Shape: Baloon Material: Stainless steel wire whisk medium Dimensions (L x W): 20.3 cm x 6 cm (minimum) Handle length: 10 cm (minimum) with hanging loop No. of wires: 6 wires Wire Diameter: 1.8 mm (minimum) Preferably with a packing case Dishwasher safe Must be branded.

Item Name	TVL Specialization	Design Specification:
WOK, MEDIUM	Cookery NC II	Type: Wok, medium Body Shape:Round Material: Carbon steel Thickness: 1.8 mm thick (minimum) Dimensions (Dia. x H): 45 cm x 14 cm (minimum) Handle Material: Steel Riveted Convenient both side handle 10 cm (minimum) With flat bottom Preferably with a packing case Dishwashing safe Must be branded

Item Name	TVL Specialization	Design Specification:
WOK, SMALL	Cookery NC II	Type: Wok, small Body Shape: Round Material: Carbon steel Thickness: 1.5 mm thick (minimum) Dimensions (Dia. x H): 36 cm x 10 cm (minimum) Handle Material: Steel Riveted Convenient both side handle 8 cm (minimum) With flat bottom Preferably with a packing Case Dishwashing safe Must be branded
ZESTER	Cookery NC II	Type: Cheese Zester Body Shape: Standard Material: Stainless Steel Grating surface dimensions (L x W): 20.3 cm x 4 cm (minimum) Overall length: 32.5 cm (minimum) Handle material: plastic (Polypropylene) Ergonomic Handle Preferably with a packing case Dishwasher safe The plastic material used must be non-toxic Must be branded.
Chair, Dining	Food And Beverage Services NC II	Type : Dining Side Chair Body shape: Square Material : Metal (Round or Square) Dimesion: Total height - 33" x 15" x15" (minimum) Capacity: 150 kg. Black Colored Powder Coated Frame with Foam on Seat Packed in carton box The item must have good quality

Item Name	TVL Specialization	Design Specification:
Coffee Pot, 2 Pints	Food And Beverage Services NC II	Type: Manual drip Body shape: Round Material : Stainless Steel with cover Capacity : 2 pints Outside Diameter : 90 -110 mm Over-all Height : 200 - 230 mm Thickness : 0.5 - 1 mm With handle and spout Packed in carton box The item must have good quality
Container, Creamer	Food And Beverage Services NC II	Design: Type: Porcelain with spout Body shape: Circular Material: Porcelain Diameter : 50 - 65 mm Height : 80 - 105 mm Color : White Appearance : Glossy White Packed in carton box The item must have good quality
Cups and Saucers 5-6 oz.	Food And Beverage Services NC II	1. Material : Porcelain 2. Capacity : 5 oz./140 ml 3. Heatproof up to 300 deg. C 4. Color : White 5. The item must be of good quality 6. Packed in carton box

Item Name	TVL Specialization	Design Specification:
Folder, Menu	Food And Beverage Services NC II	Type: Leather Menu Folder Body shape: Rectangular Material: Leather With 2 Partitions and 6 Inserts Size: 31.5cm X 24.5cm Color: Brown/Black Applicable paper size: A4
Fork, Cocktail	Food And Beverage Services NC II	1. Material/Appearance: Stainless Steel, Highly Polished, w/ plain Design 2. Type : Rounded Tip Handle 3. Over-all Length : 110 - 165 mm 4. Width : 20 - 30 mm (minimum) 5. Handle Thickness : 2 mm to 4 mm 6. Handle Length : 75 - 90 mm 7. Small, 8. Color : Silver 9. The item must be branded and have good quality. 10. Packed in plastic pouch
Fork, Dessert	Food And Beverage Services NC II	Type : Dessert Fork Body shape: Fork shape, round tip Material/Appearance : Stainless Steel, highly Polished,with plain Design, Rounded tip Handle Length : 150 mm - 175 mmWidth : 20 - 30 mmHandle Thickness : 1.5 mm - 3 mm Number of Tines : 4 Handle : 130 mm (minimum) Color : Silver Packed in plastic pouch The item must be of good quality
Fork, Dinner	Food And Beverage Services NC II	Type: Dinner Fork Body shape: Fork shape Material / Appearance : Stainless Steel, highly Polished, with 4 tines Over - All Length : 120 - 175 mm Thickness of Handle : 2 - 3 mm Color : Silver Packed in plastic pouch The item must be of good quality

Item Name	TVL Specialization	Design Specification:
Fork, Fish	Food And Beverage Services NC II	Type : Fish Fork Body shape: Fork shape with round tip Material / Appearance : Stainless Steel, highly Polished, With plain Design Over-all Length : 180 - 215 mm Fork Width : 1.5 mm - 3 mm Fork Thickness : 1 mm - 2 mm Number of Tines : 4 Length Handle : 120 - 130 mm Handle Thickness : 2 mm - 3 mm Color : Silver Packed in plastic pouch The item must be of good quality
Fork, Oyster	Food And Beverage Services NC II	Type: Oyster Fork Body shape: Fork shape Material: Stainless Steel, with high polish appearance, and with plain design Length: 90 - 120 mm Thickness: 1 mm - 3 mm Silver Color with three short wide curved tines Packed in plastic pouch The item must be of good quality

Item Name	TVL Specialization	Design Specification:
Fork, Salad	Food And Beverage Services NC II	Type: Salad Fork Body shape: Fork shape Material/Appearance: Stainless Steel, highly polished, with 4 tines Length: 150 mm - 175 mm Thickness of Handle : 2 mm - 3 mm Color: Silver Packed in plastic pouch The item must be of good quality
Glass, Champagne Flute	Food And Beverage Services NC II	Type : Flute Glass Body shape: Round Material: Clear Crystal Glass Dimension : Height: 20 -24 cm, Top diameter: 50 -70 mm, Bottom diameter: 60 - 80 mm Capacity: 250 mL. (minimum) Thickness: 1.5 - 3 mm Packed in carton box The item must have good quality

Item Name	TVL Specialization	Design Specification:
Glass, Collins	Food And Beverage Services NC II	Type: Tumbler Body shape: Round Material : Clear Glass Capacity : 10 oz to 14 oz Thickness : 1.5 -3 mm (minimum) Packed in carton box The item must have good quality
Glass, Juice / Hi- Ball	Food And Beverage Services NC II	1. Material : Clear Glass 2. Type : Hi-ball 3. Height : 140 - 160 mm 4. Bottom Diameter : 50 -70 mm 5. Top Diameter : 50 - 70 mm 6. Thickness : 2 - 4 (minimum) 7. Capacity : 8 oz. To 10 oz. 8. Diswasher Safe 9. The item must be branded and good quality 10. Packed in carton box
Glass, Pilsner (Ice Tea Glass)	Food And Beverage Services NC II	Type: Flaired Rim Body shape: Round slender Material: Clear Glass Capacity: 20 oz. to 23 oz. Over-all Length: 22 -25 cm Thickness of Glass : 1 -3 mm With flaired rim and slender shape Packed in carton box The item must have good quality
Glass, Red Wine	Food And Beverage Services NC II	Type: Royalty Body shape: Balloon shaped bowl Material: Crystal Clear Glass Rim diameter : 55 - 60 mm Thickness : 1.5 mm - 3 mm Over - all Length : 200 -220 mm Capacity : 250 -300 ml Stem diameter : 6 - 8 mm Stem Length : 85 - 90 mm Base diameter : 75 - 85 mm Base Thickness : 2 - 4 mm

Item Name	TVL Specialization	Design Specification:
		Packed in carton box The item must have good quality
Glass, White Wine	Food And Beverage Services NC II	Type: Royalty Body shape: Balloon shaped bowl Material: Crystal Clear Glass Rim diameter : 55 - 60 mm Thickness : 1.5 - 3 mm Over -all Length : 200 -220 mm Capacity : 270 - 300 ml Stem diameter : 6 - 8 mm Stem length : 75 - 85 mm Base diameter : 70 - 80 mm Base thickness : 2 - 5 mm Packed in carton box The item must have good quality
Gravy Boats	Food And Beverage Services NC II	Type: Steel Type Body shape: Boat shape with handle Material: Stainless Steel Capacity : 5 oz. Appearance: Mirror Polish Finish Size :17cm x 7.3cm x 8.2 cm / 6.7 x 2.9 x 3.2 inches (minimum) The item must have good quality Packed in plastic pouch
Ice Bucket ,2 liters with Tongs	Food And Beverage Services NC II	Type: Steel Type Body shape: Circular Set includes: A. Ice bucket Material : Stainless Steel Diameter : 140 - 180 mm Height : 140 - 170 mm Thickness of bucket : 0.7 - 2 mm Capacity : 2 liters (minimum) The item must have good quality B. Ice Tongs Material: Stainless Steel Dimension: Over-All Length: 150 -170 mm Thickness : 0.5 mm – 0.7 mm

Item Name	TVL Specialization	Design Specification:
		<p>The item must be of good quality</p> <p>Packed in carton box</p>
Knife, Butter	Food And Beverage Services NC II	<ol style="list-style-type: none"> 1. Material : Stainless Steel w/ highly Polished Appearance 2. Over-all Length : 140 mm - 150 mm 3. Handle Thickness : 3 mm - 5 mm 4. With Dull Edge and Rounded Tip 5. The item must have good quality. 6. Packed in carton box
Knife, Dinner	Food And Beverage Services NC II	<p>Type: Dinner Knife</p> <p>Body shape: Flat with round tip</p> <p>Material / Appearance : Stainless Steel Blade Highly Polished</p> <p>Handle Material : Stainless Steel</p> <p>Overall Length : 160 - 190 mm</p> <p>Blade Thickness : 2 - 4 mm</p> <p>Handle Thickness : 3 - 6 mm</p> <p>Serrated Blade with Rounded Tip</p> <p>Packed in carton box</p> <p>The item must have good quality</p>
Knife, Fish	Food And Beverage Services NC II	<p>Type : Fish Knife</p> <p>Body shape: Flat with pointed tip</p> <p>Material / Appearance : Stainless Steel, highly Polished w/ plain design</p> <p>Overall Length : 200 - 220 mm</p> <p>Width Blade : 20 - 25 mm</p> <p>Thickness of Blade : 2 mm - 4 mm</p> <p>Thickness of Handle: 3 mm - 6 mm</p> <p>Wide blade, dull edge, tip made with a notched point</p> <p>Color : Silver</p> <p>Packed in carton box</p> <p>The item must have good quality</p>

Item Name	TVL Specialization	Design Specification:
Knife, Salad	Food And Beverage Services NC II	Type: Salad Knife Body shape: Semi rectangular blade with pointed tip Material/Appearance: Stainless Steel, highly polished, w/ plain design Overall Length: 145 -160 mm Blade Thickness: 2 mm to 4 mm Handle Thickness: 4 mm to 6 mm Handle Material: Stainless Steel Rounded tip handle Packed in carton box The item must have good quality
Knife, Steak	Food And Beverage Services NC II	Type: Steak knife Body shape: Flat with serrated edge Material: Stainless Steel steel blade with wooden handle Length: 170 mm to 203 mm Handle wood Thickness: 10 - 14 mm With serrated blade Packed in carton box The item must have good quality
Napkin Holder	Food And Beverage Services NC II	Type: Steel Type Body shape: Rectangular Material : Stainless Steel with Highly Polished Appearance Dimension : Width : 70 - 90 mm x Length : 150 - 170 mm , Thickness : 0.7 mm -2 mm Packed in plastic pouch The item must have good quality

Item Name	TVL Specialization	Design Specification:
Order pads	Food And Beverage Services NC II	<p>Type: Numbered pads</p> <p>Body shape: Rectangular</p> <p>Material : 80 gsm offset paper</p> <p>Each pad comes with a 100 sheets and corresponding copy page</p> <p>Each pad has sequentially numbered orders to make it easy to keep track</p> <p>With 100 sheets per pad and 10 pads included</p> <p>Can take 1000 orders before you run out</p> <p>Packed in a plastic pouch</p>
PEPPER AND SALT MILL	Food And Beverage Services NC II	<p>Type: Pepper & Salt Mill</p> <p>Body Shape: Round</p> <p>BODY Material: Wood</p> <p>SIZE: Diameter: 5 cm x Height: 20 cm (minimum)</p> <p>Carved of wood with stainless steel grinding mechanism</p> <p>Color: Natural</p> <p>Screw Cap at the top of the mill to adjust the thickness of peeper or spices</p> <p>Preferably with a packing case</p> <p>Food grade and nontoxic</p> <p>Must be branded</p>

Item Name	TVL Specialization	Design Specification:
Plate Covers	Food And Beverage Services NC II	Type: Steel Type Body shape: Circular Material: Stainless Steel, mirror polished Diameter: 10 1/4 inches (minimum) Height: 2 7/8 inches (minimum) Thickness: 1/16 inch. (minimum) With handle Packed in plastic pouch The item must have good quality
Plate, Dessert, 7"to 8"	Food And Beverage Services NC II	Type: Plain Type Body shape: Circular Material: Porcelain Supply must be a set, consisting of one (1) of each: 7 inches and 8 inches plates Color : White Inner Diameter: 145 to 165 mm Thickness : 3 to 6 mm Smooth and Glossy Surfaces Packed in carton box The item must have good quality

Item Name	TVL Specialization	Design Specification:
Plate, Dinner, 10"	Food And Beverage Services NC II	Type: Plain Type Body shape: Circular Material: Porcelain with no Design Color: White Inner Diameter : 200 mm - 215 mm Outer Diameter : 250 - 260 mm Thickness : 3 mm - 6 mm Smooth and Glossy Surfaces Packed in carton box The item must have good quality
Plate, Fish, 8" to 9"	Food And Beverage Services NC II	Type: Plain Type Body shape: Circular Material : Porcelain with no Design Supply shall be a set consisting of: one (1) each 8 inches and one (1) each, 9 inches Color : White Inner Diameter : 165 mm - 190 mm (minimum) Thickness : 3 mm - 6 mm Smooth and Glossy Surfaces Packed in carton box The item must have good quality
Salad Plates 7" to 8"	Food And Beverage Services NC II	Type: Plain Type Body shape: Circular Material: Porcelain with no design Supply must be a set consisting of one (1) each: 7 inches and 8 inches plates Color: White Diameter (Inner): 150 mm - 165 mm Thickness: 3 mm - 6 mm Smooth and Glossy Surfaces Packed in carton box The item must have good quality

Item Name	TVL Specialization	Design Specification:
Salt and Pepper Shakers	Food And Beverage Services NC II	Type: Glass Type Body shape: Square Material: Glass and Aluminum Over-all Height: 75 -90 mm Length: 50 -60 mm Width: 50 -60 mm Aluminum cover Packed in carton box The item must have good quality
Sauce Ladles	Food And Beverage Services NC II	Type: Spouted bowl Body shape: Circular with pouring spout Material: Stainless Steel, highly polished appearance Over-all Length: 220 -230 mm Ladle Bowl Length: 60 -65 mm long Ladle Bowl Diameter: 65 -70 mm Depth: 10 -15 mm Handle details: 150-155 mm long x 20 -30 mm wide x 2 - 4 mm thick Color: Silver With hang hole for hanging and easy access Dishwasher safe Packed in plastic pouch The item must have good quality
Server, Cake	Food And Beverage Services NC II	1. Material : Stainless Steel Blade , Highly Polished Appearance 2. Over-all Length : 220 to 270 mm 3. Width : 60 - 80 mm 4. Thickness : 1.5 mm to 2 mm 5. Handle : 120 -140 mm long, non-toxic plastic 6. Shape : Shovel-shaped 7. Color : Silver 8. The item must have good quality 9. Packed in carton box

Item Name	TVL Specialization	Design Specification:
Service Forks	Food And Beverage Services NC II	Type : Service Fork Body shape: Fork shape Material/Appearance: Stainless steel, highly polished, w/ plain design Over-all Length: 220 mm - 260 mm Width: 20 - 25 mm Handle Thickness: 1.5 mm - 4 mm Handle length - 165 mm - 185 mm 4 tines Color: Silver Packed in plastic pouch The item must have good quality.
Service Tray	Food And Beverage Services NC II	Type: Plastic Body shape: Rectangular Material: Plastic (PP) Size : 14 inches x 18 inches X 1 inch (minimum) Color : Any Packed in plastic pouch The item must have good quality
Show/Service/ Base Plates 11" to 14"	Food And Beverage Services NC II	Type: Plain Type Body shape: Round Material: Porcelain with no design Supply must be a set consisting (1) of each: - 11 inches, - 12 inches, - 13 inches, and - 14 inches plates Color: White Diameter, Inner : 225 mm - 250 mm Thickness: 3 mm - 6 mm Smooth and Glossy Surfaces Packed in carton box The item must have good quality

Item Name	TVL Specialization	Design Specification:
Side Plates or Bread Plates 6"	Food And Beverage Services NC II	Type: Plain Type Body shape: Round Material: Porcelain with no design Color: White Inner Diameter: 95 mm to 120 mm Outer Diameter: 145 mm to 170 mm Thickness : 3 mm - 6mm Smooth and Glossy Surfaces Packed in carton box The item must have good quality
Side Towels	Food And Beverage Services NC II	Type: Chef's towel Body shape: Rectangular Material: Oxford Polyester soft cloth Over-all Length : 640 - 680 mm Over-all Width : 420 -460 mm Color : Plain White Packed in plastic pouch The item must have good quality
Silver Platter	Food And Beverage Services NC II	Type: Steel Type Body shape: Round Material: Stainless Steel Diameter: 300 -330 mm Thickness: 1 - 2 mm Packed in plastic pouch The item must have good quality

Item Name	TVL Specialization	Design Specification:
Soup Bowl	Food And Beverage Services NC II	Type: Plain with two handles Body shape: Circular Material : Porcelain Capacity : 24 oz. (minimum) Packed in carton box The item must have good quality Packed in a carton box
Soup Ladle	Food And Beverage Services NC II	Type: Steel Type Body shape: Circular Material: Stainless Steel, highly polished appearance Over-all Length : 220 -235 mm Ladle Bowl Details : 60 -65 mm long, 60 -75 mm diameter, 10 -15 mm deep Handle Details : 145 - 155 mm long x 12 - 25 mm wide x 1.5 -3 mm thick Color : Silver With hang hole for hanging and easy access Packed in plastic pouch The item must have good quality
Soup Tureen	Food And Beverage Services NC II	Type: Steel Body shape: Round Material: Stainless Steel Capacity: 7 - 11 quart Size : 60 x 35 x 32 cm (minimum) Packed in plastic pouch The item must have good quality

Item Name	TVL Specialization	Design Specification:
Spoon, Dessert	Food And Beverage Services NC II	Type : Dessert Spoon Body shape: Oval Material/Appearance: Stainless Steel, highly Polished with plain design Over-all Length : 175 to 190 mm Thickness : 2 mm - 3 mm Shorter handle : 120 -130 mm Color : Silver Packed in plastic pouch The item must have good quality
Spoons, Service	Food And Beverage Services NC II	Type : Service Spoon Body shape: Oval Material: Stainless steel, highly polished, w/ plain design Over-all Length: 220 mm - 250 mm Width: 30 - 38 mm Handle Thickness: 1.5 mm - 4 mm Handle length - 165 mm - 185 mm Color: Silver Packed in plastic pouch The item must have good quality
Spoons, Soup (Cream and Consume)	Food And Beverage Services NC II	Type: Soup Spoon Body shape: Round Material/Appearance : Stainless Steel, highly polished, w/ plain design, rounded tip handle Over-all Length : 165 mm - 200 mm Smaller oval shaped spoon bowl and tapers slightly to the tip Shorter handle : 110 mm - 170 mm Thickness : 1.5 mm - 3 mm Color : Silver Packed in plastic pouch The item must have good quality

Item Name	TVL Specialization	Design Specification:
Sugar Container	Food And Beverage Services NC II	Type: Glass Type Body shape: Round Material: Glass with brass lid (or equivalent) Diameter: 70 -80 mm Height: 130 -140 mm Capacity: 12 oz. Packed in carton box The item must have good quality
Table Cloth, 54 x 54 inches	Food And Beverage Services NC II	Type: Plain Cloth Body shape: Square Material: Oxford Polyester Cloth Color: Plain White Dimension: L 54 inches x W 54 inches (minimum) Packed in plastic pouch The item must have good quality
Table cloth, Rectangular	Food And Beverage Services NC II	Type: Plain Cloth Body shape: Rectangle Material : Linen Size : 120cm x160cm (minimum) Color : Any Color but not black Feature: Washable Packed in a plastic pouch

Item Name	TVL Specialization	Design Specification:
Table Napkins, Cloth, 16" x 16"	Food And Beverage Services NC II	Type: Plain Cloth Body shape: Square Material: Oxford Polyester Cloth or its equivalent Size: L 16 inches x W 16 inches (minimum) Color: Plain White Packed in plastic pouch The item must have good quality
Table Skirting Cloth 90"x90"	Food And Beverage Services NC II	Type: Plain Cloth Body shape: Square Material: American Cotton Twill Cloth Color: Any Color except black Dimension: 90 inches x 90 inches (minimum) Packed in plastic pouch The item must have good quality
Table, Round (8's)	Food And Beverage Services NC II	Type: Foldable Body shape: Round Material: High density polyethylene table top Powder coated steel frame Size: 154cm x 74cm x 4.5cm (minimum) Good for 8 to 10 seater capacity Tube Size : 28 mm diameter x 1 mm thickness Packed in a carton box The item must have good quality

Item Name	TVL Specialization	Design Specification:
Table, Square/Rectangular (4's or 6's)	Food And Beverage Services NC II	Type: Foldble Plastic Body shape: Square/Rectangle Materia: High density polyethylene table top Powder coated steel frame Dimension: 37 - 39 x 37 - 39 inches Color: White Good for 4 persons Packed in carton box The item must have good quality
Tea Pot, 2 Pints	Food And Beverage Services NC II	Type: Porcelain Type Body shape: Round with handle and pouring spout Material : Porcelain Capacity : (2 pint) Color : White Packed in carton box The item must be of good quality
Teaspoon	Food And Beverage Services NC II	Type : Tea Spoon Body shape: Oval tip Material/Appearance: Stainless Steel, highly polished, w/ plain design Over-all Length: 120 mm to 140 mm Handle Thickness: 2 mm to 4 mm Short handle Length - 100 mm (minimum) Color: Silver Packed in plastic pouch The item must have good quality

Item Name	TVL Specialization	Design Specification:
TONG, 8 INCHES	Food And Beverage Services NC II	Type: Tong, 8 inches Body Shape: Standard Material: Stainless Steel Size: 8 inches Stainless-steel arms with soft, comfortable grips Nylon heads safe for nonstick cookware Heat-resistant up to 400 degrees Fahrenheit Tongs lock closed for storage Preferably with a packing case Food Grade and Dishwasher-safe Must be branded
Tooth Pick Holder	Food And Beverage Services NC II	Type: Steel Type Body shape: Round Material: Stainless Steel, highly polished in appearance Diameter: 30 -35 mm diameter (minimum) Height: 65 -75 mm Capacity: 1.24 oz. (minimum) Packed in plastic pouch The item must have good quality
Tray Stand	Food And Beverage Services NC II	Type: Foldable Body shape: Rectangular Material: Chrome Plated Metal folding tray stand Length: 470 -490 mm Width: 400 -440 mm Height: 770 -790 mm Packed in plastic pouch The item must have good quality

Item Name	TVL Specialization	Design Specification:
Tray, Bill Folders/ Change	Food And Beverage Services NC II	1. Material : Heavy Duty Plastic (ABS) or its Equivalent 2. Height : 190 - 220 mm 3. Width : 120 -140 mm 4. Thickness : 2 mm to 3 mm (minimum) 5. Color : Black 6. With Check and pen holder 7. The item must have good quality 8. Packed in plastic pouch
Tray, Round (Bar)	Food And Beverage Services NC II	Type: Plastic Body shape: Round Material: (PE/ABS) Plastic rubberized surface, non-slip/grip tight Over-all Diameter: 345 -360 mm (minimum) Thickness: 2 - 4 mm (minimum) Color: Black Packed in plastic pouch The item must have good quality
Water Goblet	Food And Beverage Services NC II	Type: Water Goblet Body shape: Balloon-shaped bowl Material: Crystal Clear Glass Over-all Length: 200 -220 mm Capacity: 270 ml to 300 ml Rim diameter - 55 -65 mm Thickness: 1 mm to 3 mm Stem length : 75 -85 mm Stem diameter : 6 -8 mm Base thickness : 3 -4 mm Base diameter : 7 -80 mm Packed in carton box The item must have good quality

Item Name	TVL Specialization	Design Specification:
Water Pitcher	Food And Beverage Services NC II	Type: Steel Type Body shape: Circular Material: Stainless Steel, highly polished appearance Height: 170 mm to 220 mm Top Diameter: 110 -120 mm (approximate) Capacity: 1 - 1.5 liter With pour spout Dishwasher safe Packed in plastic pouch The item must have good quality
Calculator	Front Office Services NC II	Type: Simple calculator, Non scientific Body material: Hard plastic Minimum Size: 110mm Width x 140mm Long LCD display: at least font size is 8mm x 5mm With Dual power; Solar cell and battery With at least 8 digits display Includes spare battery Packed with protective carton box User's Manual in English which includes: a. parts manual with labels, b. assembly instructions c. operating procedures on how to use the equipment, Branded
Cart, Bell Boy	Front Office Services NC II	Type:Hotel luggage trolley Capacity: at least 450 kilograms Minimum dimensions: Length - 1000mm x Width - 600mm x Height - 1700mm Frame material: Stainless Steel Tubing Stainless Tube Diameter: at least 35mm Black Powder Coated Steel Platform With carpeted surface and Rubber Bumper at the edge With 4 pieces x 200mm Diameter Black Pneumatic Swivel Wheels Packed with shipping carton box Branded
Cash Register with Drawer	Front Office Services NC II	Printer: Width: 57mm (minimum) Speed: 2 lines/sec (minimum) LCD Display Size: 5cm Width x 10cm Long(minimum) With drawer at least 4 bills and 5 coins compartments With drawer dimension at least 410mm Width x 450mm Depth Input Method: Numeric 10-key Interface with at least 2 ports Power Source: 220-240Volts AC, 50/60Hz; With AC/DC Adapter Can be Operated with battery Programmable User's Manual in English which includes: a. parts manual with labels, b. assembly instructions

Item Name	TVL Specialization	Design Specification:
		c. operating procedures on how to use the equipment, Packed with carton box with styrofoam protection
Credit Card Imprinter	Front Office Services NC II	Height of the imprinter 2 1/2 inch (minimum) x Width 5 1/2 inch (minimum) x Length 11 inches (minimum) Carriage material: Steel Body: Plastic Color: Black 20 characters per line Card Mounting can accept at least 0.030" thick size credit cards Plate can accommodate up to 5 lines, Manual type With User's Manual in English which includes: a. parts manual with labels, b. assembly instructions, c. operating procedures
Credit Card Voucher holder	Front Office Services NC II	Material: 3 mm thick clear, acrylic, Dimensions: Height: at least 255 mm, Width: at least 210 mm, Thickness: at least 70 mm

Item Name	TVL Specialization	Design Specification:
Detector, Fake Bills	Front Office Services NC II	<p>LED Display; LED Display Size: at least 5 cm Width x 10 cm Long; Hard plastic casing; Ultraviolet (UV) and Magnetic (MG) sensors; Power Source: Built in Rechargeable Battery, 12V output and AC 100-240V Adapter; With complete detection; Accessories includes: Tough Plastic Carrying Case, Power Cord, Cleaning Brush, and Power Charger; User's Manual in English which includes: a. parts manual with labels, b. assembly instructions, c. operating procedures on how to use the equipment</p>
Guest folio rack	Front Office Services NC II	<p>Material: Hard plastic; Accommodates at least 50 room divider indexes; With divider boards with metal tabs; A4 size divider; With metal sidings</p>
Hypercom	Front Office Services NC II	<p>Memory: 1 MB RAM (Minimum) LCD Display; 160 x 80 pixel graphics (minimum) With Card Reader Magnetic stripe PIN pad port: 4-wire, RS485; With Peripheral Ports for PC connection; Electronic cash register or journal printer; With at least 2400bps modem; Support Synchronous (SDLC) and asynchronous, LAN operation; With PIN Encryption; With Thermal Printer at least 576 dots per line; Thermal Paper – 2 inches wide x 3 inches roll diameter (min.); Keypad: Membrane, 12 keys, water-resistant; Dimension: Length: 10 inches; Width: 5 inches; Height: 2 inches (minimum); Power: 220-250 Volts AC, 50/60 Hz; DC: 24 V, 1A; User's Manual in English which includes: (a) parts manual with labels, (b) assembly instructions, (c) operating procedures on how to use the equipment;</p>

Item Name	TVL Specialization	Design Specification:
Key card marker with Verifier	Front Office Services NC II	<p>Set of Hotel Door Lock System with Management software;</p> <p>a) 1 unit - Card Type Door Lock with Inductive distance at least 4cm</p> <p>b) 1 unit - Card Encoder Unit with 25 pieces Door Room Key Cards</p> <p>Computer software system for Door Lock and making cards</p> <p>With complete accessories including the USB Type A cable interface to the computer</p> <p>User's Manual in English which includes:</p> <p>a. parts manual with labels,</p> <p>b. assembly instructions</p> <p>c. operating procedures on how to use the equipment</p>
Key rack	Front Office Services NC II	<p>Rack material: wood</p> <p>Number of Racks: Can accommodate at least 40 Key Cards</p> <p>Minimum rack size: 70mm Width x 110mm Height</p> <p>Depth of the rack at least 50mm</p> <p>Any color paint</p> <p>Type: Wall mounted rack</p> <p>Pack with shipping carton box</p>
Safety deposit box/ drop vault	Front Office Services NC II	<p>Material: Metal, powder coated,</p> <p>Solid steel door thickness: 4mm(minimum)</p> <p>Body thickness: 2mm(minimum)</p> <p>Minimum outer dimension: L: 30cm x H: 20cm x W: 20cm</p> <p>Electronic lock system</p> <p>Battery Operated Digital Panel: Requires 4 x 'AA' Batteries</p> <p>User's Manual in English which includes:</p> <p>a. parts manual with labels,</p> <p>b. assembly instructions,</p> <p>c. operating procedures on how to use the equipment,</p> <p>Branded</p>
Speaker, Lapel	Front Office Services NC II	<p>Frequency at least 500MHz</p> <p>With audio input connector</p> <p>With operation range at least 50meters</p> <p>Receiver/70mA</p> <p>Earphone output level: 32ohm, 65mW</p> <p>Operates with energizer battery</p> <p>With minimum powerconsumption of transmitter at least 3V/70mA</p> <p>Receiver: 3V/70mA</p>

Item Name	TVL Specialization	Design Specification:
Body Brush, Prosthetic	Hairdressing NC II	Material: Stiff nylon Bristle Size: at least 41.8 cm x 6.5 cm (over-all size) Brush height: 8mm(minimum) With wooden handle"
Bowl, Mixing, plastic	Hairdressing NC II	Material: Plastic Inner Diameter: 10.5 cm (minimum) Height: 6cm (minimum) Thickness is 2mm (minimum) Any Color Non toxic
Bowl, Shampoo	Hairdressing NC II	Bowl material:ABS plastic With Adjustable stand (Height: 39 inches to 54 inches) Minimum Bowl Dimensions: 19 inches(L) x 20 inches(W) x 10 inches(H); With Sealed foam rubber neck rest for shampoo bowls With Hose attachment of 7 ft. long(minimum) Stainless steel frame Portable type Packed with shipping carton box Branded
Brush, Applicator	Hairdressing NC II	Material: Plastic Non toxic Size: Small=190mm length Medium=270mm Large=300mm Handle width:70mm (minimum) Width of tip: 80mm (minimum) With Hair Coloring Dyeing Board Packed with plastic pouch

Item Name	TVL Specialization	Design Specification:
Brush, Hair	Hairdressing NC II	Material: Plastic Bristle Paddle brush type Wooden handle Minimum width: 2 inches Non toxic Packed with protective carton box
Cap, Frosting, with hook	Hairdressing NC II	Cap material: Silicone Type: Reusable, perforated cap One size fits all or at least 31cm x 22cm With Pre-cut Tipping Guides With Bleed proof inner liner With a rounded metal hook to pull hair through the ready made perforations Packed with plastic pouch
Cap, Heating	Hairdressing NC II	Waterproof cloth material. Cordless type To fit an average size head (21-24 inches) Stretch up to 29 inches Unisex Hair care treatment styling Reversible and reusable, Non toxic Includes with User's Guide in English that contains: a. Diagram of the parts with their names b. Operating procedure on how to use the equipment c. Safety precaution when using the equipment d. Basic troubleshooting and maintenance procedure Packed with protective carton box
Cape	Hairdressing NC II	Polyester cloth Size: at least 125 cm x 140 cm Hairstyling type Non toxic Packed with plastic pouch
Chair, High	Hairdressing NC II	Bar stool material: metal, painted with anti rust Width of the chair :15 inches minimum Height :33 inches (minimum) Synthetic Leather seat material Barstool crown back type With rubber ring of barstool for anti skidding

Item Name	TVL Specialization	Design Specification:
Chair, Hydraulic	Hairdressing NC II	Material: Metal base Size: Length 59 cm, width 54 cm, height from 51-78cm Hydraulic pump can be up and down by pedaling Load capacity: 180kg Hydraulic styling chair type Heavy duty hydraulic pump for height adjustable and 360° rotation Hydraulic Pump Build in for Adjusting the Seating Height. With foot rest Lockable hydraulic pump for safety feature With User's Manual in English which includes: a. parts manual with labels, b. assembly instructions, c. operating procedures, Packed with transport protective carton box
Clamp	Hairdressing NC II	Material: Plastic Overall length: 9.5cm Thickness: 10mm (minimum) Hairstyling clamp type
Clamp, Duck bill	Hairdressing NC II	Material: Metal Length: 11 cm (minimum) High elasticity stainless steel spring. Non slip handle Packed with plastic pouch Branded

Item Name	TVL Specialization	Design Specification:
Clipper, Hair	Hairdressing NC II	Body material:Hard Plastic Blade material: Carbon Steel Capacity:6 watts (minimum) Complete with blade guard and 4 comb attachments (#1, #2, #3, #4) Motor:Magnetic type, Corded,12V AC/DC adaptor Delivers 1,400 Strokes per Minute, With complete accessories including the cleaning brush With cord 2 meters length minimum With User's Manual in English which includes: a. parts manual with labels, b. assembly instructions, c. operating procedures, Packed with protective carton box Branded
Comb, Afro	Hairdressing NC II	Material: Plastic Size: Over all length at least 7 inches Width: 3.25 inches(minimum) Number of teeth: 12 teeth (minimum); Teeth height: 2.5 inches long (minimum) Non toxic Packed with plastic pouch
Comb, All Purpose	Hairdressing NC II	Material:Plastic Size#3 or at least 18 cm long (minimum) Has both fine and medium teeth position on one side only Height of the teeth: 2 cm (minimum) Non toxic Packed with plastic pouch
Comb, Haircutting	Hairdressing NC II	Material: Hard plastic Length including the handle:180mm (minimum) Width: 30mm (minimum) With detachable steel blades and blade holder With two sides for different cuts With extra blades Packed with protective carton box

Item Name	TVL Specialization	Design Specification:
Comb, Large Toothed	Hairdressing NC II	Material: Plastic Size: at least 15 cm Number of teeth: 10 teeth (minimum) Gap between Comb's teeth: 0.4 to 0.5 cm gap from one another Teeth size:at least 0.3 cm in width x 4cm in length Non toxic Packed with plastic pouch
Comb, Tail	Hairdressing NC II	Material:Plastic Size : 8 inches(L)minimum x 1 inches (W) minimum Tail length: 4 inches(minimum) Tooth length: 3/4 inch(minimum) Packed with plastic pouch
Comb, Teasing	Hairdressing NC II	Material:Plastic With 2 rows of teeth 1st row:Large teeth with at least 25 mm long 2nd row: Small Teeth with at least 19 mm long Over-all Comb Size: 20 cm (L) minimum x 3.8 cm (W) minimum Non toxic Packed with plastic pouch

Item Name	TVL Specialization	Design Specification:
Comb, Wide tooth	Hairdressing NC II	Material: Plastic Size: at least 15 cm Number of teeth: 10 teeth (minimum) Gap between Comb's teeth: 0.4 to 0.5 cm gap from one another Teeth size:at least 0.3 cm in width x 4cm in length
Crimpers	Hairdressing NC II	Power: 25 watts(minimum) Size: at least 38 cm x 15.5 cm x 9 cm Maximum temperature: 200 degrees Centigrade With variable heat setting. With On/off switch button Rated voltage: 110 -230Volts AC with power cord With plastic handle
Curling Iron	Hairdressing NC II	Ceramic Curling iron Capacity: 65watts Voltage: 210-240Volts AC with power cord Barrel size: 1 inch (minimum) Adjustable heat setting with maximum temperature of 200 degrees Centigrade Swivel cord up to 360 degree Cylindrical shape Plastic handle for safety purpose Packed with protective carton box Branded

Item Name	TVL Specialization	Design Specification:
Drip Pan	Hairdressing NC II	Material: Hard plastic Size: at least 17.5 x 25.8 x 1 inches Thickness: 1/8 inch (minimum) Shallow rectangular type Packed with carton box
Dryer, Hair	Hairdressing NC II	Power: 1000W Rated Voltage: 220VAC At least (L x W x H): 18.5cm x 16cm x 6.5cm With plastic handle design Packed with carton box with styrofoam holder With User's Manual in English which includes: a. parts manual with labels, b. assembly instructions, c. operating procedures, Branded
Gloves, Disposable	Hairdressing NC II	Material: Plastic Size: at least 25cm x 23cm Packaging is 100 pcs per box
Gloves, Rubber	Hairdressing NC II	Size: Medium Thickness: 4 mil Acid resistant Packed with plastic pouch in pairs.

Item Name	TVL Specialization	Design Specification:
Gown, Smock	Hairdressing NC II	Material: Polyester Sizes: 1 piece = Small size,at least (50 inches x 56 inches); 1 piece= Medium size,at least (52 inches x 58 inches); 1 piece= Large size, at least (54 inches x 60 inches); Packed with plstic pouch per size
Hairclips	Hairdressing NC II	Material: metal Size:at least 67mm x 19mm Non corrosive Packed with plastic pouch
Hairnet, Invisible	Hairdressing NC II	Material:Nylon Size: 55mm (minimum) Stretchable and unisex type Color: Black Non toxic Packed with plastic pouch

Item Name	TVL Specialization	Design Specification:
Hairpin	Hairdressing NC II	Material:metal Size: at least 3.5 x 4.5 x 0.5 inches With ball tips Packaging: 100 pcs per box Color: Black Non-corrosive
Headband	Hairdressing NC II	Size: 6 inches (minimum) Woven crochet tube top headband Very stretchy, Soft material, comfortable and breathable
Headband, Flannel	Hairdressing NC II	Flannel Cloth Size : at least 45 cm (Unstretched Circumference) Width: 8 cm (minimum)

Item Name	TVL Specialization	Design Specification:
Infrared Iron	Hairdressing NC II	Material: Ionic ceramic tourmaline-infused plates and ABS Plastic body Power: 70 watts (minimum) Power Rating: 220-240 Volts AC; Over-all Size: 24 cm long (minimum) Heating plate size up to 50 mm Heating time: within 30 seconds; Variable Heat settings: From 250 to 450 Degrees Fahrenheit With digital temperature control Safety Mode: Auto shut off after 60 minutes; With swivel cord Comes with storage pouch Branded
Mirror, Hand	Hairdressing NC II	Mirror size 15 cm diameter (minimum) Frame thickness including mirror glass: 6.5mm(minimum) Over-all length with the handle is 20 cm (minimum) Clear Mirror with no distortion Frame and handle are made of plastic Plane mirror type Packed with carton box with styrofoam protection
Mirror, Modular	Hairdressing NC II	Mirror type: plain mirror Mirror Material: Glass Frame material: Aluminum (cut to fit) Dimensions (HxW): 75 cm x 65 cm (minimum) Mirror thickness: 6mm (minimum) Smooth surface, no sharp edges and cracks Packed with protective carton box

Item Name	TVL Specialization	Design Specification:
Prong Clip, double	Hairdressing NC II	Material: steel Nickel or chrome base plated Size: 45 mm minimum Hairstyling clip type Packed with plastic handle
Prong clip, Single	Hairdressing NC II	Material: steel, plated Size: 55 mm (minimum) Type: Single-prong Clip Packed with plastic pouch
Razor, straight	Hairdressing NC II	Blade material: High carbon steel Type: Foldable Straight Razor, replaceable blade; Dimensions (LxW): 14 cm x 2 cm (minimum) when folded; Compatible with double-edged razor blades; Package includes 10 pieces blade/box Non corrosive Branded
Roller pins	Hairdressing NC II	Material: Metal Size: 60mm long (minimum) Application: Hair roller pins Quantity by dozen(12 pieces) Non corrosive Packed with plastic pouch

Item Name	TVL Specialization	Design Specification:
Rollers, Large Sized	Hairdressing NC II	Material: Plastic Size: at least 40mm Diameter x 60mm Long Hairstyling type Packed with plastic pouch

Item Name	TVL Specialization	Design Specification:
Rollers, Medium sized	Hairdressing NC II	Material: Plastic; Diameter: 38 mm(minimum) Length: 58mm (minimum) Hairstyling type Packed with plastic pouch
Rollers,Jumbo	Hairdressing NC II	Material:Plastic approximately 44mm in Diameter x 64mm long
Scissor,Cutting	Hairdressing NC II	Material:Stainless steel Total Length: 17cm (minimum) Blade width at least 10 cm Non corrosive Packed with plastic pouch Branded

Item Name	TVL Specialization	Design Specification:
Scissor,Thinning	Hairdressing NC II	Blade material: High carbon steel Blade Length at least 6cm With straight blade type Style: Right handed scissor Total Length at least 17cm One side comb cutter Non corrosive Packed with plastic pouch Branded
Scoop	Hairdressing NC II	Material: Plastic Capacity:1/2 cup (minimum) Rounded edges with handle Thickness: 1.5 mm (minimum)
Shower Cap	Hairdressing NC II	Material: Plastic Size: one size fits all or 30cm Reusable and Waterproof Packed with plastic pouch
Spatula	Hairdressing NC II	Material:Plastic Dimension: Over-all length of 7.5 cm long, x 1.5 cm wide (minimum) Application:Hair waxing removal Packed with plastic pouch
Spray Bottle	Hairdressing NC II	Material: Transparent Plastic Capacity: 300ml (minimum) Trigger type Sprayer Dimension: at least Diameter of Bottom is 7 cm and the height is 17cm
Steamer, Hair	Hairdressing NC II	Power 450 watts (minimum) Rating is 220 Volts/50-60Hz Hood material: Polycarbonate Hood has at least 30 cm diameter opening x 25 cm deep Timer setting is up to 60 minutes With at least 32 ounce water reservoir Adjustable height from 100 to 150cm With at least 5 swivel caster With User's Manual in English which includes: a. parts manual with labels, b. assembly instructions, c. operating procedures, Branded

Item Name	TVL Specialization	Design Specification:
Stool	Hairdressing NC II	Material: Metal, electroplated Load capacity: 150kg Design: Swivel stool with backrest With Hydraulic lift to adjust height freely. With Thick sponge cushion. With at least four caster wheels. With Thick sponge cushion. Swivel stool with backrest No sharp edges Branded
Alarm Clock	Housekeeping NC II	Alarm clock, digital, Overall Dimensions: 13.5 x 8 x 4.5 cm (approx.) Material: Plastic (PE/ABS) Illuminated LCD Digital Display: Time (12/24), calendar (MM/DD), temperature, alarm status (ON/OFF), snooze Display Size: 10 x 5 cm (minimum), time can be read 30 ft day time. Runs on AAA battery which come together with the item Smooth surface, no sharp edges, Includes User's manual which contains operation procedure, name of parts, safety precautions, trouble shooting.
Apron, polyester-cotton	Housekeeping NC II	Bib Apron, sleeveless adjustable neck loop Material : Polyester - Cotton Fabric Dimension : 70 to 60 cm (minimum) With 2 or 3 pockets Uni-color, dark No sharp edges and loose threads
Baskets, Laundry	Housekeeping NC II	3 - bag Laundry Sorter, with wheels Bag: Polyester, Rectangular shape, detachable from frame with metal handle and hanging hook Bag Dimensions : Rectangular 22 x 15 x 8 inch (minimum) Frame Material : Corrosion resistant Steel, sturdy no wobble Frame Overall Dimensions : Rectangular, 31 x 30 x15 inch (minimum) With four casters, 2 inch diameter (minimum) Smooth surface, no sharp edges
Bed, Queen	Housekeeping NC II	Bed Set, Queen Size (60 x 75 inch) rectangular 1) Frame: Knock-down type, all steel, powder coated including Head board, Bare weight: 20 kg (minimum) No wobble and noise 2) Comes with fabric covered foam 6 inches thick Foam Density: 29 -33 kg/cu.m. 3) No sharp edges

Item Name	TVL Specialization	Design Specification:
Bed, Single	Housekeeping NC II	Bed, Single Size (W36 x L75 inch) rectangular 1) Frame: Knock-down type, all steel, powder coated including Head board, Bare weight: 13 kg (minimum) No wobble and noise 2) Comes with fabric covered foam 6 inches thick Foam Density: 29 -33 kg/cu.m. 3) No sharp edges
Board, Ironing	Housekeeping NC II	TYPE: FOLDABLE TYPE IRONING BOARD BODY SHAPE : STANDARD MATERIAL : 25 mm tubing approx., 0.8 mm thickness BOARD SIZE: 32 INCHES (minimum) BODY SIZE :120 cm x 30 cm x 5 cm COLOR : ANY COMES WITH BOX NO SHARP EDGES
Boots, Safety, Plastic	Housekeeping NC II	Upper material: Elastic PVC Sizes: 7 inches - 5pcs 8 inches - 5pcs 9 inches - 5pcs 10 inches -5pcs 11 inches - 5pcs Height: 13 to 14 inches Plain toe Type of boots: Unisex rain boots with rugged tractor lug outsole Packed with carton box per size
Brush, for Housekeeping	Housekeeping NC II	Brush, floor scrubbing, angled long handle Bristle Material : Plastic, stiff Handle Material : metal tubular corrosion reistant, Overall Length : 120 cm. (minimum) Bristle Length : 5 cm (=/- 1cm) Scrubbing Surface : 25 x 6 cm (+/-1 cm) No sharp edges
Buckets, Water	Housekeeping NC II	Water bucket Bucket Material : Hard Plastic, round body Capacity : 10 to 12 Liters Handle Material : Steel Smooth and glossy surface, no sharp edges
Caddy, Toilet	Housekeeping NC II	Carrying caddy for toilet cleaning supplies Holds spray bottles and other cleaning supplies, No. of Compartments: 3 (minimum) Material :Plastic Tray Depth: 11 cm (approx.) Overall Dimension: 36 x 26 cm (approx.) Smooth surface, no sharp edges

Item Name	TVL Specialization	Design Specification:
Carpet Sweeper	Housekeeping NC II	<p>Carpet sweeper, cordless electric</p> <p>Motorized single brush roll (removable)</p> <p>Body Material : Hard plastic ,(ABS) or its equivalent, any color</p> <p>Equipped with Rechargeable Battery (16 minutes run time on carpet), removable dirt box</p> <p>Sweep Width : 8 inches (minimum)</p> <p>Capacity (volume) : 0.35 Lit.(minimum)</p> <p>Handle: Metal, Powder- Coated, With plastic/rubber grip, Swivel Steering</p> <p>Assembled Height: 44 inches (minimum)</p> <p>Comes with Battery Charger 220/240VAC, 50/60Hz with plug to adapt Type A outlet (or providing 3A minimum plug adapter is an option)</p> <p>No sharp edges</p> <p>Includes User's Manual which contains operation procedure, name of parts, safety precautions, trouble shooting.</p>
Cart, for Housekeeping NC II	Housekeeping NC II	<p>Housekeeping Cart trolley</p> <p>Equipped with Three-shelves with steel/laminated panels single door, top layer with divider, bag holder, and 4 wheels</p> <p>Cart Frame: steel, powder coated</p> <p>Wheels: 2non-swivel 2 swivel, 6 inch diameter, non-markings</p> <p>Overall Dimensions : rectangular 90 x 48 x 1010 cm (minimum)</p> <p>Comes with accessory linen bag</p> <p>Smooth surface, No sharp edges</p>
Caution Sign	Housekeeping NC II	<p>Caution Sign, A shape-2 panel self standing, with D-handle, collapsible for easy storage</p> <p>Material : High impact plastic,</p> <p>Panel Dimension : Rectangular (LxW) 55-65 cm x 25 x 61 0m (minimum), Panel Depth : 2 cm (minimum)</p> <p>Color : Yellow</p> <p>Print Description : "CAUTION: WET FLOOR" on one side "CLEANING IN PROGRESS" on the other side, both messages provided with graphics printed in black.</p> <p>Font Size: 100 -120 mm x 50 -70 mm, Arial</p> <p>Smooth surface, no sharp edges</p>
Cleaning Cloths, Lint-Free	Housekeeping NC II	<p>Lint Free Cleaning Cloths</p> <p>Material : Cotton</p> <p>Dimensions : Rectangular 16 x 26 inch</p>

Item Name	TVL Specialization	Design Specification:
Coffee maker	Housekeeping NC II	<p>Coffee Maker, electric Material: metal, plastic, glass Capacity: 6 cups (minimum) Detachable Tank, with Water Level Indicator Non-Stick Warming Plate : Removable and Washable Filter Non-Drip Valve : Lighted ON/OFF Switch Power Supply: 220 V -240 V AC 50/60 Hz , 500W minimum Comes with a heat resistant glass pitcher With a 1 meter (minimum) power cord, molded male plug to adapt Type A outlet (or providing 5A minimum plug adapter is an option) Smooth surface, no sharp edges With DTI-BPS certification, Brand and electrical ratings clearly and permanently mark on the item Comes with English manual that contains: users guide, list of parts, maintenance guide, safety guide. 1 year warranty parts and service With Service centers located in major cities in the Philippines.</p>
Dust Pan	Housekeeping NC II	<p>Dust Pan, upright standing Material: Plastic Overall Length: 65 cm (minimum) Pan: Round back, 24 x 26 x 9 cm (minimum) Smooth surface, no sharp edges</p>
Duster, Anti-static	Housekeeping NC II	<p>Anti-static Duster Duster Material : Polypropylene Micro Fiber Duster: Length : 30 cm (minimum), Overall Length: 50 cm (minimum) Handle Material : Hard Plastic, no sharp edges</p>
Fan, Electric	Housekeeping NC II	<p>Stand fan, electric Material: Metal, plastic Size/Diameter: 18 inches Power rating: 70 watts (minimum), 220 / 240 VAC, 50 / 60 Hz, Single Phase Rotation Angle: 90 degrees Base: Stable, 16 inches diameter (approx.) Removable metal guard on front and rear 3-speed settings Comes with 1.5 meters power cord and with molded male plug to adapt Type A outlet (or providing 3A minimum plug adapter is an option) Smooth surface, no sharp edges Includes User's Manual in English which contains: a. A Diagram of the Parts with their Names, b. Operating Procedures on how to use the Equipment, c. Safety Precautions when using the Equipment, d. Basic Troubleshooting and Maintenance Procedures With DTI-BPS certification, Brand and electrical ratings clearly and permanently mark on the item 1 year warranty parts and service</p>

Item Name	TVL Specialization	Design Specification:
Fire Extinguisher (with contents)	Housekeeping NC II	1.For Type A, B, C Fire: Dry Chemicals (Monoammonium Phosphate) 2.Portable type 3.Capacity : 5 - 6 kgs 4.Rechargeable Cylinder Metal 5.Working pressure of Cylinder : 400 psi 6.Brass Valve with Pressure Gage 7.With Rubberized Hose and Aluminum Nozzle Attached 8.With Squeeze lever to discharge and safety pin 10.Painted with Metal Primer and Red Enamel Paint 11.Includes with User's Guide in English that contains: a. Operating procedure on how to use the equipment b. Safety precaution when using the equipment 12.1 year warranty parts and service 13.The item must be branded and have good quality
Flashlight	Housekeeping NC II	Flashlight LED 1,000 Lumens (minimum), Color : White , Battery: Rechargeable, at least 3,500 mAh , Can be used also with 3 x AAA batteries; Body: Aluminum Alloy, no sharp edges Dimensions : 5 inches x 1 inch diameter (minimum) Operating Duration of Battery when fully Charged : at least 2 hours; Includes 220/240VAC, 50/60Hz Power Adapter /Charger and User's Manual in English which includes: a. A Diagram of the Parts with their Names, b. Operating Procedures on how to use the Equipment, c. Safety Precautions when using the Equipment, d. Basic Troubleshooting and Maintenance Procedures Branded, With 1 year Warranty
Flat Iron	Housekeeping NC II	Clothes Flat iron, electric Material : Metal /plastic body, Heat-Resistant Plastic Handle, Aluminum sole Overall Dimension : (L x W x H) 25 cm x 12 cm x 12 cm (minimum) Power rating : 220/240 VAC, 50/60 Hz; 1000 Watts (minimum) Equipped with Light Indicator, variable temperature control, Overheat Protection, Power Cord and plug to adapt Type A outlet (or providing 10A plug adapter is an option) Smooth surface, no sharp edges, Comes with English Manual that Contains : Users Guide, List of Parts, Maintenance Guide, Safety Guide. The item must be branded, with DTI-BPS certification 1 year Warranty Parts and Service With Service Centers Located in major Cities in the Philippines.
Foam, Scrubbing	Housekeeping NC II	1. Material: Cellulose and a Scouring Pad on one Side 2. Dimension: Length : 140 - 180 mm ; Width : 80 - 100 mm ; Thickness : 12 - 20 mm 3. The item must be of good quality

Item Name	TVL Specialization	Design Specification:
Garbage Receptacles	Housekeeping NC II	1.Bucket / Tub Material : Hard Plastic, (PS) Polystyrene 2.Bucket / Tub Color : Any Color 3.Capacity (gallons) : 3 gal. (minimum) comes with a cover 4.The item must have good quality
Gloves, rubber	Housekeeping NC II	1.Heavy-duty Latex-free vinyl rubber gloves 2.Thickness : 4 mil 3.Color : Any Color 4.Size : Medium 5.Other features: Acid/solvent resistant. 6.The item must be of good quality
Goggles, Safety	Housekeeping NC II	Safety goggles, Clear Polycarbonate - one piece lens with 180° panoramic view, non-fog Size/Dimension: L 17 - 18.5 cm x W 8 cm x D 5-7.5 cm High impact resistant, ANSI "Z87" compliant Firm and comfortable seal around forehead, cheeks, nose and temples protects against splash, chemicals, dust Adjustable head strap Shall bear mark Z87 embossed or engraved or etched on the item. Smooth surface, no sharp edges
Hairdryer	Housekeeping NC II	Electric hairdryer, with concentrator nozzle Two heat setting and 1 speed (minimum) Rating : 220/240 VAC, 1200 W (minimum) Body Length including nozzle: 20 cm Folding handle design, with hanging ring Smooth surface, no sharp edges Branded, Brand name and electric rating permanently mark on the item, with DTI-BPS certification With user's manual written in English that contains operating procedure, parts with description, safety procedure, and maintenance. With Service centers located in major cities in the Philippines. 1 year warranty(parts & service)
Hose, Water	Housekeeping NC II	Water hose Material: PVC fiber reinforced, three (3) layers; Any color; Hose Length: 50 feet; Hose Diameter: 5/8 inches; Pressure capacity: 200 pounds per square inch (minimum); Fitted with male and female brass couplers (NH, 11.5 TPI) for spray nozzle No sharp edges

Item Name	TVL Specialization	Design Specification:
Kettle, Electric	Housekeeping NC II	<p>Electric kettle cordless (with pouring spout), hinged lid, detachable from and can rotate on its corded base</p> <p>Material : Round Stainless body, plastic handle, lid and base</p> <p>Capacity : 1.5 to 2 liter</p> <p>Automatic Shut - Off, with power indicator light</p> <p>Power rating: 220//240VAC, 50/60Hz, 1000 -1600 Watts</p> <p>Base with a 50 cm (minimum) power cord, molded male plug to adapt Type A outlet (or providing 10A plug adapter is an option)</p> <p>Smooth surface, no sharp edges;</p> <p>DTI-BPS certified</p> <p>Comes with English manual that contains: operation procedure, maintenance and safety guide.</p> <p>The item must be branded, Brand name and electrical ratings permanently mark on the item.</p>
Laundry Sorter	Housekeeping NC II	<p>3 - bag Laundry Sorter, with wheels</p> <p>Bag: Polyester, Rectangular shape, detachable from frame with metal handle and hanging hook</p> <p>Bag Dimensions : Rectangular 22 x 15 x 8 inch (minimum)</p> <p>Frame Material : Corrosion resistant Steel, sturdy no wobble</p> <p>Frame Overall Dimensions : Rectangular, 31 x 30 x15 inch (minimum)</p> <p>With four casters, 2 inch diameter (minimum)</p> <p>Smooth surface, no sharp edges</p>
Light, Emergency	Housekeeping NC II	<p>Emergency light, 2 heads LED</p> <p>Materials: metal, anti-rust coated</p> <p>Duration Time (2 heads): 5 hours (minimum)</p> <p>Automatically Light Up during Power Outage</p> <p>Overcharge and Over- discharge Protection</p> <p>Built - In AC Charger, power cord plug to adapt Type A outlet (or providing 5A minimum plug adapter is an option)</p> <p>Battery Test Switch - External Safety Fuse</p> <p>Head: White LED 1W (minimum) 3.5 " Dome Reflector</p> <p>Power rating: 220 -240 VAC , 50/60 Hz</p> <p>20-24 Hours Charge Time</p> <p>Dimensions: Rectangular 27 x 7 x 27 cm (approx.)</p> <p>Smooth surface, no sharp edges</p> <p>Includes User's Manual in English which contains:</p> <ol style="list-style-type: none"> A Diagram of the Parts with their Names, Operating Procedures on how to use the Equipment, Safety Precautions when using the Equipment, Basic Troubleshooting and Maintenance Procedures <p>The item must be branded, Brand name and electrical ratings permanently mark on the item.</p>

Item Name	TVL Specialization	Design Specification:
Mirror	Housekeeping NC II	<p>Wall mirror with frame</p> <p>Flat Glass mirror, 2 mm thick (minimum),</p> <p>Clear with no distortion</p> <p>Frame: Wood or Plastic commercial finish</p> <p>Rectangular shape, 3600 sq.cm (minimum)</p> <p>Includes mounting accessories</p> <p>Smooth surface, no sharp edges</p>
Mop	Housekeeping NC II	<p>Mop, handle and mop head set, refillable head</p> <p>Handle: Aluminum or anti-rust coated steel, with hard/stiff plastic mop head holder, clip type with tightening knob</p> <p>Overall Handle Dimension: 130 x 19 cm (minimum)</p> <p>Mop head: Cotton thread/yarn, sewn tailband, L 34 x 16 x 4 cm (minimum), White</p> <p>Handle: Plated Steel Tube or Wood, Length : 40 (minimum),</p> <p>No sharp edges</p>
Polisher, Floor, Electric, With Accessories	Housekeeping NC II	<p>Electric floor polisher with accessories</p> <p>Material: Stainless steel, Aluminum Alloy</p> <p>Handle: Stainless tube, adjustable height 1 meter long (approximate), With Dual Switch Lever</p> <p>Size/Capacity :13 inch (minimum) diameter</p> <p>Power Supply: 220/240 VAC, 50/60 Hz.</p> <p>Power: 1/3 Hp (minimum)</p> <p>Rotation Speed : 160 rpm (minimum)</p> <p>Heavy duty (Royal) Power Cord Length : 12 meters (minimum) with Type A plug (or providing 10A plug adapter is an option)</p> <p>With pair of Rubber Wheels,</p> <p>Smooth surface, no sharp edges</p> <p>Comes with pad holder, 2 pcs - polishing brush and 3 pcs - floor polishing pads</p> <p>Includes User's Manual in English which contains:</p> <ol style="list-style-type: none"> A Diagram of the Parts with their Names, Operating Procedures on how to use the Equipment, Safety Precautions when using the Equipment, Basic Troubleshooting and Maintenance Procedures <p>Branded, Brand name and electric rating permanently mark on the item,</p> <p>With 1 year Warranty Parts and Service</p> <p>The offered brand of the item must be an international brand with at least 5 years presence at the local market and global presence in the USA, Europe or in Japan market.</p>
Shelving	Housekeeping NC II	<p>Shelving, open, knockdown type, adjustable shelves</p> <p>Metal Powder Coated frame</p> <p>Number of Shelves : 5</p> <p>Overall Dimensions : 85 x 30 x 180 cm(minimum)</p> <p>Sturdy connection, No wobble</p> <p>Smooth surface, no sharp edges</p>
Sponges, Dish	Housekeeping NC II	<p>Dish Sponge, cellulose, non-scratch</p> <p>Dimensions : 5 x 3 x 1 inch (minimum)</p> <p>Branded</p>

Item Name	TVL Specialization	Design Specification:
Spray Gun, Water	Housekeeping NC II	Barber/Salon Spray Gun Material: HDPE Transparent Plastic Capacity: 300 ml.(minimum) Trigger type Sprayer Dimension: Diameter :7 cm. x Height: 16.3 cm (minimum) Rotating nozzle to adjust spray patterns Smooth surface, no sharp edges Must be branded
Squeegee	Housekeeping NC II	Squeegee, short handle Head/Blade Material: stainless, rubber Handle: plastic or stainless steel Blade Length: 25 - 30 cm Overall length (handle and head) 20 - 32 cm No sharp edges
Squeezer, Mop	Housekeeping NC II	Mop bucket with squeezer/wringer and wheels Hand lever to squeeze, made of metal, with hand grip Material : Hard Plastic, (PS) Polystyrene or its equivalent Capacity : 30 L (minimum) Overall Dimension (excluding handle: (L x W x H) 40 x 27 x 57 cm (minimum) Color : Yellow With 3 inches non-marking rubber casters "CAUTION" printed in black on both sides of the mop bucket Smooth surface, no sharp edges
Step Ladder	Housekeeping NC II	Material: aluminum U channel Capacity: 250 lbs (minimum) Type: Flatform type Number of step: 6 (including top step) Reach height: 6 to 8 Feet(minimum) Width: 15 inches minimum Spread: 4 feet (minimum) Twin steps with gripped treads to prevent slipping Step braces on top and bottom step Heavy duty aluminum foot bracket with slip-resistant foot pad With User's Manual in English which includes: a. parts manual with labels, b. assembly instructions, Branded

Item Name	TVL Specialization	Design Specification:
Vacuum Cleaner , Dry and Wet	Housekeeping NC II	<p>Electric vacuum cleaner, wet and dry function, sucks even screws, with 4 swivel caster wheels</p> <p>Material : Hard Plastic, (ABS) or rust proof body equivalent</p> <p>Power Supply : 220/240VAC, 50/60Hz, 1000 Watts (minimum)</p> <p>Auto shut off</p> <p>Tank Capacity : 20 Liters (minimum)</p> <p>Equipped with complete accessories i.e., detachable Vacuum Hose assembly (flexible non-kink), extension tubes/wands, carpet (long square) brush nozzle, wet and dry floor brush nozzle, crevice nozzle, hepa filter, sponge filter/washable cloth bag.</p> <p>Comes with 4 meters (minimum) heavy duty (royal) power cord, molded male plug to adapt Type A outlet (or providing 10A plug adapter is an option)</p> <p>Smooth surface, no sharp edges</p> <p>With user's manual written in English that contains operating procedure, parts with description, safety procedure, and maintenance.</p> <p>The item must be branded, Brand name and electric rating permanently mark on the item.</p> <p>1 year warranty parts and service</p> <p>With Service centers located in major cities in the Philippines.</p> <p>The offered brand of the item must be an international brand with at least 5 years presence at the local market and global presence in the USA, Europe or in Japan market.</p>

Item Name	TVL Specialization	Design Specification:
Washer, Laundry	Housekeeping NC II	<ol style="list-style-type: none"> 1. Front Load Electric Washer, laundry 2. Electronic control, digital indicator display , transparent glass door 3. Body Material : steel, powder coated, Any Color 4. Dimensions (WxDxH): 590 mm (minimum) x 490 mm (minimum) x 820 mm (minimum) 5. Drum Material : Stainless Steel 6. Capacity : 8 kg (minimum) 7. Spin Speed : 1200 rpm (minimum) 8. Power rating: 220 /240VAC, 50/60 Hz. 9. Comes with a 1 meter (minimum) heavy duty power cord with male plug to adapt Type A outlet (or providing 20A plug adapter is an option) 10. Smooth surface, no sharp edges 11. With DTI-BPS certification, Brand and electrical ratings clearly and permanently mark on the item 9.Includes User's Manual in English which contains: <ol style="list-style-type: none"> a. A Diagram of the Parts with their Names, b. Operating Procedures on how to use the Equipment, c. Safety Precautions when using the Equipment, d. Basic Troubleshooting and Maintenance Procedures 12.The item must be branded, DTI-BPS certified, 1 year warranty parts and service 13. With Service centers located in major cities in the Philippines. 14.The offered brand of the item must be an international brand with at least 5 years presence at the local market and global presence in the USA, Europe or in Japan market.
White board	Housekeeping NC II	<p>White board, floor standing, rolling</p> <p>Board: White Formica Laminated, plane will not deform.</p> <p>Board Size: Rectangular 1800mm W x 1000 to 1200mm H,</p> <p>Board Edges secured with Aluminum Clip Edging 17 mm (minimum) wih plastic corner caps</p> <p>Comes with Metal Tray for Marker and Eraser</p> <p>The stand and frame are constructed with Aluminum or powder coated steel 25mm square tube (minimum), sturdy, no wobble</p> <p>With 4 lockable hard plastic caster wheels</p> <p>Overall Height from floor: 210 to 214cm</p> <p>Smooth surface, no sharp edges</p>

Item Name	TVL Specialization	Design Specification:
First Aid kit	Local Guiding Services NC II	<p>Type: Emergency case;</p> <p>Contents:</p> <p>First Aid Quick Reference Guide, 1pc;</p> <p>Sterize Gauge Swab(4 x4 x12 ply) 100 pcs/pack, 1 pack;</p> <p>Adhesive strips/Band -Aid, 50 pcs/pack, 2 packs;</p> <p>Gloves, disposable, medium size, 2 pairs;</p> <p>Hypo Allergenic adhesive tape, 5cm x 5cm, 2 rolls;</p> <p>Triangular bandage/arm sling, min 90cm x 90cmx 120cm, 2pcs;</p> <p>Safety pins, 1 1/4 inches, (12 pcs), 1 3/4 inches (12 pcs);</p> <p>Stainless steel bandage scissors, 2pcs;</p> <p>Betadine, 60ml, 2 -3 years expiration, 2 bottles;</p> <p>Dust mask, 2pcs;</p> <p>Hand towels or face towels, white color, 6 pcs;</p> <p>Gauze bandage, minimum 5cm x 4cm, 2 rolls;</p> <p>Antiseptic handwash/germicidal soap, 60 gms , 2pcs;</p> <p>Torniquet, 2 pcs;</p> <p>Spirit of ammonia, 30ml, 2-3 years expiration, 1 bottle;</p> <p>Burn cream ointment, 20g to 30g, 2- 3years expiration, 1 tube;</p> <p>Medical tweezers min. 8cm, plastic, 2pcs;</p> <p>Plastic bags, resealable, minimum of 24pcs, 100mm x 180mm, 24pcs, 150mm x 230mm</p> <p>Cotton balls , 50 balls in a sealed package, 2 packs</p> <p>Hot and Cold pack, reuseable, 1 pack</p> <p>Water resistant and sturdy case w/ handle that can accommodate all the listed items.</p>
Megaphone	Local Guiding Services NC II	<p>Battery operated (4 pcs - Size D battery)</p> <p>With Built-in siren</p> <p>Power output: 20-Watts (minimum)</p> <p>Range: 700 meters (minimum)</p> <p>With hand grip and carrying strap</p> <p>Branded</p> <p>With Users manual that contains the specification, list of parts, instruction guide, troubleshooting, safety instruction.</p>
Whistle	Local Guiding Services NC II	<p>Anodized Aluminum;Size : Length - 6.5cm x 3cm diameter; Handy and Lightweight; Loud whistle can be heard for far distance of 100 meters; With Key ring for attachment</p>
White board	Local Guiding Services NC II	<p>White board, floor standing, rolling Board: White Formica Laminated, plane will not deform.Board Size: Rectangular 1800mm W x 1000 to 1200mm H, Board Edges secured with Aluminum Clip Edging 17 mm (minimum) wih plastic corner capsComes with Metal Tray for Marker and EraserThe stand and frame are constructed with Aluminum or powder coated steel 25mm square tube (minimum), sturdy, no wobbleWith 4 lockable hard plastic caster wheelsOverall Height from floor: 210 to 214cmSmooth surface, no sharp edges</p>

Item Name	TVL Specialization	Design Specification:
Dummy, Anatomical	Wellness Massage NC II	<ol style="list-style-type: none"> 1. Half Life-Size Muscular Figure Measures 32" tall (minimum). 2. This model features 27 removable parts that are held on by metal screws, posts, and hooks. 3. It shows the muscular system with numbered parts that comes with a corresponding key. 4. It has removable arms, a removable calvarium, and a removable chest plate that hides the individual numbered organs of the digestive system 5. Detachable muscles include: Deltoid, Brachioradialis with extensor carpi radialis longus and brevis, Biceps Brachii, Pronator teres with palmaris longus and flexor carpi radialis, Sartorius Muscle, Rectus Femoris, Extensor Digitorum Longus, Tensor Faciae Latae, Gluteus Maximus, Biceps Femoris, Semitendinosus, Gastrocnemius, Soleus. 6. Removable organs include: Brain (2parts), Lungs (2 parts), Heart (2 parts, Liver, Intestines, Stomach 7. Base is 13" x 9" (removable) 8. Weighs 12 lbs. (approximately) 9. Plastic material 10. Non toxic material 11. Carton box packaging
Massage Bed / Table	Wellness Massage NC II	<p>Materials: Hard wood with steel bracings, Hardwood Frame, Marine Plywood Deck; Color: Black Dimensions: W:75 cm x L:183 cm x H: (adjustable) Height: adjustable from 24 in. - 33in. Leg thickness - 35mm (minimum) Cushion System: High density foam (7.5 cm / 2.95") minimum with PU leather cover (1mm thick) Finishing: Round Corner Weight Capacity: 250 kg(minimum) Gross Weight: 21 kg (Approximate) 2 end support bearer to strengthen the base and increase weight capacity Accessories - aluminum headrest (Adjustable) + face plug + armrest + arm sling + carry case Portable and Foldable</p>
Massage Chair	Wellness Massage NC II	<ol style="list-style-type: none"> 1. Padded with 3" thick, high-density, small-cell foam 2. Size: 14"-diameter seat (minimum) but without back and arm rest, with metal post and hard plastic star. 3. Pneumatic spring will effortlessly adjust the height from 18" to 24" with the pull of a lever 4. Five heavy-duty, smooth-rolling wheels 5. Load capacity: 265 lbs / 120 kg (maximum) 6. Smooth surface and no sharp edges 7. Any color with one color only for whole lot

Item Name	TVL Specialization	Design Specification:
Sphygmomanometer	Wellness Massage NC II	<p>Aneroid Type; (for adult use)</p> <p>Large cuff sizes: 33 to 42 cm arm diameters</p> <p>Accuracy: ± 3mm Hg;</p> <p>Measurement range : 0mm Hg to 300mm Hg;</p> <p>Smallest scale: 1mm HgIndex and range markings on the dial for clear readings</p> <p>Nylon cuff is durable and stain resistant with a Velcro closure</p> <p>Inflation system is latex free and has an easy-release deflation valve</p> <p>Chrome-plated brass air release valve;</p> <p>Set includes: 1 unit Sphygmomanometer;</p> <p>1 zippered nylon carrying case</p> <p>Smooth surface and edges, non toxic material</p>
Stethoscope	Wellness Massage NC II	<p>Chest-piece Description: Stainless Steel Double Chest Piece</p> <p>Color: Black</p> <p>Tubing Description: Y-tube PVC</p> <p>Uses extra soft replaceable and pivotable Ear Tips</p> <p>The binaural is chromium-plated</p> <p>Chest-piece diameter: 44 mm (minimum) and has non-chill rim</p> <p>Overall Length: 29" /74 cm (minimum)</p> <p>The stethoscope is latex-free</p> <p>Comes with a pair of replacement Ear Tips, a replacement Membrane, and a Name Plate</p> <p>Smooth surface and no sharp edges</p>
Talking Sphygmomanometer	Wellness Massage NC II	<p>Type: arm type blood pressure monitor (talking english), Nylon cuff sizes: 33 to 42 cm arm dia.</p> <p>LCD Digital Display: Systolic, diastolic, pulse rate with real voice, loud and clear, announcing blood pressure automatically when reading is detected and displayed simultaneously</p> <p>Dimensions: 98mm*126mm*60mm (approximate)</p> <p>Hard plastic casing, smooth surface and no sharp edges, non toxic materials</p> <p>Measurement range : 0mm Hg to 300mm Hg;</p> <p>Smallest scale: 1mm Hg</p> <p>Weight: 450g (approximate)</p> <p>Pressure measurement range: 20~280mmHg(0.4kPa-37.3kPa)</p> <p>Pressure accuracy: ± 3mmHg(± 0.4kPa)</p> <p>Pulse measurement range: 40 ~199 beats /min</p> <p>Voltage: 4*AAA alkaline batteries or power adapter</p> <p>Certificate: CE ROHS</p> <p>Intelligent automatic pressurization and decompression</p> <p>Incorrect prompting function</p> <p>Automatic shutdown: 1 min after last operation</p> <p>Carton box packaging</p>

Item Name	TVL Specialization	Design Specification:
Talking Thermometer	Wellness Massage NC II	<p>Case Material: Hard plastic</p> <p>Sensing unit: Thermistor</p> <p>Measurement method: Actual measurement</p> <p>Measurement Range: 32 C - 42 C (89.6F-107.6F)</p> <p>Measurement Accuracy: $\pm 0.1^{\circ}\text{C}$ 32C-42.0C ($\pm 0.2^{\circ}\text{F}$ 89.6.9F-107.6F)</p> <p>Power Supply: 1.5V DC, LR41 Alkaline-Magnesium button battery</p> <p>Real voice (loud and clear in english) announces temperature automatically when reading is detected</p> <p>Temperature display: 3-digit, $^{\circ}\text{C}$ ($^{\circ}\text{F}$) display in 0.1 degree increment</p> <p>Dimension Approx.: 2.0 (W) x 4.4 (H) x 1.2 (D) inches (not including probe) / 51 (W) x 110 (H) x 30 (D) mms (not including probe)</p> <p>Choices in degrees Celsius or Fahrenheit</p> <p>Talk button repeats last temperature reading</p> <p>Last reading memory</p> <p>Auto switch off</p> <p>Accessories: Protective case, 5 probe covers, instruction sheet</p> <p>Paddle shape with sensor on small end</p>
Thermometer, Digital	Wellness Massage NC II	<p>Case Material: Hard plastic</p> <p>Sensing unit: Thermistor</p> <p>Measurement method: Actual measurement</p> <p>Measurement Range: 32 C - 42 C (89.6F-107.6F)</p> <p>Measurement Accuracy: $\pm 0.1^{\circ}\text{C}$ 32C-42.0C ($\pm 0.2^{\circ}\text{F}$ 89.6.9F-107.6F)</p> <p>Power Supply: 1.5V DC, 1 LR41 Alkaline-Magnesium button battery when measured at a standard room temperature of 23 $^{\circ}\text{C}$ (73.4 $^{\circ}\text{F}$) in a test tank held at constant temperature</p> <p>Power consumption: 0.1mW</p> <p>Low battery indication: Battery symbol displayed</p> <p>Temperature display: 3-digit, $^{\circ}\text{C}$ ($^{\circ}\text{F}$) display in 0.1 degree increment</p> <p>Memory: Last measuring reading</p> <p>Beeper function: 1 beep when power on 3 beeps after measurement completed</p> <p>External Size (mm): 19.4(W) \times 132.5 (L) \times 10.0(D)</p> <p>Accessories: Protective case, test battery, 5 probe covers, instruction sheet</p> <p>Paddle shape with sensor on small end</p>
White board	Wellness Massage NC II	<p>White board, floor standing, rolling</p> <p>Board: White Formica Laminated, plane will not deform.</p> <p>Board Size: Rectangular 1800mm W x 1000 to 1200mm H,</p> <p>Board Edges secured with Aluminum Clip Edging 17 mm (minimum) wih plastic corner caps</p> <p>Comes with Metal Tray for Marker and Eraser</p> <p>The stand and frame are constructed with Aluminum or powder coated steel 25mm square tube (minimum), sturdy, no wobble</p> <p>With 4 lockable hard plastic caster wheels</p> <p>Overall Height from floor: 210 to 214cm</p> <p>Smooth surface, no sharp edges</p>